### **Diagnosis Restricted Drugs**

The table below includes a list of drugs that are diagnosis-restricted for pharmacy compound and non-compound claims. This table specifies if the diagnosis must be indicated on the claim, prior authorization (PA) request, or both. See the link below for physician-administered diagnosis restrictions.

If the prescriber writes a prescription with a diagnosis outside the ForwardHealth-allowed diagnoses for a drug, the prescriber is required to submit peer-reviewed medical literature to support the proven efficacy and safety of the requested use of the drug. Documentation of previous treatments and detailed reasons why other covered drug treatments were discontinued or not utilized are required. Medical records should be provided as necessary to support the PA request. This information should be documented on the Prior Authorization/Drug Attachment (PA/DGA), F- 11049 (10/13), in Section V (Clinical Information for Diagnosis-Restricted Drug Requests).

When completing the PA/DGA, prescribers should provide the diagnosis code and description, complete Section V, and use Section VIII (Additional Information), if needed. Prescribers are reminded to provide a handwritten signature and date on the form before submitting it to the pharmacy provider where the prescription will be filled. The pharmacy provider is required to complete a Prior Authorization Request Form (PA/RF), F- 11018 (05/13), before submitting the forms and supporting documentation to ForwardHealth. Prescribers should not submit PA forms to ForwardHealth.

As a reminder, prescribers and pharmacy providers are required to retain a completed copy of the PA form(s).

For additional information about diagnosis-restricted drug policy, providers may refer to the ForwardHealth Online Handbook Topic #4403, 15537, and 15937:

https://www.forwardhealth.wi.gov/wiportal/subsystem/kw/display.aspx

Physician Administered diagnosis restrictions can be found at:

https://www.forwardhealth.wi.gov/WIPortal/Tab/42/icscontent/Provider/medicaid/physician/data\_tables/index.htm.spage

## Diagnosis Restricted Drugs

Effective: 1/1/2022

## Alzheimer's Agents

Products	

NAMENDA XR (memantine hcl)

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓

#### ICD-10 Description

F0150	Vascular dementia without behavioral disturbance
F0151	Vascular denentia with behavioral disturbance
G300	Alzheimer's disease with early onset
G301	Alzheimer's disease with late onset
G308	Other alzheimer's disease
G309	Alzheimer's disease, unspecified

### Antibiotics, Inhaled

#### **Products**

ARIKAYCE (amikacin liposomal)

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓

#### ICD-10 Description

A310	Pulmonary mycobacterial infection
A312	Disseminated mycobacterium avium-intracellulare complex (DMAC)

## Diagnosis Restricted Drugs

### Anticonvulsants

Produ	cts		
DIACC	MIT (stirip	pentol)	
	Diagnosis	is Code Must Be Submitted on: Claim 🗸 Prior Authorization Request 📝	
	ICD-10	Description	
	G40833	Dravet Syndrome, Intractable, with status Epilepticus	
	G40834	Dravet Syndrome, Intractable, without status Epilepticus	
Produ	cts		
EPIDIO	DLEX (can	nabidiol)	
	Diagnosi	is Code Must Be Submitted on: Claim ☐ Prior Authorization Request ✔	
	ICD-10	Description	
	G40811	Lennox-Gastaut syndrome, not intractable, with status epilepticus	
	G40812	Lennox-Gastaut syndrome, not intractable, without status epilepticus	
	G40813	Lennox-Gastaut syndrome, intractable, with status epilepticus	
	G40814	Lennox-Gastaut syndrome, intractable, without status epilepticus	
	G40833	Dravet Syndrome, Intractable, with status Epilepticus	
	G40834	Dravet Syndrome, Intractable, without status Epilepticus	
	Q851	Tuberous Sclerosis	
Produ			
	EL (rufinam	nide) is Code Must Be Submitted on: Claim ✔ Prior Authorization Request ✔	
	EL (rufinam	is Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓	
	EL (rufinam	is Code Must Be Submitted on: Claim 🗸 Prior Authorization Request ✔	
	Diagnosi	is Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓	
	Diagnosi: ICD-10 G40811	is Code Must Be Submitted on: Claim Prior Authorization Request Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus	
	Diagnosis ICD-10 G40811 G40812	is Code Must Be Submitted on: Claim Prior Authorization Request Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus	
	Diagnosis ICD-10 G40811 G40812 G40813 G40814	Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus	
BANZE	Diagnosis ICD-10 G40811 G40812 G40813 G40814	Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus	
BANZE	Diagnosis ICD-10 G40811 G40812 G40813 G40814 Cts PLA (fenflu	Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus	
BANZE	Diagnosis ICD-10 G40811 G40812 G40813 G40814 Cts PLA (fenflu	Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  uramine)  is Code Must Be Submitted on: Claim  Prior Authorization Request	
BANZE	Diagnosis ICD-10 G40811 G40812 G40813 G40814 Cts PLA (fenflu	Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  uramine)	
BANZE	Diagnosis ICD-10 G40811 G40812 G40813 G40814 Cts PLA (fenflu Diagnosis	Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  uramine)  is Code Must Be Submitted on: Claim   Prior Authorization Request   Description	
Produ FINTE	Diagnosis ICD-10 G40811 G40812 G40813 G40814 Cts PLA (fenflu Diagnosis ICD-10 G40833 G40834	Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  uramine)  is Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓  Description  Dravet Syndrome, Intractable, with status Epilepticus	
Produ	Diagnosis ICD-10 G40811 G40812 G40813 G40814 Cts PLA (fenflu Diagnosis ICD-10 G40833 G40834	Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  uramine)  is Code Must Be Submitted on: Claim   Prior Authorization Request  Description  Dravet Syndrome, Intractable, with status Epilepticus  Dravet Syndrome, Intractable, without status Epilepticus	
Produ	Diagnosis ICD-10 G40811 G40812 G40813 G40814 Cts PLA (fenflu Diagnosis ICD-10 G40833 G40834	Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  uramine)  is Code Must Be Submitted on: Claim   Prior Authorization Request  Description  Dravet Syndrome, Intractable, with status Epilepticus  Dravet Syndrome, Intractable, without status Epilepticus	
Produ	Diagnosis ICD-10 G40811 G40812 G40813 G40814 Cts PLA (fenflu Diagnosis ICD-10 G40833 G40834 Cts AZAN (clock	Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  uramine)  is Code Must Be Submitted on: Claim   Prior Authorization Request  Description  Dravet Syndrome, Intractable, with status Epilepticus  Dravet Syndrome, Intractable, without status Epilepticus	
Produ	Diagnosis ICD-10 G40811 G40812 G40813 G40814 Cts PLA (fenflu Diagnosis ICD-10 G40833 G40834 Cts AZAN (clock	Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  uramine)  is Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓  Description  Dravet Syndrome, Intractable, with status Epilepticus  Dravet Syndrome, Intractable, without status Epilepticus  Dravet Syndrome, Intractable, without status Epilepticus	

## Diagnosis Restricted Drugs

### **Anticonvulsants**

ICD-10

B250

B259

G40812	Lennox-Gastaut syndrome, not intractable, without status epilepticus
G40813	Lennox-Gastaut syndrome, intractable, with status epilepticus
G40814	Lennox-Gastaut syndrome, intractable, without status epilepticus

## Antineoplastic and Premalignant Lesion Agent, Topical

osis Code Must Be Submitted on:			
colo dode mast be cabilitted on:	Claim 🗸	Prior Authorization Request	
0 Description			
Actinic Keratosis			
	<u> </u>	Actinic Keratosis	Actinic Keratosis

# B251 Cytomegaloviral disease hepatitis B252 Cytomegaloviral disease pancreatitis B258 Other cytomegaloviral diseases

Claim 🗸

Prior Authorization Request

## Central Nervous System Agents, Miscellaneous

Cytomegaloviral disease, Unspecified

Cytomegaloviral disease pneumonitis

Diagnosis Code Must Be Submitted on:

Description

Prod	ucts			
RILU	TEK (riluzol	le)		
	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
	ICD-10	Description		
	G1221	Amyotrophic lateral sclerosis		
Prod	ucts			
NUE	DEXTA (de	xtromethorphan hbr/quinidine)		
	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
	ICD-10	Description		
	F482	Pseudobulbar affect		

## Diagnosis Restricted Drugs

Products				
BRONCHITOL (	mannitol)			
Diagnos	sis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-10	Description			
E840	Cystic Fibrosis with Pulmonary Ma	nifestations		
E8411	Meconium Ileus in Cystic Fibrosis			
E8419	Cystic Fibrosis with Other Intestina	al Manifestations		
E848	Cystic Fibrosis with Other Manifes			
E849	Cystic Fibrosis, Unspecified			
Products				
HORIZANT (gal	papentin enacarbil)			
(0	,			
Diagnos	sis Code Must Be Submitted on:	Claim	Prior Authorization Request 🗸	
ICD-10	Description			
B0221	Postherpetic geniculate ganglioniti	is		
B0222	Postherpetic trigeminal neuralgia			
B0223	Postherpetic polyneuropathy			
B0224	Postherpetic myelitis			
B0229	Other postherpetic nervous system	n involvement		
G2581	Restless legs syndrome	<del></del>		
Products				
GRALISE (gaba	pentin)			
	,			
Diagnos	sis Code Must Be Submitted on:	Claim	Prior Authorization Request 🗸	
-			• હ	
ICD-10	Description	·_		
B0221	Postherpetic geniculate ganglioniti	IS		
B0222	Postherpetic trigeminal neuralgia			
B0223	Postherpetic polyneuropathy			
B0224	Postherpetic myelitis			
B0229	Other postherpetic nervous systen	n involvement		

## Diagnosis Restricted Drugs

## Gonadotropin-Releasing Hormone Receptor Antagonist

ucts				
ISSA (elago	olix sodium)			
Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-10	Description			
N800	Endometriosis of uterus			
N801	Endometriosis of ovary			
N802	Endometriosis of fallopian tube			
N803	Endometriosis of pelvic peritoneum			
N804	Endometriosis of rectpvagomal sep	tum and vagina		
N805	Endometriosis of intestine			
N806	Endometriosis of cutaneous scar			
N808	Other Endometriosis			
N809	Endometriosis, unspecified			
ucts	•			
ucts LEPT (metr	•	Claim <b>✓</b>	Prior Authorization Request	
ucts LEPT (metr Diagnos ICD-10	eleptin)	Claim <b>√</b>	Prior Authorization Request	
ucts LEPT (metr	eleptin) is Code Must Be Submitted on:		Prior Authorization Request	
ucts LEPT (metr Diagnos ICD-10	eleptin) is Code Must Be Submitted on: Description		Prior Authorization Request	
ucts  LEPT (metr  Diagnos  ICD-10  E881	eleptin)  is Code Must Be Submitted on:  Description  Lipodystrophy, not elsewhere classi		Prior Authorization Request	
ucts  LEPT (metr  Diagnos  ICD-10  E881  ucts  IFTA SV (te	eleptin)  is Code Must Be Submitted on:  Description  Lipodystrophy, not elsewhere classi		Prior Authorization Request  Prior Authorization Request	
ucts LEPT (metr Diagnos ICD-10 E881 ucts IFTA SV (te	eleptin)  is Code Must Be Submitted on:  Description  Lipodystrophy, not elsewhere classics  samorelin)	ified		
ucts  LEPT (metr  Diagnos  ICD-10  E881  ucts  IFTA SV (te	eleptin)  is Code Must Be Submitted on:  Description  Lipodystrophy, not elsewhere classics amorelin)  is Code Must Be Submitted on: gnosis codes required or see below	ified		
ucts  LEPT (metr  Diagnos  ICD-10  E881  ucts  IFTA SV (te  Diagnos  Both diag	eleptin)  is Code Must Be Submitted on:  Description  Lipodystrophy, not elsewhere classics samorelin)  is Code Must Be Submitted on: gnosis codes required or see below  Description	Claim ✓		
ucts  LEPT (metr  Diagnos  ICD-10  E881  ucts  IFTA SV (te	eleptin)  is Code Must Be Submitted on:  Description  Lipodystrophy, not elsewhere classics  isamorelin)  is Code Must Be Submitted on:  gnosis codes required or see below  Description  Human immunodeficiency virus [HI	Claim ✓		
ucts LEPT (metr Diagnos ICD-10 E881 ucts IFTA SV (te Diagnos Both diag ICD-10 B20 E881	eleptin)  is Code Must Be Submitted on:  Description  Lipodystrophy, not elsewhere classics samorelin)  is Code Must Be Submitted on: gnosis codes required or see below  Description	Claim ✓		
ucts  LEPT (metr  Diagnos  ICD-10  E881  ucts  IFTA SV (te  Diagnos  Both diag  ICD-10  B20  E881  Or an alt	eleptin)  is Code Must Be Submitted on:  Description  Lipodystrophy, not elsewhere classics  isamorelin)  is Code Must Be Submitted on: gnosis codes required or see below  Description  Human immunodeficiency virus [HI Lipodystrophy, not elsewhere classicernative combination of codes	Claim ✓		
ucts LEPT (metr Diagnos ICD-10 E881 ucts IFTA SV (te Diagnos Both diag ICD-10 B20 E881	eleptin)  is Code Must Be Submitted on:  Description  Lipodystrophy, not elsewhere classics  isamorelin)  is Code Must Be Submitted on: gnosis codes required or see below  Description  Human immunodeficiency virus [HI Lipodystrophy, not elsewhere classics  ernative combination of codes  Description	Claim ✓  V] Disease		

## Diagnosis Restricted Drugs

Lipodose	es				
Products					
CERDELGA	A (elig	lustat tartrate)		ZAVESCA (miglustat)	
Diaç	gnosi	s Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD	-10	Description			
E75	22	Gaucher disease			1
		•			4
Lysosom	nal :	Storage Disorder			
Products					
GALAFOLD	) (mig	alastat)			
Diaç	gnosi	s Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD	-10	Description			
E75	21	Fabry (-Anderson) Disease			1
<u> </u>					_
Moveme	nt [	Disorders			
Products					
AUSTEDO	(deute	etrabenazine)			
Diaç	gnosi	s Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD	-10	Description			
G10	)	Huntington's Disease			1
G24	101	Drug Induced Subacute Dyskinesia			1
G24	102	Other induced Acute Dystonia			1
G24	109	Other Drug Induced Dystonia			]
Products					
INGREZZA	(valb	enazine)		INGREZZA INITIATION PACK (valbenazine)	
Diaç	gnosi	s Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD	-10	Description			
G24	101	Drug Induced Subacute Dyskinesia			1
G24	102	Drug Induced Acute Dystonia			1
G24	109	Other Drug Induced Dystonia			1
Products		•			-
XENAZINE	(tetra	benazine)			
Diag	gnosi	s Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD	-10	Description	<u></u>	_	
G10		HUNTINGTON'S DISEASE			1

## Diagnosis Restricted Drugs Effective: 1/1/2022

AMPYRA (dalfan	npridin)	
Diagnos	s Code Must Be Submitted on: Claim ✔ Prior Authorization Request ☐	
-		
ICD-10	Description Nulliinto external and the second secon	1
G35	Multiple sclerosis	
europathio	Pain Pain	
Products		
LYRICA CR (pre	gabalin)	
Diagnos	s Code Must Be Submitted on: Claim 🗸 Prior Authorization Request 🗸	
ICD-10	Description	
B0221	POSTHERPETIC GENICULATE GANGLIONITIS	1
B0222	POSTHERPETIC TRIGEMINAL NEURALGIA	
B0223	POSTHERPETIC POLYNEUROPATHY	
B0224	POSTHERPETIC MYELITIS	
B0229	OTHER POSTHERPETIC NERVOUS SYSTEM INVOLVEMENT	
E1040	TYPE 1 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED	
E1041	TYPE 1 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY	
	TYPE 1 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY	
E1042		
E1042 E1043	TYPE 1 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY	
	TYPE 1 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY  TYPE 1 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY	
E1043		
E1043 E1044	TYPE 1 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY	
E1043 E1044 E1049	TYPE 1 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION	
E1043 E1044 E1049 E1140	TYPE 1 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY  TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION  TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED	
E1043 E1044 E1049 E1140 E1141	TYPE 1 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY  TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION  TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED  TYPE 2 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY	
E1043 E1044 E1049 E1140 E1141 E1142	TYPE 1 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY  TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION  TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED  TYPE 2 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY  TYPE 2 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY	

H524

Presbyopia

## Diagnosis Restricted Drugs

Effective: 1/1/2022

## Opioid Dependency - Buprenorphine

ouprenor	rphine ho	cl (Example brand: SUBUTEX)		buprenorphine-naloxone (Example brand: SUBOXONI	
SUBLOC	CADE (bu	uprenorphine)		SUBOXONE (buprenorphine hcl/naloxone)	
ZUBSOL	V (bupre	enorphine hcl/naloxone)			
D	Diagnosi	s Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request 🗸	
IC	CD-10	Description			
F	1120	Opioid dependence, uncomplicated			
F	1120	Opioid dependence, uncomplicated			
F	1121	Opioid dependence, in remission			
F	1124	Opioid dependence with opioid-indu	ced mood disc	rder	
F	11250	Opioid dependence with opioid-indu	ced psychotic	disorder with delusions	
F	11251	Opioid dependence with opioid-indu	ced psychotic	disorder with hallucinations	
F	11259	Opioid dependence with opioid-indu	ced psychotic	disorder, unspecified	
F	11281	Opioid dependence with opioid-indu	Opioid dependence with opioid-induced sexual dysfunction		
F	11282	Opioid dependence with opioid-indu	ced sleep diso	rder	
F	11288	Opioid dependence with other opioid	l-induced diso	der	
<u> </u>	1129	Opioid dependence with unspecified	opioid-induce	d disorder	

## Opioid Dependency Agents - Methadone

Prod	ucts		
DISK	ETS 40 MG	G TABLET DISPR (methadone hcl)  METHADONE INTENSOL 10 MG/ML (metha	done hcl)
METI	HADOSE 10	10 MG/ML ORAL CONC (methadone hcl) METHADOSE 40 MG TABLET DISPR (meth	adone hcl
	Diagnos	sis Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗌	
	ICD-10	Description	
	F1120	Opioid dependence, uncomplicated	
	F1121	Opioid dependence, in remission	
	F1124	Opioid dependence with opioid-induced mood disorder	
	F11250	Opioid dependence with opioid-induced psychotic disorder with delusions	
	F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations	
	F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified	
	F11281	Opioid dependence with opioid-induced sexual dysfunction	
	F11282	Opioid dependence with opioid-induced sleep disorder	
	F11288	Opioid dependence with other opioid-induced disorder	
	F1129	Opioid dependence with unspecified opioid-induced disorder	$\neg$

## Diagnosis Restricted Drugs

## Opioid Dependency and Alcohol Abuse/Dependency Agents

lucts				
rexone hcl (Example brand: REVIA) VIVITROL (naltrexone microspheres)				
Diagnosi	s Code Must Be Submitted on: Claim 📝 Prior Authorization Request 🗌			
ICD-10	Description			
F1010	Alcohol abuse, uncomplicated			
F1011	Alcohol abuse, uncomplicated			
F1014	Alcohol abuse with alcohol-induced mood disorder			
F10150	Alcohol abuse with alcohol-induced psychotic disorder with delusions			
F10151	Alcohol abuse with alcohol-induced psychotic disorder with hallucinations			
F10159	Alcohol abuse with alcohol-induced psychotic disorder, unspecified			
F10180	Alcohol abuse with alcohol-induced anxiety disorder			
F10181	Alcohol abuse with alcohol-induced sexual dysfunction			
F10182	Alcohol abuse with alcohol-induced sleep disorder			
F10188	Alcohol abuse with other alcohol-induced disorder			
F1019	Alcohol abuse with unspecified alcohol-induced disorder			
F1020	Alcohol dependence, uncomplicated			
F1021	Alcohol dependence, in remission			
F1024	Alcohol dependence with alcohol-induced mood disorder			
F10250	Alcohol dependence with alcohol-induced psychotic disorder with delusions			
F10251	Alcohol dependence with alcohol-induced psychotic disorder with hallucinations			
F10259	Alcohol dependence with alcohol-induced psychotic disorder, unspecified			
F1026	Alcohol dependence with alcohol-induced persisting amnestic disorder			
F1027	Alcohol dependence with alcohol-induced persisting dementia			
F10280	Alcohol dependence with alcohol-induced anxiety disorder			
F10281	Alcohol dependence with alcohol-induced sexual dysfunction			
F10282	Alcohol dependence with alcohol-induced sleep disorder			
F10288	Alcohol dependence with other alcohol-induced disorder			
F1029	Alcohol dependence with unspecified alcohol-induced disorder			
F1094	Alcohol use, unspecified with alcohol-induced mood disorder			
F10950	Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions			
F10951	Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations			
F10959	Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified			
F1096	Alcohol use, unspecified with alcohol-induced persisting amnestic disorder			
F1097	Alcohol use, unspecified with alcohol-induced persisting dementia			
F10980	Alcohol use, unspecified with alcohol-induced anxiety disorder			
F10981	Alcohol use, unspecified with alcohol-induced sexual dysfunction			
F10982	Alcohol use, unspecified with alcohol-induced sleep disorder			
F10988	Alcohol use, unspecified with other alcohol-induced disorder			
F1099	Alcohol use, unspecified with unspecified alcohol-induced disorder			
F1120	Opioid dependence, uncomplicated			
F1121	Opioid dependence, in remission			
F1124	Opioid dependence with opioid-induced mood disorder			
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions			
F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations			
F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified			

Opioid dependence with opioid-induced sexual dysfunction

F11281

## Diagnosis Restricted Drugs

## Opioid Dependency and Alcohol Abuse/Dependency Agents

F11282 Opioid dependence with opioid-induced sleep disorder				
F11288	Opioid dependence with other opioid-induced disorder			
F1129	Opioid dependence with unspecified opioid-induced disorder			

## **Progestational Agent**

#### **Products**

CRINONE 8% GEL (progesterone)

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐

#### ICD-10 Description

100-10	Description
O09211	Supervision of pregnancy with history of pre-term labor, first trimester
O09212	Supervision of pregnancy with history of pre-term labor, second trimester
O09213	Supervision of pregnancy with history of pre-term labor, third trimester
O09219	Supervision of pregnancy with history of pre-term labor, unspecified trimester
O09291	Supervision of pregnancy with other poor reproductive or obstetric history, first trimester
O09292	Supervision of pregnancy with other poor reproductive or obstetric history, second trimester
O09293	Supervision of pregnancy with other poor reproductive or obstetric history, third trimester
O09299	Supervision of pregnancy with other poor reproductive or obstetric history, unspecified trimester
O26872	Cervical shortening, second trimester
O26873	Cervical shortening, third trimester
O26879	Cervical shortening, unspecified trimester

## Pulmonary Anti-Hypertensive Agents

### Products

ADCIRCA (tadalafil) REVATIO (sildenafil citrate) ALYQ (tadalafil)

Diagnosis Code Must Be Submitted on:

Claim 🗸

Prior Authorization Request 🗸

#### ICD-10 Description

1270	Primary pulmonary hypertension	
12720	Pulmonary hypertension, unspecified	
12721	Secondary pulmonary arterial hypertension	
12722	Pulmonary hypertension due to left heart disease	
12723	Pulmonary hypertension Due to Lung Diseases and hypoxia	
12724	Chronic thromboembolic pulmonary hypertension	
12729	Other secondary pulmonary hypertension	
12783	Eisenmenger's syndrome	

## Diagnosis Restricted Drugs

F17221

F17223

F17228

F17229

F17290

F17291

F17293

F17298

F17299

Tobacco use

Z720

Nicotine dependence, chewing tobacco, in remission

Nicotine dependence, chewing tobacco, with withdrawal

Nicotine dependence, other tobacco product, uncomplicated

Nicotine dependence, other tobacco product, with withdrawal

Nicotine dependence, other tobacco product, in remission

Nicotine dependence, chewing tobacco, with other nicotine-induced disorders

Nicotine dependence, chewing tobacco, with unspecified nicotine-induced disorders

Nicotine dependence, other tobacco product, with other nicotine-induced disorders

Nicotine dependence, other tobacco product, with unspecified nicotine-induced disorders

Products			
ESBRIET (pirfen	idone)		
Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
•		<b>V</b>	
ICD-10	Description		
J84112	Idiopathic pulmonary fibrosis		
moking Co	essation		
nicotine gum (Ex	150 mg tablet (Example brand: ZYBA ample brand: NICORETTE) (Example brand: NICOTINE) xample brand: NICOTINE) nicotine)	N)	CHANTIX (varenicline tartrate) nicotine lozenge (Example brand: NICORETTE) nicotine patch (Example brand: CVS NICOTINE) NICOTROL (nicotine)
Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
ICD-10	Description		
F17200	Nicotine dependence, unspecified,	uncomplicated	
F17201	Nicotine dependence, unspecified,	in remission	
F17203	Nicotine dependence unspecified, v	vith withdrawal	
F17208	Nicotine dependence, unspecified,	with other nicoti	ne-induced disorders
F17209	Nicotine dependence, unspecified,	with unspecified	nicotine-induced disorders
F17210	Nicotine dependence, cigarettes, ur	ncomplicated	
F17211	Nicotine dependence, cigarettes, in	remission	
F17213	Nicotine dependence, cigarettes, w	ith withdrawal	
F17218	Nicotine dependence, cigarettes, wi	ith other nicotine	e-induced disorders
F17219	Nicotine dependence, cigarettes, w	ith unspecified r	icotine-induced disorders
F17220	Nicotine dependence, chewing toba		

Page	12	Ωf	14

## Diagnosis Restricted Drugs

### Stimulants, Desoxyn

#### **Products**

DESOXYN (methamphetamine hcl)

#### Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request 🗸

#### ICD-10 Description

F900	Attention-deficit hyperactivity disorder, predominantly inattentive type			
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type			
F902	Attention-deficit hyperactivity disorder, combined type			
F908	Attention-deficit hyperactivity disorder, other type			
F909	Attention-deficit hyperactivity disorder, unspecified type			

### Stimulants, Excluding Desoxyn and Vyvanse

#### **Products**

ADDERALL (dextroamphetamine/amphetamine)

ADHANSIA XR (methylphenidate) ADZENYS XR-ODT (amphetamine) CONCERTA (methylphenidate hcl) DAYTRANA (methylphenidate hcl) DYANAVEL XR (amphetamine) FOCALIN (dexmethylphenidate hcl) JORNAY PM (methylphenidate er)

methylphenidate er (Example brand: METADATE ER) methylphenidate hcl (Example brand: METHYLIN CHEW) methylphenidate hcl er (cd) (Example brand: METADATE CD)

MYDAYIS (dextroamphetamine/amphetamine)

QUILLIVANT XR (methylphenidate hcl) RITALIN (methylphenidate hcl)

ZENZEDI (dextroamphetamine sulfate)

ADDERALL XR (dextroamphetamine/amphetamine)

Effective: 1/1/2022

ADZENYS ER (amphetamine) APTENSIO XR (methylphenidate hcl) COTEMPLA XR-ODT (methylphenidate) DEXEDRINE (dextroamphetamine sulfate)

EVEKEO (amphetamine)

FOCALIN XR (dexmethylphenidate hcl)

METHYLIN (methylphenidate hcl) methylphenidate er (Example brand: METHYLIN)

methylphenidate hcl cd (Example brand: METADATE CC methylphenidate la (Example brand: RITALIN LA)

PROCENTRA (dextroamphetamine sulfate)

RELEXXII ER 72 MG TABLET (methylphenidate hcl)

RITALIN LA (methylphenidate hcl)

#### Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request 🗸

#### ICD-10 Description

F900	Attention-deficit hyperactivity disorder, predominantly inattentive type		
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type		
F902	Attention-deficit hyperactivity disorder, combined type		
F908	Attention-deficit hyperactivity disorder, other type		
F909	Attention-deficit hyperactivity disorder, unspecified type		
G47411	Narcolepsy with cataplexy		
G47419	Narcolepsy without cataplexy		

## Diagnosis Restricted Drugs

## Stimulants, Vyvanse

VYVA	NSE (lisde	examfetamine dimesylate)		VYVANSE CHEWABLE (lisdexamfetamine dimes	ylate)
	Diagnosi	is Code Must Be Submitted on: Claim	1 <b></b>	Prior Authorization Request	
	ICD-10	Description			
	F5081	Binge Eating Disorder			
	F900	Attention-deficit hyperactivity disorder, pred	dominantl	y inattentive type	
	F901	Attention-deficit hyperactivity disorder, pred	dominantl	y hyperactive type	
	F902	Attention-deficit hyperactivity disorder, com	nbined typ	e	
	F908	Attention-deficit hyperactivity disorder, other	er type		
	F909	Attention-deficit hyperactivity disorder, unsp	pecified ty	/ре	
	G47411	Narcolepsy with cataplexy			
	G47419	Narcolepsy without cataplexy			

### Vitamins, Renal

#### **Products**

DIALYVITE (folic acid combination)

DIALYVITE 800 WITH IRON (fe fumarate combinations)

FOLBEE PLUS (folic acid combination)

HEMATINIC PLUS (iron combinations)

RENAL CAPS (vitamin b complex)

TRIPHROCAPS (vitamin b complex)

VP-VITE RX (vitamin b complex)

DIALYVITE 3000 (folic acid combination)
FERROCITE PLUS (iron combinations)
FOLBEE PLUS CZ (folic acid combination)
NEPHRO-VITE RX (vitamin b complex)
RENA-VITE RX (vitamin b complex)
VIRT-CAPS (vitamin b complex)

Diagnosis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
--------------------------------------	---------	-----------------------------

ICD-10	Description
N181	Chronic kidney disease, Stage 1
N182	Chronic kidney disease, Stage 2 (mild)
N1830	Chronic kidney disease, stage 3 unspecified
N1831	Chronic kidney disease, stage 3A
N1832	Chronic kidney disease, stage 3B
N184	Chronic kidney disease, Stage 4 (severe)
N185	Chronic kidney disease, Stage 5
N186	End stage renal disease
N189	Chronic kidney disease, unspecified
N250	Renal osteodystrophy
N251	Nephrogenic diabetes insipidus
N2581	Secondary hyperparathyroidism of renal origin
N2589	Other disorders resulting from impaired renal tubular function
N259	Disorder resulting from impaired renal tubular function, unspecified