Diagnosis Restricted Drugs

The table below includes a list of drugs that are diagnosis-restricted for pharmacy compound and non-compound claims. This table specifies if the diagnosis must be indicated on the claim, prior authorization (PA) request, or both. See the link below for physician-administered diagnosis restrictions.

If the prescriber writes a prescription with a diagnosis outside the ForwardHealth-allowed diagnoses for a drug, the prescriber is required to submit peer-reviewed medical literature to support the proven efficacy and safety of the requested use of the drug. Documentation of previous treatments and detailed reasons why other covered drug treatments were discontinued or not utilized are required. Medical records should be provided as necessary to support the PA request. This information should be documented on the Prior Authorization/Drug Attachment (PA/DGA), F- 11049 (10/13), in Section V (Clinical Information for Diagnosis-Restricted Drug Requests).

When completing the PA/DGA, prescribers should provide the diagnosis code and description, complete Section V, and use Section VIII (Additional Information), if needed. Prescribers are reminded to provide a handwritten signature and date on the form before submitting it to the pharmacy provider where the prescription will be filled. The pharmacy provider is required to complete a Prior Authorization Request Form (PA/RF), F- 11018 (05/13), before submitting the forms and supporting documentation to ForwardHealth. Prescribers should not submit PA forms to ForwardHealth.

As a reminder, prescribers and pharmacy providers are required to retain a completed copy of the PA form(s).

For additional information about diagnosis-restricted drug policy, providers may refer to the ForwardHealth Online Handbook Topic #4403, 15537, and 15937: https://www.forwardhealth.wi.gov/wiportal/subsystem/kw/display.aspx

Physician Administered diagnosis restrictions can be found at: https://www.forwardhealth.wi.gov/WIPortal/Tab/42/icscontent/Provider/medicaid/physician/data_tables/index.htm.spage

Diagnosis Restricted Drugs

Effective: 1/1/2023

Alzheimer's Agents

Products

NAMENDA XR (memantine hcl)

Diagnosis Code Must Be Submitted on: Claim 🔽 Prior Authorization Request 🔽

ICD-10	Description
F0150	Vascular dementia without behavioral disturbance
F0151	Vascular denentia with behavioral disturbance
G300	Alzheimer's disease with early onset
G301	Alzheimer's disease with late onset
G308	Other alzheimer's disease
G309	Alzheimer's disease, unspecified

Antibiotics, Inhaled

Products

ARIKAYCE (amikacin liposomal)

Diagnosis Code Must Be Submitted on:

Prior Authorization Request 🖌

ICD-10	Description
A310	Pulmonary mycobacterial infection
A312	Disseminated mycobacterium avium-intracellulare complex (DMAC)

Claim 🗸

Diagnosis Restricted Drugs

Effective: 1/1/2023

Anticonvulsants

COMIT (stirip	entol)
Diagnosi	s Code Must Be Submitted on: Claim 🖌 Prior Authorization Request 🖌
ICD-10	Description
G40833	Dravet Syndrome, Intractable, with status Epilepticus
G40834	Dravet Syndrome, Intractable, without status Epilepticus
lucts DIOLEX (can	nabidiol)
DIOLEX (can Diagnosi	s Code Must Be Submitted on: Claim Prior Authorization Request ✔
DIOLEX (can Diagnosi ICD-10	s Code Must Be Submitted on: Claim Prior Authorization Request 🖌 Description
DIOLEX (can Diagnosi ICD-10 G40811	s Code Must Be Submitted on: Claim Prior Authorization Request Description Lennox-Gastaut syndrome, not intractable, with status epilepticus
DIOLEX (can Diagnosi ICD-10 G40811 G40812	s Code Must Be Submitted on: Claim Prior Authorization Request v Description Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus
DIOLEX (can Diagnosi ICD-10 G40811 G40812 G40813	s Code Must Be Submitted on: Claim
DIOLEX (can Diagnosi ICD-10 G40811 G40812	s Code Must Be Submitted on: Claim Prior Authorization Request v Description Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus
DIOLEX (can Diagnosi ICD-10 G40811 G40812 G40813	s Code Must Be Submitted on: Claim
DIOLEX (can Diagnosi ICD-10 G40811 G40812 G40813 G40814	s Code Must Be Submitted on: Claim Prior Authorization Request Image: Comparison of the status explorement of the status exp

Diagnosis Code Must Be Submitted on: Claim 🖌 Prior Authorization Request 🗸

ICD-10	Description
G40811	Lennox-Gastaut syndrome, not intractable, with status epilepticus
G40812	Lennox-Gastaut syndrome, not intractable, without status epilepticus
G40813	Lennox-Gastaut syndrome, intractable, with status epilepticus
G40814	Lennox-Gastaut syndrome, intractable, without status epilepticus

Products

FINTEPLA (fenfluramine)

Diagnosis Code Must Be Submitted on:

Prior Authorization Request 🗸

ICD-10 Description

G40811	Lennox-Gastaut syndrome, not intractable, with status epilepticus
G40812	Lennox-Gastaut syndrome, not intractable, without status epilepticus
G40813	Lennox-Gastaut syndrome, intractable, with status epilepticus
G40814	Lennox-Gastaut syndrome, intractable, without status epilepticus
G40833	Dravet Syndrome, Intractable, with status Epilepticus
G40834	Dravet Syndrome, Intractable, without status Epilepticus

Claim 🗸

Products

SYMPAZAN (clobazam)

Diagnosis Restricted Drugs

Effective: 1/1/2023

Anticonvulsants

Diagnosi	s Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request 🖌
ICD-10	Description		
G40811	Lennox-Gastaut syndrome, not intrac	ctable, with statu	is epilepticus
G40812	Lennox-Gastaut syndrome, not intrac	ctable, without s	tatus epilepticus
G40813	Lennox-Gastaut syndrome, intractab	le, with status e	pilepticus
G40814	Lennox-Gastaut syndrome, intractab	le, without statu	s epilepticus

Antineoplastic and Premalignant Lesion Agent, Topical

Products

diclofenac sodium 3% gel (Example brand: SOLARAZE)

Diagnosis Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request	

ICD-10 Description

L570 Actinic Keratosis

Antiviral Agents

Products LIVTENCITY (maribavir) Diagnosis Code Must Be Submitted on: Prior Authorization Request Claim 🗸 ICD-10 Description B250 Cytomegaloviral disease pneumonitis B251 Cytomegaloviral disease hepatitis B252 Cytomegaloviral disease pancreatitis B258 Other cytomegaloviral diseases B259 Cytomegaloviral disease, Unspecified

Diagnosis Restricted Drugs

Effective: 1/1/2023

Central Nervous System Agents, Miscellaneous

	nylbutyrate)		RILUTEK (riluzole)	
Diagnos	is Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request	
ICD-10	Description			
G1221	Amyotrophic lateral sclerosis			
Products				
UEDEXTA (de	xtromethorphan hbr/quinidine)			
Diagnos	is Code Must Be Submitted on:		Prior Authorization Request	
Diagnos	is code must be submitted on.	Claim 🖌	Filor Authonization Request	
ICD-10	Description			
-	Description Pseudobulbar affect			
ICD-10 F482 Stic Fibro Products BRONCHITOL (1	Description Pseudobulbar affect DSİS			
ICD-10 F482 Stic Fibro Products BRONCHITOL (1	Description Pseudobulbar affect	Claim 🖌	Prior Authorization Request	
ICD-10 F482 Stic Fibro Products BRONCHITOL (1	Description Pseudobulbar affect DSİS			
ICD-10 F482 VSTIC Fibro Products BRONCHITOL (1) Diagnos	Description Pseudobulbar affect DSIS mannitol) is Code Must Be Submitted on:	Claim 🖌		
ICD-10 F482 Stic Fibro Products BRONCHITOL (F Diagnos ICD-10	Description Pseudobulbar affect DSIS mannitol) is Code Must Be Submitted on: Description	Claim 🖌		
ICD-10 F482 VSTIC Fibro Products BRONCHITOL (I Diagnos ICD-10 E840	Description Pseudobulbar affect DSIS mannitol) is Code Must Be Submitted on: Description Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis Cystic Fibrosis with Other Intestina	Claim V nifestations		
ICD-10 F482 VSTIC Fibro Products BRONCHITOL (I Diagnos ICD-10 E840 E8411	Description Pseudobulbar affect DSIS mannitol) is Code Must Be Submitted on: Description Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis	Claim V nifestations		

GRALISE (gabapentin)

Diagnosis Code Must Be Submitted on:

Prior Authorization Request 🗸

ICD-10 Description

B0221	Postherpetic geniculate ganglionitis
B0222	Postherpetic trigeminal neuralgia
B0223	Postherpetic polyneuropathy
B0224	Postherpetic myelitis
B0229	Other postherpetic nervous system involvement

Claim

Diagnosis Restricted Drugs

Effective: 1/1/2023

Lipdy	ystroph	У			
Prod	lucts				
MYA	LEPT (metr	eleptin)			
	Diagnos	is Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request	
	ICD-10	Description			
	E881	Lipodystrophy, not elsewhere clas	sified		
Prod	lucts	·			
EGR	IFTA SV (te	samorelin)			
	Diagnos	is Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request	
	Both diag	nosis codes required or see below			
	ICD-10	Description			
	B20	Human immunodeficiency virus [H	HIV] Disease		
	E881	Lipodystrophy, not elsewhere clas	sified		
	Or an alte	ernative combination of codes			
	ICD-10	Description			
	B9735			the cause of diseases classified elsewhere	
	E881	Lipodystrophy, not elsewhere clas	sified		
	doses				
CER	DELGA (eliç	glustat tartrate)		ZAVESCA (miglustat)	
	Diagnos	is Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request	
	ICD-10	Description			
	E7522	Gaucher disease			
Lyso	somal	Storage Disorder			
Prod	lucts				
GAL	AFOLD (mig	jalastat)			
	Diagnos	is Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request	
	ICD-10	Description			
	E7521	Fabry (-Anderson) Disease			

Diagnosis Restricted Drugs

Effective: 1/1/2023

Movement Disorders

G35

Multiple sclerosis

Prior Authorization Request
INGREZZA INITIATION PACK (valbenazine
Prior Authorization Request
Prior Authorization Request

Diagnosis Restricted Drugs

Effective: 1/1/2023

Neuropathic Pain

Products

LYRICA CR (pregabalin)

Diagnosi	Diagnosis Code Must Be Submitted on: Claim 🔽 Prior Authorization Request 🖌				
ICD-10	Description				
B0221	POSTHERPETIC GENICULATE GANGLIONITIS				
B0222	POSTHERPETIC TRIGEMINAL NEURALGIA				
B0223	POSTHERPETIC POLYNEUROPATHY				
B0224	POSTHERPETIC MYELITIS				
B0229	OTHER POSTHERPETIC NERVOUS SYSTEM INVOLVEMENT				
E1040	TYPE 1 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED				
E1041	TYPE 1 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY				
E1042	TYPE 1 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY				
E1043	TYPE 1 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY				
E1044	TYPE 1 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY				
E1049	TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION				
E1140	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED				
E1141	TYPE 2 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY				
E1142	TYPE 2 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY				
E1143	TYPE 2 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY				
E1144	TYPE 2 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY				
E1149	TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION				

Ophthalmics, Presbyopia

Products				
VUITY (pilocarpine)				
Diagnos	is Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request	
ICD-10	Description			
H524	Presbyopia			

Diagnosis Restricted Drugs

Effective: 1/1/2023

Opioid Dependency - Buprenorphine

LOCADE (bi		buprenorphine-naloxone (Example brand: SUBOXON SUBOXONE (buprenorphine hcl/naloxone)	
Diagnosi	sis Code Must Be Submitted on: Claim 🖌 Prior Authorization Request 🖌		
ICD-10	Description		
F1120	Opioid dependence, uncomplicated		
F1120	Opioid dependence, uncomplicated		
F1121	Opioid dependence, in remission		
F1124	Opioid dependence with opioid-induced mood disorder		
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions		
F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations		
F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified		
F11281	Opioid dependence with opioid-induced sexual dysfunction		
F11282	Opioid dependence with opioid-induced sleep disorder		
F11288	Opioid dependence with other opioid-induced disorder		
F1129	Opioid dependence with unspecified opioid-induced disorder		

Opioid Dependency Agents - Methadone

Products

DISKETS 40 MG TABLET DISPR (methadone hcl) METHADOSE 10 MG/ML ORAL CONC (methadone hcl) METHADONE INTENSOL 10 MG/ML (methadone hcl) METHADOSE 40 MG TABLET DISPR (methadone hcl)

Diagnosis Code Must Be Submitted on:

Prior Authorization Request

ICD-10	Description
F1120	Opioid dependence, uncomplicated
F1121	Opioid dependence, in remission
F1124	Opioid dependence with opioid-induced mood disorder
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions
F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations
F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified
F11281	Opioid dependence with opioid-induced sexual dysfunction
F11282	Opioid dependence with opioid-induced sleep disorder
F11288	Opioid dependence with other opioid-induced disorder
F1129	Opioid dependence with unspecified opioid-induced disorder

Claim 🖌

Diagnosis Restricted Drugs

Effective: 1/1/2023

Opioid Dependency and Alcohol Abuse/Dependency Agents

Products

naltrexone hcl (Example brand: REVIA)

VIVITROL (naltrexone microspheres)

Prior Authorization Request

Diagnosis Code Must Be Submitted on: Claim 🔽

ICD-10	Description
F1010	Alcohol abuse, uncomplicated
F1011	Alcohol abuse, uncomplicated
F1014	Alcohol abuse with alcohol-induced mood disorder
F10150	Alcohol abuse with alcohol-induced psychotic disorder with delusions
F10151	Alcohol abuse with alcohol-induced psychotic disorder with hallucinations
F10159	Alcohol abuse with alcohol-induced psychotic disorder, unspecified
F10180	Alcohol abuse with alcohol-induced anxiety disorder
F10181	Alcohol abuse with alcohol-induced sexual dysfunction
F10182	Alcohol abuse with alcohol-induced sleep disorder
F10188	Alcohol abuse with other alcohol-induced disorder
F1019	Alcohol abuse with unspecified alcohol-induced disorder
F1020	Alcohol dependence, uncomplicated
F1021	Alcohol dependence, in remission
F1024	Alcohol dependence with alcohol-induced mood disorder
F10250	Alcohol dependence with alcohol-induced psychotic disorder with delusions
F10251	Alcohol dependence with alcohol-induced psychotic disorder with hallucinations
F10259	Alcohol dependence with alcohol-induced psychotic disorder, unspecified
F1026	Alcohol dependence with alcohol-induced persisting amnestic disorder
F1027	Alcohol dependence with alcohol-induced persisting dementia
F10280	Alcohol dependence with alcohol-induced anxiety disorder
F10281	Alcohol dependence with alcohol-induced sexual dysfunction
F10282	Alcohol dependence with alcohol-induced sleep disorder
F10288	Alcohol dependence with other alcohol-induced disorder
F1029	Alcohol dependence with unspecified alcohol-induced disorder
F1094	Alcohol use, unspecified with alcohol-induced mood disorder
F10950	Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions
F10951	Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations
F10959	Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified
F1096	Alcohol use, unspecified with alcohol-induced persisting amnestic disorder
F1097	Alcohol use, unspecified with alcohol-induced persisting dementia
F10980	Alcohol use, unspecified with alcohol-induced anxiety disorder
F10981	Alcohol use, unspecified with alcohol-induced sexual dysfunction
F10982	Alcohol use, unspecified with alcohol-induced sleep disorder
F10988	Alcohol use, unspecified with other alcohol-induced disorder
F1099	Alcohol use, unspecified with unspecified alcohol-induced disorder
F1120	Opioid dependence, uncomplicated
F1121	Opioid dependence, in remission
F1124	Opioid dependence with opioid-induced mood disorder
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions
F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations
F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified
F11281	Opioid dependence with opioid-induced sexual dysfunction

Diagnosis Restricted Drugs

Effective: 1/1/2023

Opioid Dependency and Alcohol Abuse/Dependency Agents

F11282	Opioid dependence with opioid-induced sleep disorder	
F11288	Opioid dependence with other opioid-induced disorder	
F1129	Opioid dependence with unspecified opioid-induced disorder	

Peptic Ulcer

Products

DARTISLA (glycopyrrolate)

Diagnosis Code Must Be Submitted on: Claim 🗸

Prior Authorization Request

ICD-10 Description

K270	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH HEMORRHAGE
K271	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH PERFORATION
K272	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH BOTH HEMORRHAGE AND PERFORATION
K273	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITHOUT HEMORRHAGE OR PERFORATION
K274	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH HEMORRHAGE
K275	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH PERFORATION
K276	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH BOTH HEMORRHAGE AND PER
K277	CHRONIC PEPTIC ULCER, SITE UNSPECIFIED, WITHOUT HEMORRHAGE OR PERFORATION
K279	PEPTIC ULCER, SITE UNSPECIFIED, UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT HEMORRHAGE

Progestational Agent

Products

CRINONE 8% GEL (progesterone)

Diagnosis Code Must Be Submitted on:

Claim 🗸 Prior Authorization Request

ICD-10	Description
O09211	Supervision of pregnancy with history of pre-term labor, first trimester
O09212	Supervision of pregnancy with history of pre-term labor, second trimester
O09213	Supervision of pregnancy with history of pre-term labor, third trimester
O09219	Supervision of pregnancy with history of pre-term labor, unspecified trimester
009291	Supervision of pregnancy with other poor reproductive or obstetric history, first trimester
O09292	Supervision of pregnancy with other poor reproductive or obstetric history, second trimester
009293	Supervision of pregnancy with other poor reproductive or obstetric history, third trimester
009299	Supervision of pregnancy with other poor reproductive or obstetric history, unspecified trimester
O26872	Cervical shortening, second trimester

O26873 Cervical shortening, third trimester

O26879 Cervical shortening, unspecified trimester

Diagnosis Restricted Drugs

Effective: 1/1/2023

Pulmonary Anti-Hypertensive Agents

IRCA (tadal	afil)		ALYQ (tadalafil)	
ATIO (silder	nafil citrate)		TADLIQ (tadalafil)	
Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request 🖌	
ICD-10	Description			
1270	Primary pulmonary hypertension			
12720	Pulmonary hypertension, unspecified	ł		
12721	Secondary pulmonary arterial hyperte	ension		
12722	Pulmonary hypertension due to left h	eart disease		
12723	Pulmonary hypertension Due to Lung	g Diseases an	d hypoxia	
12724	Chronic thromboembolic pulmonary	hypertension		
12729	Other secondary pulmonary hyperter	nsion		
12783	Eisenmenger's syndrome			

Diagnosis Restricted Drugs

Effective: 1/1/2023

Smoking Cessation

ine lozenge	ample brand: NICORETTE) nicotine lozenge (Example brand: NICORETTE)
-	
	(Example brand: NICOTINE) nicotine patch (Example brand: CVS NICOTINE
ine patch (E	xample brand: NICOTINE) NICOTROL (nicotine)
OTROL NS (nicotine)
Diagnasi	is Code Must Be Submitted on: Claim 🔽 Prior Authorization Request 🥅
Ū.	
ICD-10	Description
F17200	Nicotine dependence, unspecified, uncomplicated
F17201	Nicotine dependence, unspecified, in remission
F17203	Nicotine dependence unspecified, with withdrawal
F17208	Nicotine dependence, unspecified, with other nicotine-induced disorders
F17209	Nicotine dependence, unspecified, with unspecified nicotine-induced disorders
F17210	Nicotine dependence, cigarettes, uncomplicated
F17211	Nicotine dependence, cigarettes, in remission
F17213	Nicotine dependence, cigarettes, with withdrawal
F17218	Nicotine dependence, cigarettes, with other nicotine-induced disorders
F17219	Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders
F17220	Nicotine dependence, chewing tobacco, uncomplicated
F17221	Nicotine dependence, chewing tobacco, in remission
F17223	Nicotine dependence, chewing tobacco, with withdrawal
F17228	Nicotine dependence, chewing tobacco, with other nicotine-induced disorders
F17229	Nicotine dependence, chewing tobacco, with unspecified nicotine-induced disorders
F17290	Nicotine dependence, other tobacco product, uncomplicated
F17291	Nicotine dependence, other tobacco product, in remission
F17293	Nicotine dependence, other tobacco product, with withdrawal
F17298	Nicotine dependence, other tobacco product, with other nicotine-induced disorders
111200	Nicotine dependence, other tobacco product, with unspecified nicotine-induced disorders

Stimulants, Desoxyn

Products

DESOXYN (methamphetamine hcl)

Diagnosis Code Must Be Submitted on:

Prior Authorization Request 🗸

ICD-10 Description

F900	Attention-deficit hyperactivity disorder, predominantly inattentive type
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type
F902	Attention-deficit hyperactivity disorder, combined type
F908	Attention-deficit hyperactivity disorder, other type
F909	Attention-deficit hyperactivity disorder, unspecified type

Claim 🗸

Diagnosis Restricted Drugs

Effective: 1/1/2023

Stimulants, Excluding Desoxyn and Vyvanse

Products

ADDERALL (dextroamphetamine/amphetamine) ADHANSIA XR (methylphenidate) ADZENYS XR-ODT (amphetamine) AZSTARYS (serdexmethylphenidate/dexmethylphenidate) COTEMPLA XR-ODT (methylphenidate) DEXEDRINE (dextroamphetamine sulfate) EVEKEO (amphetamine) FOCALIN XR (dexmethylphenidate hcl) METHYLIN (methylphenidate hcl) METHYLIN (methylphenidate hcl) methylphenidate er (Example brand: METHYLIN) methylphenidate hcl cd (Example brand: METADATE CD) methylphenidate la (Example brand: RITALIN LA) PROCENTRA (dextroamphetamine sulfate) RELEXXII ER (methylphenidate hcl) ADDERALL XR (dextroamphetamine/amphetamine) ADZENYS ER (amphetamine) APTENSIO XR (methylphenidate hcl) CONCERTA (methylphenidate hcl) DAYTRANA (methylphenidate hcl) DYANAVEL XR (amphetamine) FOCALIN (dexmethylphenidate hcl) JORNAY PM (methylphenidate hcl) JORNAY PM (methylphenidate er) methylphenidate er (Example brand: METADATE ER) methylphenidate hcl (Example brand: METHYLIN CHEW methylphenidate hcl er (cd) (Example brand: METADATE MYDAYIS (dextroamphetamine/amphetamine) QUILLIVANT XR (methylphenidate hcl) RITALIN (methylphenidate hcl) ZENZEDI (dextroamphetamine sulfate)

Diagnosis Code Must Be Submitted on:

Prior Authorization Request 🗸

ICD-10 Description

100-10	Description
F900	Attention-deficit hyperactivity disorder, predominantly inattentive type
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type
F902	Attention-deficit hyperactivity disorder, combined type
F908	Attention-deficit hyperactivity disorder, other type
F909	Attention-deficit hyperactivity disorder, unspecified type
G47411	Narcolepsy with cataplexy
G47419	Narcolepsy without cataplexy

Claim 🗸

Stimulants, Vyvanse

ICD-10

Products

VYVANSE (lisdexamfetamine dimesylate)

Diagnosis Code Must Be Submitted on:

Description

VYVANSE CHEWABLE (lisdexamfetamine dimesylate)

Claim View Prior Authorization Request

F5081	Binge Eating Disorder
F900	Attention-deficit hyperactivity disorder, predominantly inattentive type
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type
F902	Attention-deficit hyperactivity disorder, combined type
F908	Attention-deficit hyperactivity disorder, other type
F909	Attention-deficit hyperactivity disorder, unspecified type
G47411	Narcolepsy with cataplexy
G47419	Narcolepsy without cataplexy

Diagnosis Restricted Drugs

Effective: 1/1/2023

Vitamins, Renal

Products				
DIALYVITE (folic acid combination)				DIALYVITE 3000 (folic acid combination)
DIALYVITE 800 WITH IRON (fe fumarate combinations)				FERROCITE PLUS (iron combinations)
FOLBEE PLUS (folic acid combination)				FOLBEE PLUS CZ (folic acid combination)
HEMATINIC PLUS (iron combinations)				NEPHRO-VITE RX (vitamin b complex)
RENAL CAPS (vitamin b complex)				RENA-VITE RX (vitamin b complex)
TRIPHROCAPS (vitamin b complex)				VIRT-CAPS (vitamin b complex)
VP-VI	VP-VITE RX (vitamin b complex)			WESCAPS (vitamin b complex)
	Diagnosi	is Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request
	ICD-10	Description		
	N181 Chronic kidney disease, Stage 1			
	N182	Chronic kidney disease, Stage 2 (mil	d)	
	N1830Chronic kidney disease, stage 3 unspecifiedN1831Chronic kidney disease, stage 3AN1832Chronic kidney disease, stage 3BN184Chronic kidney disease, Stage 4 (severe)N185Chronic kidney disease, Stage 5			
	N186			
	N189			
	N250 Renal osteodystrophy			
	N251	581 Secondary hyperparathyroidism of renal origin		
	N2581			
	N2589			
	N259 Disorder resulting from impaired renal tubular function, unspecified			