### **Diagnosis Restricted Drugs**

The table below includes a list of drugs that are diagnosis-restricted for pharmacy compound and non-compound claims. This table specifies if the diagnosis must be indicated on the claim, prior authorization (PA) request, or both. See the link below for physician-administered diagnosis restrictions.

If the prescriber writes a prescription with a diagnosis outside the ForwardHealth-allowed diagnoses for a drug, the prescriber is required to submit peer-reviewed medical literature to support the proven efficacy and safety of the requested use of the drug. Documentation of previous treatments and detailed reasons why other covered drug treatments were discontinued or not utilized are required. Medical records should be provided as necessary to support the PA request. This information should be documented on the Prior Authorization/Drug Attachment (PA/DGA), F- 11049 (10/13), in Section V (Clinical Information for Diagnosis-Restricted Drug Requests).

When completing the PA/DGA, prescribers should provide the diagnosis code and description, complete Section V, and use Section VIII (Additional Information), if needed. Prescribers are reminded to provide a handwritten signature and date on the form before submitting it to the pharmacy provider where the prescription will be filled. The pharmacy provider is required to complete a Prior Authorization Request Form (PA/RF), F- 11018 (05/13), before submitting the forms and supporting documentation to ForwardHealth. Prescribers should not submit PA forms to ForwardHealth.

As a reminder, prescribers and pharmacy providers are required to retain a completed copy of the PA form(s).

For additional information about diagnosis-restricted drug policy, providers may refer to the ForwardHealth Online Handbook Topic #4403, 15537, and 15937: https://www.forwardhealth.wi.gov/wiportal/subsystem/kw/display.aspx

Physician Administered diagnosis restrictions can be found at: <a href="https://www.forwardhealth.wi.gov/WIPortal/Tab/42/icscontent/Provider/medicaid/physician/data\_tables/index.htm.spage">https://www.forwardhealth.wi.gov/WIPortal/Tab/42/icscontent/Provider/medicaid/physician/data\_tables/index.htm.spage</a>

Diagnosis Restricted Drugs

Effective: 6/1/2023

# Alzheimer's Agents

#### Products

NAMENDA XR (memantine hcl)

Diagnosis Code Must Be Submitted on: Claim 🖌 Prior Authorization Request 🖌

## ICD-10 Description

F0150	Vascular dementia without behavioral disturbance
F0151	Vascular denentia with behavioral disturbance
G300	Alzheimer's disease with early onset
G301	Alzheimer's disease with late onset
G308	Other alzheimer's disease
G309	Alzheimer's disease, unspecified

## Antibiotics, Inhaled

#### Products

ARIKAYCE (amikacin liposomal)

Diagnosis Coo	le Must Be S	ubmitted on:
---------------	--------------	--------------

Prior Authorization Request 🖌

ICD-10	Description
A310	Pulmonary mycobacterial infection
A312	Disseminated mycobacterium avium-intracellulare complex (DMAC)

Claim 🗸

**Diagnosis Restricted Drugs** 

Effective: 6/1/2023

### Anticonvulsants

Diagnosi	s Code Must Be Submitted on: Claim 🔽 Prior Authorization Request 🖌
<b>U</b>	
ICD-10	Description
G40833	Dravet Syndrome, Intractable, with status Epilepticus
G40834	Dravet Syndrome, Intractable, without status Epilepticus
oducts	
oducts IDIOLEX (can	nabidiol)
IDIOLEX (can	
IDIOLEX (can	nabidiol) s Code Must Be Submitted on: Claim Prior Authorization Request ✔
IDIOLEX (can Diagnosi ICD-10	s Code Must Be Submitted on: Claim Prior Authorization Request 🖌 Description
IDIOLEX (can Diagnosi ICD-10 G40811	s Code Must Be Submitted on: Claim Prior Authorization Request Description Lennox-Gastaut syndrome, not intractable, with status epilepticus
IDIOLEX (can Diagnosi ICD-10	s Code Must Be Submitted on: Claim Prior Authorization Request 🖌 Description
IDIOLEX (can Diagnosi ICD-10 G40811	s Code Must Be Submitted on: Claim Prior Authorization Request Description Lennox-Gastaut syndrome, not intractable, with status epilepticus
IDIOLEX (can Diagnosi ICD-10 G40811 G40812	s Code Must Be Submitted on: Claim ☐ Prior Authorization Request ✓ Description Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus
IDIOLEX (can Diagnosi ICD-10 G40811 G40812 G40813	s Code Must Be Submitted on: Claim ☐ Prior Authorization Request ✓ Description Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus
IDIOLEX (can Diagnosi ICD-10 G40811 G40812 G40813 G40814	s Code Must Be Submitted on:       Claim       Prior Authorization Request       ✓         Description       ✓       ✓       ✓         Lennox-Gastaut syndrome, not intractable, with status epilepticus       ✓       ✓         Lennox-Gastaut syndrome, not intractable, with status epilepticus       ✓       ✓         Lennox-Gastaut syndrome, intractable, with status epilepticus       ✓       ✓         Lennox-Gastaut syndrome, intractable, with status epilepticus       ✓       ✓         Lennox-Gastaut syndrome, intractable, without status epilepticus       ✓       ✓

#### Diagnosis Code Must Be Submitted on: Claim 🔽 Prior Authorization Request 🔽

ICD-10	Description
G40811	Lennox-Gastaut syndrome, not intractable, with status epilepticus
G40812	Lennox-Gastaut syndrome, not intractable, without status epilepticus
G40813	Lennox-Gastaut syndrome, intractable, with status epilepticus
G40814	Lennox-Gastaut syndrome, intractable, without status epilepticus

#### Products

FINTEPLA (fenfluramine)

#### Diagnosis Code Must Be Submitted on:

Prior Authorization Request 🗸

#### ICD-10 Description

G40811	Lennox-Gastaut syndrome, not intractable, with status epilepticus
G40812	Lennox-Gastaut syndrome, not intractable, without status epilepticus
G40813	Lennox-Gastaut syndrome, intractable, with status epilepticus
G40814	Lennox-Gastaut syndrome, intractable, without status epilepticus
G40833	Dravet Syndrome, Intractable, with status Epilepticus
G40834	Dravet Syndrome, Intractable, without status Epilepticus

Claim 🗸

#### Products

SYMPAZAN (clobazam)

### **Diagnosis Restricted Drugs**

Effective: 6/1/2023

### Anticonvulsants

Diagnosi	s Code Must Be Submitted on: Claim 🖌 Prior Authorization Request 🖌
ICD-10	Description
G40811	Lennox-Gastaut syndrome, not intractable, with status epilepticus
G40812	Lennox-Gastaut syndrome, not intractable, without status epilepticus
G40813	Lennox-Gastaut syndrome, intractable, with status epilepticus
G40814	Lennox-Gastaut syndrome, intractable, without status epilepticus

### Antineoplastic and Premalignant Lesion Agent, Topical

#### Products

diclofenac sodium 3% gel (Example brand: SOLARAZE)

Diagnosis Code Must Be Submitted on:		Claim 🖌	Prior Authorization Request
ICD-10	Description		

L570 Actinic Keratosis

### **Antiviral Agents**

#### Products LIVTENCITY (maribavir) Diagnosis Code Must Be Submitted on: Prior Authorization Request Claim 🗸 ICD-10 Description B250 Cytomegaloviral disease pneumonitis B251 Cytomegaloviral disease hepatitis B252 Cytomegaloviral disease pancreatitis B258 Other cytomegaloviral diseases B259 Cytomegaloviral disease, Unspecified

**Diagnosis Restricted Drugs** 

Effective: 6/1/2023

# Central Nervous System Agents, Miscellaneous

	nylbutyrate)		RILUTEK (riluzole)	
Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-10	Description			
G1221	Amyotrophic lateral sclerosis			
Products				
NUEDEXTA (de	xtromethorphan hbr/quinidine)			
Diamag	is Os da Marst Da Ostaritta da su	<b>.</b>	Dries Authorization Deguast	
Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
Diagnos	Description			
· ·	Description Pseudobulbar affect			
rstic Fibro	Description Pseudobulbar affect			
roducts	Description Pseudobulbar affect	Claim 🖌	Prior Authorization Request	
roducts	Description Pseudobulbar affect DSIS			
ICD-10 F482 VSTIC Fibro Products BRONCHITOL (I Diagnos	Description Pseudobulbar affect DSIS mannitol) is Code Must Be Submitted on:	Claim 🖌		
ICD-10 F482 Stic Fibro Products BRONCHITOL (I Diagnos ICD-10	Description Pseudobulbar affect DSIS mannitol) is Code Must Be Submitted on: Description	Claim 🖌		
ICD-10 F482 VSTIC Fibro Products BRONCHITOL (1 Diagnos ICD-10 E840	Description Pseudobulbar affect DSIS mannitol) is Code Must Be Submitted on: Description Cystic Fibrosis with Pulmonary Ma	Claim V nifestations		
ICD-10 F482 VSTIC Fibro Products BRONCHITOL (1) Diagnos ICD-10 E840 E8411	Description Pseudobulbar affect DSIS mannitol) is Code Must Be Submitted on: Description Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis	Claim v nifestations		

GRALISE (gabapentin)

Diagnosis Code Must Be Submitted on:	Claim
2.49.000.0000000000000000000000000000000	•

Prior Authorization Request 🗸

#### ICD-10 Description

	•
B0221	Postherpetic geniculate ganglionitis
B0222	Postherpetic trigeminal neuralgia
B0223	Postherpetic polyneuropathy
B0224	Postherpetic myelitis
B0229	Other postherpetic nervous system involvement

Diagnosis Restricted Drugs

Effective: 6/1/2023

Lipdy	ystroph	у			
Prod	lucts				
MYA	LEPT (metro	eleptin)			
	Diagnos	is Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request	
	ICD-10	Description			
	E881	Lipodystrophy, not elsewhere clas	sified		
Prod	lucts				
EGR	IFTA SV (te	samorelin)			
	Diagnos	is Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request	
	Both diag	nosis codes required or see below			
	ICD-10	Description			
	B20	Human immunodeficiency virus [H	HV] Disease		
	E881	Lipodystrophy, not elsewhere clas	sified		
	Or an alte	ernative combination of codes			
	ICD-10	Description			
	B9735	Human immunodeficiency virus, T	ype 2 [HIV 2] as	the cause of diseases classified elsewhere	
	E881	Lipodystrophy, not elsewhere clas	sified		
Lipo	doses				
CER	DELGA (eliç	glustat tartrate)		ZAVESCA (miglustat)	
	Diagnos	is Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request	
	ICD-10	Description			
	E7522	Gaucher disease			
Lyso	somal	Storage Disorder			
Prod	lucts				
GAL	AFOLD (mig	jalastat)			
	Diagnos	is Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request	
	ICD-10	Description			
	E7521	Fabry (-Anderson) Disease			

**Diagnosis Restricted Drugs** 

Effective: 6/1/2023

### Movement Disorders

AUSTEDO (deut			
Diagnos	is Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request
ICD-10	Description		
G10	Huntington's Disease		
G2401	Drug Induced Subacute Dyskinesia	а	
G2402	Other induced Acute Dystonia		
G2409	Other Drug Induced Dystonia		
Products			
INGREZZA (valt	penazine)		INGREZZA INITIATION PACK (valbenazine
Diagnos	is Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request
ICD-10	Description		
G2401	Drug Induced Subacute Dyskinesia	а	
G2402	Drug Induced Acute Dystonia		
G2409	Other Drug Induced Dystonia		
Products	-		
XENAZINE (tetra	abenazine)		
Diagnos	is Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request
ICD-10	Description	_	
G10	HUNTINGTON'S DISEASE		
ultiple Sc	lerosis Agents, Other		
Products			
AMPYRA (dalfar	npridin)		
•			

ICD-10 Description

G35 Multiple sclerosis

Diagnosis Restricted Drugs

Effective: 6/1/2023

# Neuropathic Pain

#### Products

LYRICA CR (pregabalin)

Diagnosis Code Must Be Submitted on: Claim 🖌 Prior Authorization Request 🖌			
ICD-10	Description		
B0221	POSTHERPETIC GENICULATE GANGLIONITIS		
B0222	POSTHERPETIC TRIGEMINAL NEURALGIA		
B0223	POSTHERPETIC POLYNEUROPATHY		
B0224	POSTHERPETIC MYELITIS		
B0229	OTHER POSTHERPETIC NERVOUS SYSTEM INVOLVEMENT		
E1040	TYPE 1 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED		
E1041	TYPE 1 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY		
E1042	TYPE 1 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY		
E1043	TYPE 1 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY		
E1044	TYPE 1 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY		
E1049	TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION		
E1140	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED		
E1141	TYPE 2 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY		
E1142	TYPE 2 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY		
E1143	TYPE 2 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY		
E1144	TYPE 2 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY		
E1149	TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION		

# Ophthalmics, Presbyopia

Products					
VUITY (pilocarpine)					
Diagnos	Diagnosis Code Must Be Submitted on:		Prior Authorization Request		
ICD-10	Description				
H524	Presbyopia				

**Diagnosis Restricted Drugs** 

Effective: 6/1/2023

## **Opioid Dependency - Buprenorphine**

iprenorphine hcl (Example brand: SUBUTEX) JBLOCADE (buprenorphine) JBSOLV (buprenorphine hcl/naloxone)		buprenorphine-naloxone (Example brand: SUBOXO SUBOXONE (buprenorphine hcl/naloxone)	
Diagnosi	s Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request 🖌
ICD-10	Description		
F1120	Opioid dependence, uncomplicated		
F1120	Opioid dependence, uncomplicated		
F1121	Opioid dependence, in remission		
F1124	Opioid dependence with opioid-induced mood disorder		rder
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions		disorder with delusions
F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations		disorder with hallucinations
F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified		
F11281	Opioid dependence with opioid-induced sexual dysfunction		function
F11282	Opioid dependence with opioid-induced sleep disorder		
F11288	Opioid dependence with other opioid-	induced disor	der
F1129	Opioid dependence with unspecified	opioid-induce	d disorder

## **Opioid Dependency Agents - Methadone**

#### Products

DISKETS 40 MG TABLET DISPR (methadone hcl) METHADOSE 10 MG/ML ORAL CONC (methadone hcl) METHADONE INTENSOL 10 MG/ML (methadone hcl) METHADOSE 40 MG TABLET DISPR (methadone hcl)

#### Diagnosis Code Must Be Submitted on:

Prior Authorization Request

ICD-10	Description
F1120	Opioid dependence, uncomplicated
F1121	Opioid dependence, in remission
F1124	Opioid dependence with opioid-induced mood disorder
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions
F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations
F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified
F11281	Opioid dependence with opioid-induced sexual dysfunction
F11282	Opioid dependence with opioid-induced sleep disorder
F11288	Opioid dependence with other opioid-induced disorder
F1129	Opioid dependence with unspecified opioid-induced disorder

Claim 🗸

**Diagnosis Restricted Drugs** 

Effective: 6/1/2023

# Opioid Dependency and Alcohol Abuse/Dependency Agents

#### Products

naltrexone hcl (Example brand: REVIA)

VIVITROL (naltrexone microspheres)

Prior Authorization Request

Diagnosis Code Must Be Submitted on: Claim ✔

ICD-10	Description
F1010	Alcohol abuse, uncomplicated
F1011	Alcohol abuse, uncomplicated
F1014	Alcohol abuse with alcohol-induced mood disorder
F10150	Alcohol abuse with alcohol-induced psychotic disorder with delusions
F10151	Alcohol abuse with alcohol-induced psychotic disorder with hallucinations
F10159	Alcohol abuse with alcohol-induced psychotic disorder, unspecified
F10180	Alcohol abuse with alcohol-induced anxiety disorder
F10181	Alcohol abuse with alcohol-induced sexual dysfunction
F10182	Alcohol abuse with alcohol-induced sleep disorder
F10188	Alcohol abuse with other alcohol-induced disorder
F1019	Alcohol abuse with unspecified alcohol-induced disorder
F1020	Alcohol dependence, uncomplicated
F1021	Alcohol dependence, in remission
F1024	Alcohol dependence with alcohol-induced mood disorder
F10250	Alcohol dependence with alcohol-induced psychotic disorder with delusions
F10251	Alcohol dependence with alcohol-induced psychotic disorder with hallucinations
F10259	Alcohol dependence with alcohol-induced psychotic disorder, unspecified
F1026	Alcohol dependence with alcohol-induced persisting amnestic disorder
F1027	Alcohol dependence with alcohol-induced persisting dementia
F10280	Alcohol dependence with alcohol-induced anxiety disorder
F10281	Alcohol dependence with alcohol-induced sexual dysfunction
F10282	Alcohol dependence with alcohol-induced sleep disorder
F10288	Alcohol dependence with other alcohol-induced disorder
F1029	Alcohol dependence with unspecified alcohol-induced disorder
F1094	Alcohol use, unspecified with alcohol-induced mood disorder
F10950	Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions
F10951	Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations
F10959	Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified
F1096	Alcohol use, unspecified with alcohol-induced persisting amnestic disorder
F1097	Alcohol use, unspecified with alcohol-induced persisting dementia
F10980	Alcohol use, unspecified with alcohol-induced anxiety disorder
F10981	Alcohol use, unspecified with alcohol-induced sexual dysfunction
F10982	Alcohol use, unspecified with alcohol-induced sleep disorder
F10988	Alcohol use, unspecified with other alcohol-induced disorder
F1099	Alcohol use, unspecified with unspecified alcohol-induced disorder
F1120	Opioid dependence, uncomplicated
F1121	Opioid dependence, in remission
F1124	Opioid dependence with opioid-induced mood disorder
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions
F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations
F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified
F11281	Opioid dependence with opioid-induced sexual dysfunction

**Diagnosis Restricted Drugs** 

Effective: 6/1/2023

### Opioid Dependency and Alcohol Abuse/Dependency Agents

F11282	Opioid dependence with opioid-induced sleep disorder
F11288	Opioid dependence with other opioid-induced disorder
F1129	Opioid dependence with unspecified opioid-induced disorder

### **Peptic Ulcer**

#### Products

DARTISLA (glycopyrrolate)

Diagnosis Code Must Be Submitted on: Claim 🗸

Prior Authorization Request

ICD-10 Description

K270	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH HEMORRHAGE
K271	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH PERFORATION
K272	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH BOTH HEMORRHAGE AND PERFORATION
K273	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITHOUT HEMORRHAGE OR PERFORATION
K274	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH HEMORRHAGE
K275	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH PERFORATION
K276	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH BOTH HEMORRHAGE AND PER
K277	CHRONIC PEPTIC ULCER, SITE UNSPECIFIED, WITHOUT HEMORRHAGE OR PERFORATION
K279	PEPTIC ULCER, SITE UNSPECIFIED, UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT HEMORRHAGE

## Progestational Agent

#### Products

CRINONE 8% GEL (progesterone)

#### Diagnosis Code Must Be Submitted on:

Claim 🗸 Prior Authorization Request

#### ICD-10 Description

O09211 Supervision of pregnancy with history of pre-term labor, first trimester O09212 Supervision of pregnancy with history of pre-term labor, second trimester O09213 Supervision of pregnancy with history of pre-term labor, third trimester O09219 Supervision of pregnancy with history of pre-term labor, unspecified trimester Supervision of pregnancy with other poor reproductive or obstetric history, first trimester O09291 009292 Supervision of pregnancy with other poor reproductive or obstetric history, second trimester 009293 Supervision of pregnancy with other poor reproductive or obstetric history, third trimester O09299 Supervision of pregnancy with other poor reproductive or obstetric history, unspecified trimester 026872 Cervical shortening, second trimester 026873 Cervical shortening, third trimester 026879 Cervical shortening, unspecified trimester

Diagnosis Restricted Drugs

Effective: 6/1/2023

## Proteinuria Reduction

ARPEYO (bude	esonide)			
Diagnos	is Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request 🖌	
ICD-10	Description			
N028	RECURRENT AND PERSISTENT	HEMATURIA W	ITH OTHER MORPHOLOGIC CHANGES	
IQREV (sildena	fil citrate)		REVATIO (sildenafil citrate)	
ADLIQ (tadalaf	,	Claim 🔽	Prior Authorization Request 🔽	
, ,	l) is Code Must Be Submitted on: Description	Claim 🖌	Prior Authorization Request 🖌	
Diagnos	is Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request 🖌	
Diagnos ICD-10	is Code Must Be Submitted on: Description		Prior Authorization Request 🖌	
<b>Diagnos</b> <b>ICD-10</b> 1270	is Code Must Be Submitted on: Description Primary pulmonary hypertension	ed	Prior Authorization Request <b>√</b>	
<b>Diagnos</b> <b>ICD-10</b> 1270 12720	is Code Must Be Submitted on: Description Primary pulmonary hypertension Pulmonary hypertension, unspecifi	ed	Prior Authorization Request 🖌	
Diagnos ICD-10 I270 I2720 I2721	is Code Must Be Submitted on: Description Primary pulmonary hypertension Pulmonary hypertension, unspecifi Secondary pulmonary arterial hype	ed ertension t heart disease		
Diagnos ICD-10 I270 I2720 I2721 I2722	is Code Must Be Submitted on: Description Primary pulmonary hypertension Pulmonary hypertension, unspecifi Secondary pulmonary arterial hype Pulmonary hypertension due to lef	ed ertension t heart disease ing Diseases and		
Diagnos ICD-10 I270 I2720 I2721 I2722 I2723	is Code Must Be Submitted on: Description Primary pulmonary hypertension Pulmonary hypertension, unspecifi Secondary pulmonary arterial hype Pulmonary hypertension due to lef Pulmonary hypertension Due to Lu	ed ertension t heart disease ing Diseases and y hypertension		

### **Diagnosis Restricted Drugs**

Effective: 6/1/2023

# **Smoking Cessation**

	150 mg tablet (Example brand: ZYBAN) CHANTIX (varenicline tartrate)	
ine gum (Ex	ample brand: NICORETTE) nicotine lozenge (Example brand: NICORETTE)	
ine lozenge	(Example brand: NICOTINE) nicotine patch (Example brand: CVS NICOTINE	
tine patch (E	xample brand: NICOTINE) NICOTROL (nicotine)	
OTROL NS (	nicotine)	
Diagnosi	s Code Must Be Submitted on: Claim 🖌 Prior Authorization Request 🗌	
ICD-10	Description	
F17200	Nicotine dependence, unspecified, uncomplicated	
F17201	Nicotine dependence, unspecified, in remission	
F17203	Nicotine dependence unspecified, with withdrawal	
F17208	Nicotine dependence, unspecified, with other nicotine-induced disorders	
F17209	Nicotine dependence, unspecified, with unspecified nicotine-induced disorders	
F17210	Nicotine dependence, cigarettes, uncomplicated	
F17211	Nicotine dependence, cigarettes, in remission	
F17213	Nicotine dependence, cigarettes, with withdrawal	
F17218	Nicotine dependence, cigarettes, with other nicotine-induced disorders	
F17219	Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders	
F17220	Nicotine dependence, chewing tobacco, uncomplicated	
F17221	Nicotine dependence, chewing tobacco, in remission	
F17223	Nicotine dependence, chewing tobacco, with withdrawal	
F17228	Nicotine dependence, chewing tobacco, with other nicotine-induced disorders	
F17229	Nicotine dependence, chewing tobacco, with unspecified nicotine-induced disorders	
F17290	Nicotine dependence, other tobacco product, uncomplicated	
F17291	Nicotine dependence, other tobacco product, in remission	
F17293	Nicotine dependence, other tobacco product, with withdrawal	
F17298	Nicotine dependence, other tobacco product, with other nicotine-induced disorders	
	Nicotine dependence, other tobacco product, with unspecified nicotine-induced disorders	

### Stimulants, Desoxyn

#### Products

DESOXYN (methamphetamine hcl)

#### Diagnosis Code Must Be Submitted on:

Prior Authorization Request

ICD-10 Description

F900	Attention-deficit hyperactivity disorder, predominantly inattentive type
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type
F902	Attention-deficit hyperactivity disorder, combined type
F908	Attention-deficit hyperactivity disorder, other type
F909	Attention-deficit hyperactivity disorder, unspecified type

Claim 🗸

**Diagnosis Restricted Drugs** 

Effective: 6/1/2023

### Stimulants, Excluding Desoxyn and Vyvanse

#### Products

ADDERALL (dextroamphetamine/amphetamine)	ADDERALL XR (dextroamphetamine/amphetamine)
ADHANSIA XR (methylphenidate)	ADZENYS XR-ODT (amphetamine)
APTENSIO XR (methylphenidate hcl)	AZSTARYS (serdexmethylphenidate/dexmethylphenidat
CONCERTA (methylphenidate hcl)	COTEMPLA XR-ODT (methylphenidate)
DAYTRANA (methylphenidate hcl)	DEXEDRINE (dextroamphetamine sulfate)
dextroamphetamine sulfate er (Example brand: DEXEDRINE)	DYANAVEL XR (amphetamine)
EVEKEO (amphetamine)	FOCALIN (dexmethylphenidate hcl)
FOCALIN XR (dexmethylphenidate hcl)	JORNAY PM (methylphenidate er)
METHYLIN (methylphenidate hcl)	methylphenidate er (Example brand: METADATE ER)
methylphenidate er (Example brand: METHYLIN)	methylphenidate hcl (Example brand: METHYLIN CHEW
methylphenidate hcl cd (Example brand: METADATE CD)	methylphenidate hcl er (cd) (Example brand: METADATI
methylphenidate la (Example brand: RITALIN LA)	MYDAYIS (dextroamphetamine/amphetamine)
PROCENTRA (dextroamphetamine sulfate)	QUILLIVANT XR (methylphenidate hcl)
RELEXXII (methylphenidate)	RITALIN (methylphenidate hcl)
RITALIN LA (methylphenidate hcl)	ZENZEDI (dextroamphetamine sulfate)

Diagnosis Code Must Be Submitted on:

Prior Authorization Request 🗸

#### ICD-10 Description

100-10	Description	
F900	Attention-deficit hyperactivity disorder, predominantly inattentive type	
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type	
F902	Attention-deficit hyperactivity disorder, combined type	
F908	Attention-deficit hyperactivity disorder, other type	
F909	Attention-deficit hyperactivity disorder, unspecified type	
G47411	Narcolepsy with cataplexy	
G47419	Narcolepsy without cataplexy	

Claim 🗸

Claim 🖌

### Stimulants, Vyvanse

ICD-10

#### Products

VYVANSE (lisdexamfetamine dimesylate)

Diagnosis Code Must Be Submitted on:

Description

VYVANSE CHEWABLE (lisdexamfetamine dimesylate)

Prior Authorization Request

F5081 Binge Eating Disorder		
F900 Attention-deficit hyperactivity disorder,	Attention-deficit hyperactivity disorder, predominantly inattentive type	
F901 Attention-deficit hyperactivity disorder,	Attention-deficit hyperactivity disorder, predominantly hyperactive type	
F902 Attention-deficit hyperactivity disorder,	Attention-deficit hyperactivity disorder, combined type	
F908 Attention-deficit hyperactivity disorder,	Attention-deficit hyperactivity disorder, other type	
F909 Attention-deficit hyperactivity disorder,	Attention-deficit hyperactivity disorder, unspecified type	
G47411 Narcolepsy with cataplexy	Narcolepsy with cataplexy	
G47419 Narcolepsy without cataplexy	Narcolepsy without cataplexy	

Diagnosis Restricted Drugs

Effective: 6/1/2023

# Vitamins, Renal

Products				
DIALYVITE (fo	lic acid combination)	DIALYVITE 3000 (folic acid combination)		
DIALYVITE 80	0 WITH IRON (fe fumarate combinations)	FERROCITE PLUS (iron combinations)		
FOLBEE PLUS	S (folic acid combination)	FOLBEE PLUS CZ (folic acid combination)		
HEMATINIC P	LUS (iron combinations)	NEPHRO-VITE RX (vitamin b complex)		
RENAL CAPS	(vitamin b complex)	RENA-VITE RX (vitamin b complex)		
FRIPHROCAP	S (vitamin b complex)	VIRT-CAPS (vitamin b complex)		
VP-VITE RX (V	itamin b complex)	WESCAPS (vitamin b complex)		
Diagno	osis Code Must Be Submitted on: Claim 🖌	Prior Authorization Request		
ICD-10	Description			
N181	Chronic kidney disease, Stage 1			
N182	Chronic kidney disease, Stage 2 (mild)			
N1830	Chronic kidney disease, stage 3 unspecified			
N1831	Chronic kidney disease, stage 3A			
N1832	N1832 Chronic kidney disease, stage 3B			
N184	Chronic kidney disease, Stage 4 (severe)			
N185				
N186	N186 End stage renal disease			
N189	N189 Chronic kidney disease, unspecified			
N250	Renal osteodystrophy			
N251	Nephrogenic diabetes insipidus			
N2581	N2581 Secondary hyperparathyroidism of renal origin			
N2589	N2589 Other disorders resulting from impaired renal tubular function			
N259	N259 Disorder resulting from impaired renal tubular function, unspecified			