Diagnosis Restricted Drugs

The table below includes a list of drugs that are diagnosis-restricted for pharmacy compound and non-compound claims. This table specifies if the diagnosis must be indicated on the claim, prior authorization (PA) request, or both. See the link below for physician-administered diagnosis restrictions.

If the prescriber writes a prescription with a diagnosis outside the ForwardHealth-allowed diagnoses for a drug, the prescriber is required to submit peer-reviewed medical literature to support the proven efficacy and safety of the requested use of the drug. Documentation of previous treatments and detailed reasons why other covered drug treatments were discontinued or not utilized are required. Medical records should be provided as necessary to support the PA request. This information should be documented on the Prior Authorization/Drug Attachment (PA/DGA), F- 11049 (10/13), in Section V (Clinical Information for Diagnosis-Restricted Drug Requests).

When completing the PA/DGA, prescribers should provide the diagnosis code and description, complete Section V, and use Section VIII (Additional Information), if needed. Prescribers are reminded to provide a handwritten signature and date on the form before submitting it to the pharmacy provider where the prescription will be filled. The pharmacy provider is required to complete a Prior Authorization Request Form (PA/RF), F- 11018 (05/13), before submitting the forms and supporting documentation to ForwardHealth. Prescribers should not submit PA forms to ForwardHealth.

As a reminder, prescribers and pharmacy providers are required to retain a completed copy of the PA form(s).

For additional information about diagnosis-restricted drug policy, providers may refer to the ForwardHealth Online Handbook Topic #4403, 15537, and 15937:

https://www.forwardhealth.wi.gov/wiportal/subsystem/kw/display.aspx

Physician Administered diagnosis restrictions can be found at:

https://www.forwardhealth.wi.gov/WIPortal/Tab/42/icscontent/Provider/medicaid/physician/data_tables/index.htm.spage

Diagnosis Restricted Drugs

Alzheimer's Agents

roducts						
AMENDA XR (MENDA XR (memantine hcl)					
Diagnos	sis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request 🗸					
ICD-10	Description					
F0150	Vascular dementia without behavioral disturbance					
F0151	Vascular denentia with behavioral disturbance					
G300	Alzheimer's disease with early onset					
G301	Alzheimer's disease with late onset					
G308	Other alzheimer's disease					
G309	Alzheimer's disease, unspecified					

Antibiotics, Inhaled

_			
•	rn	a	ucts

ARIKAYCE (amikacin liposomal)

Diagnosi	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request 🗸
ICD-10	Description		
A310	Pulmonary mycobacterial infection		
A312	Disseminated mycobacterium aviur	n-intracellulare o	complex (DMAC)

Diagnosis Restricted Drugs

Anticonvulsants

lucts		
COMIT (stirip	pentol)	
Diagnosi	sis Code Must Be Submitted on: Claim 🕡 Prior Authori	zation Request 🕡
ICD-10	Description	Zadon Noquoot 💽
G40833	Dravet Syndrome, Intractable, with status Epilepticus	
G40834	Dravet Syndrome, Intractable, without status Epilepticus	
lucts		
DIOLEX (can	nnabidiol)	
Diagnosi	sia Cada Must Ba Submitted an	Totion Postucet 🗔
Diagnosi	sis Code Must Be Submitted on: Claim Prior Authori	zation Request 🗸
ICD-10	Description	
G40811	Lennox-Gastaut syndrome, not intractable, with status epilepticus	
G40812		3
G40813		
G40814		
G40833	Dravet Syndrome, Intractable, with status Epilepticus	
G40834	Dravet Syndrome, Intractable, without status Epilepticus	
Q851	Dravet Syndrome, Intractable, without status Epilepticus Tuberous Sclerosis	
Q851 lucts ZEL (rufinan	Tuberous Sclerosis mide)	zation Request √
Q851 lucts ZEL (rufinan Diagnosi	Tuberous Sclerosis mide) sis Code Must Be Submitted on: Claim Prior Authorit	zation Request √
Q851 Jucts ZEL (rufinan Diagnosi ICD-10	Tuberous Sclerosis mide) sis Code Must Be Submitted on: Claim ✓ Prior Authorit Description	zation Request √
Q851 lucts ZEL (rufinan Diagnosi	Tuberous Sclerosis mide) sis Code Must Be Submitted on: Claim Prior Authoris Description Lennox-Gastaut syndrome, not intractable, with status epilepticus	. 5
Q851 Jucts ZEL (rufinan Diagnosi ICD-10 G40811	Tuberous Sclerosis mide) sis Code Must Be Submitted on: Claim Prior Authoris Description Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus	. 5
Q851 Jucts ZEL (rufinan Diagnosi ICD-10 G40811 G40812	Tuberous Sclerosis mide) sis Code Must Be Submitted on: Claim Prior Authoris Description Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus	. 2
Q851 Jucts ZEL (rufinan Diagnosi ICD-10 G40811 G40812 G40813	Tuberous Sclerosis mide) sis Code Must Be Submitted on: Claim Prior Authoris Description Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus	. 5
Q851 Jucts ZEL (rufinan Diagnosi ICD-10 G40811 G40812 G40813 G40814 Jucts	Tuberous Sclerosis mide) sis Code Must Be Submitted on: Claim Prior Authoris Description Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus	. 5
Q851 Jucts ZEL (rufinan Diagnosi ICD-10 G40811 G40812 G40813 G40814	Tuberous Sclerosis mide) sis Code Must Be Submitted on: Claim Prior Authoris Description Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus	. E
Q851 Jucts ZEL (rufinan Diagnosi ICD-10 G40811 G40812 G40813 G40814 Jucts TEPLA (fenflu	Tuberous Sclerosis mide) sis Code Must Be Submitted on: Claim Prior Authoris Description Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus	. 5
Q851 Jucts ZEL (rufinan Diagnosi ICD-10 G40811 G40812 G40813 G40814 Jucts TEPLA (fenflu	Tuberous Sclerosis mide) sis Code Must Be Submitted on: Claim Prior Authoris Description Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus	
Q851 Jucts ZEL (rufinan Diagnosi ICD-10 G40811 G40812 G40813 G40814 Jucts TEPLA (fenflu	Tuberous Sclerosis mide) sis Code Must Be Submitted on: Claim Prior Authoris Description Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus luramine) sis Code Must Be Submitted on: Claim Prior Authoric	
Q851 Jucts ZEL (rufinan Diagnosi ICD-10 G40811 G40812 G40813 G40814 Jucts TEPLA (fenflu Diagnosi ICD-10	Tuberous Sclerosis mide) sis Code Must Be Submitted on: Claim Prior Authoris Description Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus luramine) sis Code Must Be Submitted on: Claim Prior Authoris Description Lennox-Gastaut syndrome, not intractable, with status epilepticus	zation Request √
Q851 Jucts ZEL (rufinan Diagnosi ICD-10 G40811 G40812 G40813 G40814 Jucts TEPLA (fenflu Diagnosi ICD-10 G40811	Tuberous Sclerosis mide) sis Code Must Be Submitted on: Claim Description Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus luramine) sis Code Must Be Submitted on: Claim Prior Authori: Description Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus	zation Request √
Q851 Jucts ZEL (rufinan Diagnosi ICD-10 G40811 G40812 G40814 Jucts EPLA (fenflu Diagnosi ICD-10 G40811 G40811	Tuberous Sclerosis mide) Sis Code Must Be Submitted on: Claim Description Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus Sis Code Must Be Submitted on: Claim Prior Authoria Description Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus	zation Request √
Q851 Jucts ZEL (rufinan Diagnosi ICD-10 G40811 G40812 G40814 Jucts EPLA (fenflu Diagnosi ICD-10 G40811 G40812 G40813	Tuberous Sclerosis mide) Sis Code Must Be Submitted on: Claim Description Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus Sis Code Must Be Submitted on: Claim Prior Authoria Description Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus	zation Request √

Diagnosis Restricted Drugs

Products		
SYMPAZAN	clobazam)	
Diagr	osis Code Must Be Submitted on: Claim 🕡 Prior Authorization Request 🕡	
J	_	
ICD-1		
G408	- 7 7 1 1	
G408		
G408		
G408	Lennox-Gastaut syndrome, intractable, without status epilepticus	
Products diclofenac so	dium 3% gel (Evample brand: SOI ARAZE)	
diclofenac so	dium 3% gel (Example brand: SOLARAZE) losis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐	
diclofenac so	osis Code Must Be Submitted on: Claim 📝 Prior Authorization Request 🗌	
diclofenac so	osis Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗌	_
diclofenac so Diagr ICD-1	osis Code Must Be Submitted on: Claim Prior Authorization Request Description Actinic Keratosis	
diclofenac so Diagr ICD-1 L570	osis Code Must Be Submitted on: Claim Prior Authorization Request Description Actinic Keratosis	
diclofenac so Diagr ICD-1 L570 Antiviral A	osis Code Must Be Submitted on: Claim Prior Authorization Request Description Actinic Keratosis Agents	
diclofenac so Diagr ICD-1 L570 Antiviral A Products LIVTENCITY	osis Code Must Be Submitted on: Claim Prior Authorization Request Description Actinic Keratosis Agents	
diclofenac so Diagr ICD-1 L570 Antiviral A Products LIVTENCITY	Description Actinic Keratosis (maribavir) Rosis Code Must Be Submitted on: Claim Prior Authorization Request (maribavir) Rosis Code Must Be Submitted on: Claim Prior Authorization Request (maribavir)	
diclofenac so Diagr ICD-1 L570 Antiviral A Products LIVTENCITY Diagr	Description Actinic Keratosis (maribavir) Toosis Code Must Be Submitted on: Claim Prior Authorization Request Prior Authorization Request Prior Authorization Request Prior Authorization Request	_

B252

B258

B259

Cytomegaloviral disease pancreatitis

Cytomegaloviral disease, Unspecified

Other cytomegaloviral diseases

Diagnosis Restricted Drugs

Central Nervous System Agents, Miscellaneous

Pro	ducts				
REL	_YVRIO (phe	nylbutyrate)		RILUTEK (riluzole)	
	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	ICD-10	Description			
	G1221	Amyotrophic lateral sclerosis			
Pro	ducts				
NUE	EDEXTA (dex	ctromethorphan hbr/quinidine)			_
	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	ICD-10	Description			
	F482	Pseudobulbar affect			
	tic Fibro	osis			
BRO	ONCHITOL (r	mannitol)			
	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	ICD-10	Description			
	E840	Cystic Fibrosis with Pulmonary Ma	nifestations		
	E8411	Meconium Ileus in Cystic Fibrosis			
	E8419	Cystic Fibrosis with Other Intestina			
	E848	Cystic Fibrosis with Other Manifes	tations		
	E849	Cystic Fibrosis, Unspecified			
Gan	nma Am	ninobutyric Acid Class	S		
Pro	ducts				
GRA	ALISE (gabar	pentin)			
	Diagnos	is Code Must Be Submitted on:	Claim	Prior Authorization Request 🗸	
	ICD-10	Description			
	B0221	Postherpetic geniculate ganglioniti	S		
	B0222	Postherpetic trigeminal neuralgia			
	B0223	Postherpetic polyneuropathy			
	B0224	Postherpetic myelitis			
	B0229	Other postherpetic nervous system	n involvement		
		-			

Diagnosis Restricted Drugs

Hypoglycemics, GLP1 Diagnosis restriction for GLP1 effective 8/1/2023

Products

ADLYXIN (lixisenatide)
BYETTA (exenatide)
OZEMPIC (semaglutide)
TRULICITY (dulaglutide)
VICTOZA 3-PAK (liraglutide)

BYDUREON BCISE (exenatide microspheres)
MOUNJARO (tirzepatide)
RYBELSUS (semaglutide)
VICTOZA 2-PAK (liraglutide)

Effective: 7/1/2023

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓

ICD-10 Description

ICD-10	Description
E1100	Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)
E1101	Type 2 diabetes mellitus with hyperosmolarity with coma
E1110	Type 2 diabetes mellitus with ketoacidosis without coma
E1111	Type 2 diabetes mellitus with ketoacidosis with coma
E1121	Type 2 diabetes mellitus with diabetic nephropathy
E1122	Type 2 diabetes mellitus with diabetic chronic kidney disease
E1129	Type 2 diabetes mellitus with other diabetic kidney complication
E11311	Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema
E11319	Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular edema
E113211	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, rt eye
E113212	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, It eye
E113213	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, bilat
E113219	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, unsp eye
E113291	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, rt eye
E113292	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, lt eye
E113293	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, bilat
E113299	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, unsp eye
E113311	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, rt eye
E113312	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, lt eye
E113313	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, bilat
E113319	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, unsp eye
E113391	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, rt eye
E113392	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, lt eye
E113393	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, bilat
E113399	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, unsp eye
E113411	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, rt eye
E113412	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, lt eye
E113413	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, bilat
E113419	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, unspe eye
E113491	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, rt eye
E113492	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, lt eye
E113493	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, bilat
E113499	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, unsp eye
E113511	Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, right eye
E113512	Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, left eye
E113513	Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, bilateral
E113519	Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, unspecified eye
E113521	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, rt eye
L	

Diagnosis Restricted Drugs

Hypoglycemics, GLP1

E113522	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, It eye
E113523	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, bilat
E113529	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, unsp eye
E113531	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, rt eye
E113532	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, It eye
E113533	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, bilat
E113539	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, unsp eye
E113541	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, rt eye
E113542	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, It eye
E113543	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, bilat
E113549	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, unsp
E113551	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye
E113552	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye
E113553	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral
E113559	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye
E113591	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye
E113592	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye
E113593	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral
E113599	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye
E1137X1	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye
E1137X2	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye
E1137X3	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral
E1137X9	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye
E1139	Type 2 diabetes mellitus with other diabetic ophthalmic complication
E1140	Type 2 diabetes mellitus with diabetic neuropathy, unspecified
E1141	Type 2 diabetes mellitus with diabetic mononeuropathy
E1142	Type 2 diabetes mellitus with diabetic polyneuropathy
E1143	Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy
E1144	Type 2 diabetes mellitus with diabetic amyotrophy
E1149	Type 2 diabetes mellitus with other diabetic neurological complication
E1151	Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene
E1152	Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene
E1159	Type 2 diabetes mellitus with other circulatory complications
E11610	Type 2 diabetes mellitus with diabetic neuropathic arthropathy
E11618	Type 2 diabetes mellitus with other diabetic arthropathy
E11620	Type 2 diabetes mellitus with diabetic dermatitis
E11621	Type 2 diabetes mellitus with foot ulcer
E11622	Type 2 diabetes mellitus with other skin ulcer
E11628	Type 2 diabetes mellitus with other skin complications
E11630	Type 2 diabetes mellitus with periodontal disease
E11638	Type 2 diabetes mellitus with other oral complications
E11641	Type 2 diabetes mellitus with hypoglycemia with coma
E11649	Type 2 diabetes mellitus with hypoglycemia without coma
E1165	Type 2 diabetes mellitus with hyperglycemia
E1169	Type 2 diabetes mellitus with other specified complication
E118	Type 2 diabetes mellitus with unspecified complications
E119	Type 2 diabetes mellitus without complications
	1.7FC = 4.422122onitad mariout comprisations

Diagnosis Restricted Drugs

	Diagr	nosis Rest	ricted Drugs	Effective: 7/1/2023
ipdystroph	ny			
Products				
MYALEPT (metr	eleptin)			
Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	t 🗆
ICD-10	Description	· •		
E881	Lipodystrophy, not elsewhere clas	sified		
Products				
EGRIFTA SV (te	esamorelin)			
Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	t 🖂
Both diag	gnosis codes required or see below			
ICD-10	Description			
B20	Human immunodeficiency virus [l	HIV] Disease		
E881	Lipodystrophy, not elsewhere clas	sified		
Or an alt	ernative combination of codes			
ICD-10	Description			
B9735	Human immunodeficiency virus, T	ype 2 [HIV 2] as	the cause of diseases classified	elsewhere
E881	Lipodystrophy, not elsewhere clas			
ipodoses				
Products				
CERDELGA (eli	glustat tartrate)		ZAVESCA (miglustat	.)
Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	t
ICD-10	Description			
E7522	Gaucher disease			
ysosomal	Storage Disorder			
Products				

Claim 🗸

Prior Authorization Request

GALAFOLD (migalastat)

ICD-10

E7521

Diagnosis Code Must Be Submitted on:

Fabry (-Anderson) Disease

Description

Diagnosis Restricted Drugs

Movement Disorders

Product	ts			
AUSTED	OO (deut	etrabenazine)		
	Diagnosi	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
I	CD-10	Description		
Ī	G10	Huntington's Disease		
C	G2401	Drug Induced Subacute Dyskinesi	a	
C	G2402	Other induced Acute Dystonia		
C	G2409	Other Drug Induced Dystonia		
- Product	ts			
INGREZ	ZA (valb	enazine)		INGREZZA INITIATION PACK (valbenazine)
	Diagnosi	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
I	CD-10	Description		
C	G2401	Drug Induced Subacute Dyskinesi	а	
C	G2402	Drug Induced Acute Dystonia		
C	G2409	Other Drug Induced Dystonia		
Product	ts	•		
XENAZII	NE (tetra	abenazine)		
	Diagnosi	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
I	CD-10	Description		
Ī	G10	HUNTINGTON'S DISEASE		
ultiple	e Scl	erosis Agents, Other		
Product	ts			
AMPYRA	A (dalfan	npridin)		
	Diagnosi	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
I	CD-10	Description		
Ī	G35	Multiple sclerosis		

Diagnosis Restricted Drugs

Neuropathic Pain

lucts	
ICA CR (pre	gabalin)
Diagnos	is Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗹
ICD-10	Description
B0221	POSTHERPETIC GENICULATE GANGLIONITIS
B0222	POSTHERPETIC TRIGEMINAL NEURALGIA
B0223	POSTHERPETIC POLYNEUROPATHY
B0224	POSTHERPETIC MYELITIS
B0229	OTHER POSTHERPETIC NERVOUS SYSTEM INVOLVEMENT
E1040	TYPE 1 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED
E1041	TYPE 1 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY
E1042	TYPE 1 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY
E1043	TYPE 1 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY
E1044	TYPE 1 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY
E1049	TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION
E1140	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED
E1141	TYPE 2 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY
E1142	TYPE 2 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY
E1143	TYPE 2 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY
E1144	TYPE 2 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY
E1149	TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION

Ophthalmics, Presbyopia

Produc	ts				
VUITY (pilocarpir	e)			
ı	Diagnosi	s Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ı	ICD-10	Description			
Ī	H524	Presbyopia			

Diagnosis Restricted Drugs

Opioid Dependency - Buprenorphine

ucts	
norphine ho	cl (Example brand: SUBUTEX) buprenorphine-naloxone (Example brand: SUBOXO
OCADE (bi	uprenorphine) SUBOXONE (buprenorphine hcl/naloxone)
SOLV (bupre	enorphine hcl/naloxone)
Diagnosi	is Code Must Be Submitted on: Claim 🗸 Prior Authorization Request 🗸
ICD-10	Description
F1120	Opioid dependence, uncomplicated
F1120	Opioid dependence, uncomplicated
F1121	Opioid dependence, in remission
F1124	Opioid dependence with opioid-induced mood disorder
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions
F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations
F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified
F11281	Opioid dependence with opioid-induced sexual dysfunction
F11282	Opioid dependence with opioid-induced sleep disorder
F11288	Opioid dependence with other opioid-induced disorder
F1129	Opioid dependence with unspecified opioid-induced disorder

Opioid Dependency Agents - Methadone

	is TABLET DISPR (methadone hcl) METHADONE INTENSOL 10 MG/ML (methadone hcl) METHADOSE 40 MG TABLET DISPR (methadone hcl)
Diagnosi	is Code Must Be Submitted on: Claim ✔ Prior Authorization Request ☐
ICD-10	Description
F1120	Opioid dependence, uncomplicated
F1121	Opioid dependence, in remission
F1124	Opioid dependence with opioid-induced mood disorder
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions
F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations
F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified
F11281	Opioid dependence with opioid-induced sexual dysfunction
F11282	Opioid dependence with opioid-induced sleep disorder
F11288	Opioid dependence with other opioid-induced disorder
F1129	Opioid dependence with unspecified opioid-induced disorder

Diagnosis Restricted Drugs

Opioid Dependency and Alcohol Abuse/Dependency Agents

oducts	ducts		
Itrexone hcl (E	exone hcl (Example brand: REVIA) VIVITROL (naltrexone microspheres)		
Diagnosi	s Code Must Be Submitted on: Claim 📝 Prior Authorization Request 🗌		
ICD-10	Description		
F1010	Alcohol abuse, uncomplicated		
F1011	Alcohol abuse, uncomplicated		
F1014	Alcohol abuse with alcohol-induced mood disorder		
F10150	Alcohol abuse with alcohol-induced psychotic disorder with delusions		
F10151	Alcohol abuse with alcohol-induced psychotic disorder with hallucinations		
F10159	Alcohol abuse with alcohol-induced psychotic disorder, unspecified		
F10180	Alcohol abuse with alcohol-induced anxiety disorder		
F10181	Alcohol abuse with alcohol-induced sexual dysfunction		
F10182	Alcohol abuse with alcohol-induced sleep disorder		
F10188	Alcohol abuse with other alcohol-induced disorder		
F1019	Alcohol abuse with unspecified alcohol-induced disorder		
F1020	Alcohol dependence, uncomplicated		
F1021	Alcohol dependence, in remission		
F1024	Alcohol dependence with alcohol-induced mood disorder		
F10250	Alcohol dependence with alcohol-induced psychotic disorder with delusions		
F10251	Alcohol dependence with alcohol-induced psychotic disorder with hallucinations		
F10259	Alcohol dependence with alcohol-induced psychotic disorder, unspecified		
F1026	Alcohol dependence with alcohol-induced persisting amnestic disorder		
F1027	Alcohol dependence with alcohol-induced persisting dementia		
F10280	Alcohol dependence with alcohol-induced anxiety disorder		
F10281	Alcohol dependence with alcohol-induced sexual dysfunction		
F10282	Alcohol dependence with alcohol-induced sleep disorder		
F10288	Alcohol dependence with other alcohol-induced disorder		
F1029	Alcohol dependence with unspecified alcohol-induced disorder		
F1094	Alcohol use, unspecified with alcohol-induced mood disorder		
F10950	Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions		
F10951	Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations		
F10959	Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified		
F1096	Alcohol use, unspecified with alcohol-induced persisting amnestic disorder		
F1097	Alcohol use, unspecified with alcohol-induced persisting dementia		
F10980	Alcohol use, unspecified with alcohol-induced anxiety disorder		
F10981	Alcohol use, unspecified with alcohol-induced sexual dysfunction		
F10982	Alcohol use, unspecified with alcohol-induced sleep disorder		
F10988	Alcohol use, unspecified with other alcohol-induced disorder		
F1099	Alcohol use, unspecified with unspecified alcohol-induced disorder		
F1120	Opioid dependence, uncomplicated		
F1121	Opioid dependence, in remission		
F1124	Opioid dependence with opioid-induced mood disorder		
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions		
F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations		
F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified		
F11281	Opioid dependence with opioid-induced sexual dysfunction		

Diagnosis Restricted Drugs

Opioid Dependency and Alcohol Abuse/Dependency Agents

Ī	-11282	Opioid dependence with opioid-induced sleep disorder	
Ī	-11288	Opioid dependence with other opioid-induced disorder	
Ī	1129 Opioid dependence with unspecified opioid-induced disorder		

Peptic Ulcer

Products

DARTISLA (glycopyrrolate)

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐

ICD-10 Description

K270	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH HEMORRHAGE
K271	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH PERFORATION
K272	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH BOTH HEMORRHAGE AND PERFORATION
K273	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITHOUT HEMORRHAGE OR PERFORATION
K274	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH HEMORRHAGE
K275	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH PERFORATION
K276	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH BOTH HEMORRHAGE AND PER
K277	CHRONIC PEPTIC ULCER, SITE UNSPECIFIED, WITHOUT HEMORRHAGE OR PERFORATION
K279	PEPTIC ULCER, SITE UNSPECIFIED, UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT HEMORRHAGE

Progestational Agent

Products

CRINONE 8% GEL (progesterone)

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐

ICD-10 Description

O09211	Supervision of pregnancy with history of pre-term labor, first trimester		
O09212	Supervision of pregnancy with history of pre-term labor, second trimester		
O09213	Supervision of pregnancy with history of pre-term labor, third trimester		
O09219	Supervision of pregnancy with history of pre-term labor, unspecified trimester		
O09291	Supervision of pregnancy with other poor reproductive or obstetric history, first trimester		
O09292	Supervision of pregnancy with other poor reproductive or obstetric history, second trimester		
O09293	Supervision of pregnancy with other poor reproductive or obstetric history, third trimester		
O09299	Supervision of pregnancy with other poor reproductive or obstetric history, unspecified trimester		
O26872	Cervical shortening, second trimester		
O26873	Cervical shortening, third trimester		
O26879	Cervical shortening, unspecified trimester		

Diagnosis Restricted Drugs

Proteinuria Reduction

Products

TARPEYO (budesonide)

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓

ICD-10 Description

N028 RECURRENT AND PERSISTENT HEMATURIA WITH OTHER MORPHOLOGIC CHANGES

Pulmonary Anti-Hypertensive Agents

Products

ADCIRCA (tadalafil) LIQREV (sildenafil citrate) TADLIQ (tadalafil) ALYQ (tadalafil) REVATIO (sildenafil citrate)

Effective: 7/1/2023

Diagnosis Code Must Be Submitted on:

Claim 🗸

Prior Authorization Request 🗸

ICD-10 Description

1270	Primary pulmonary hypertension
12720	Pulmonary hypertension, unspecified
12721	Secondary pulmonary arterial hypertension
12722	Pulmonary hypertension due to left heart disease
12723	Pulmonary hypertension Due to Lung Diseases and hypoxia
12724	Chronic thromboembolic pulmonary hypertension
12729	Other secondary pulmonary hypertension
12783	Eisenmenger's syndrome

Diagnosis Restricted Drugs

Smoking Cessation

F909

Attention-deficit hyperactivity disorder, unspecified type

Products		
bupropion hcl sr	150 mg tablet (Example brand: ZYBAN) CHANTIX (varenicline tartrate)	
nicotine gum (Example brand: NICORETTE) nicotine gum (Example brand: NICORETTE)		
nicotine lozenge (Example brand: NICOTINE) nicotine patch (Example brand: CVS NICOTINE)		
nicotine patch (E	Example brand: NICOTINE) NICOTROL (nicotine)	
NICOTROL NS ((nicotine)	
Diagnos	is Code Must Be Submitted on: Claim ✔ Prior Authorization Request	
ICD-10	Description	
F17200	Nicotine dependence, unspecified, uncomplicated	
F17201	Nicotine dependence, unspecified, in remission	
F17203	Nicotine dependence unspecified, with withdrawal	
F17208	Nicotine dependence, unspecified, with other nicotine-induced disorders	
F17209	Nicotine dependence, unspecified, with unspecified nicotine-induced disorders	
F17210	Nicotine dependence, cigarettes, uncomplicated	
F17211	Nicotine dependence, cigarettes, in remission	
F17213	Nicotine dependence, cigarettes, with withdrawal	
F17218	Nicotine dependence, cigarettes, with other nicotine-induced disorders	
F17219	Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders	
F17220	Nicotine dependence, chewing tobacco, uncomplicated	
F17221	Nicotine dependence, chewing tobacco, in remission	
F17223	Nicotine dependence, chewing tobacco, with withdrawal	
F17228	Nicotine dependence, chewing tobacco, with other nicotine-induced disorders	
F17229	Nicotine dependence, chewing tobacco, with unspecified nicotine-induced disorders	
F17290	Nicotine dependence, other tobacco product, uncomplicated	
F17291	Nicotine dependence, other tobacco product, in remission	
F17293	Nicotine dependence, other tobacco product, with withdrawal	
F17298	Nicotine dependence, other tobacco product, with other nicotine-induced disorders	
F17299	Nicotine dependence, other tobacco product, with unspecified nicotine-induced disorders	
Z720	Tobacco use	
mulante	Desoxyn	
Tiulailis,		
Products		
)FSOXYN (meth	hamphetamine hcl)	
Looking (ined		
Diagnos	is Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗸	
ICD-10	Description	
F900	Attention-deficit hyperactivity disorder, predominantly inattentive type	
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type	
F902	Attention-deficit hyperactivity disorder, combined type	
F908	Attention-deficit hyperactivity disorder, other type	

Diagnosis Restricted Drugs

Stimulants, Excluding Desoxyn and Vyvanse

G47419

Narcolepsy without cataplexy

Products		
ADDERALL ((dextroamphetamine/amphetamine)	ADDERALL XR (dextroamphetamine/amphetamine)
ADHANSIA X	KR (methylphenidate)	ADZENYS XR-ODT (amphetamine)
APTENSIO >	(R (methylphenidate hcl)	AZSTARYS (serdexmethylphenidate/dexmethylphenidate/
CONCERTA	(methylphenidate hcl)	COTEMPLA XR-ODT (methylphenidate)
DAYTRANA	(methylphenidate hcl)	DEXEDRINE (dextroamphetamine sulfate)
	etamine sulfate er (Example brand: DEXEDRINE)	DYANAVEL XR (amphetamine)
EVEKEO (an	nphetamine)	FOCALIN (dexmethylphenidate hcl)
FOCALIN XF	R (dexmethylphenidate hcl)	JORNAY PM (methylphenidate er)
METHYLIN (methylphenidate hcl)	methylphenidate er (Example brand: METADATE ER)
methylphenic	date er (Example brand: METHYLIN)	methylphenidate hcl (Example brand: METHYLIN CHE
methylphenic	date hcl cd (Example brand: METADATE CD)	methylphenidate hcl er (cd) (Example brand: METADA
	date la (Example brand: RITALIN LA)	MYDAYIS (dextroamphetamine/amphetamine)
	A (dextroamphetamine sulfate)	QUILLIVANT XR (methylphenidate hcl)
	nethylphenidate)	RITALIN (methylphenidate hcl)
`	(methylphenidate hcl)	ZENZEDI (dextroamphetamine sulfate)
ICD-		
F900	,, , ,,	·
F901	31 31	
F902	,, , ,	• •
F908	31 31	
F909	71 7 1	fied type
G474	1, 7	
G474	Narcolepsy without cataplexy	
timulant	s, Vyvanse	
Products		
VYVANSE (li	sdexamfetamine dimesylate)	VYVANSE CHEWABLE (lisdexamfetamine dimesylate)
Diag	nosis Code Must Be Submitted on: Claim 🔽	Prior Authorization Request
ICD-	10 Description	
F508	1 Binge Eating Disorder	
F900	Attention-deficit hyperactivity disorder, predomi	nantly inattentive type
F901		• • • • • • • • • • • • • • • • • • • •
F902		
F908	31	• •
F909	, , , , , , , , , , , , , , , , , , ,	
G474	31 3 1	10.
רידטן	Transcrippoy with outaploxy	I

Diagnosis Restricted Drugs

Vitamins, Renal

Products

DIALYVITE (folic acid combination)

DIALYVITE 800 WITH IRON (fe fumarate combinations)

FOLBEE PLUS (folic acid combination)

HEMATINIC PLUS (iron combinations)

RENAL CAPS (vitamin b complex)

TRIPHROCAPS (vitamin b complex)

VP-VITE RX (vitamin b complex)

DIALYVITE 3000 (folic acid combination)
FERROCITE PLUS (iron combinations)
FOLBEE PLUS CZ (folic acid combination)
NEPHRO-VITE RX (vitamin b complex)
RENA-VITE RX (vitamin b complex)
VIRT-CAPS (vitamin b complex)

WESCAPS (vitamin b complex)

Effective: 7/1/2023

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐

ICD-10 Description

ICD-10	Description
N181	Chronic kidney disease, Stage 1
N182	Chronic kidney disease, Stage 2 (mild)
N1830	Chronic kidney disease, stage 3 unspecified
N1831	Chronic kidney disease, stage 3A
N1832	Chronic kidney disease, stage 3B
N184	Chronic kidney disease, Stage 4 (severe)
N185	Chronic kidney disease, Stage 5
N186	End stage renal disease
N189	Chronic kidney disease, unspecified
N250	Renal osteodystrophy
N251	Nephrogenic diabetes insipidus
N2581	Secondary hyperparathyroidism of renal origin
N2589	Other disorders resulting from impaired renal tubular function
N259	Disorder resulting from impaired renal tubular function, unspecified