Diagnosis Restricted Drugs

The table below includes a list of drugs that are diagnosis-restricted for pharmacy compound and non-compound claims. This table specifies if the diagnosis must be indicated on the claim, prior authorization (PA) request, or both. See the link below for physician-administered diagnosis restrictions.

If the prescriber writes a prescription with a diagnosis outside the ForwardHealth-allowed diagnoses for a drug, the prescriber is required to submit peer-reviewed medical literature to support the proven efficacy and safety of the requested use of the drug. Documentation of previous treatments and detailed reasons why other covered drug treatments were discontinued or not utilized are required. Medical records should be provided as necessary to support the PA request. This information should be documented on the Prior Authorization/Drug Attachment (PA/DGA), F- 11049 (10/13), in Section V (Clinical Information for Diagnosis-Restricted Drug Requests).

When completing the PA/DGA, prescribers should provide the diagnosis code and description, complete Section V, and use Section VIII (Additional Information), if needed. Prescribers are reminded to provide a handwritten signature and date on the form before submitting it to the pharmacy provider where the prescription will be filled. The pharmacy provider is required to complete a Prior Authorization Request Form (PA/RF), F- 11018 (05/13), before submitting the forms and supporting documentation to ForwardHealth. Prescribers should not submit PA forms to ForwardHealth.

As a reminder, prescribers and pharmacy providers are required to retain a completed copy of the PA form(s).

For additional information about diagnosis-restricted drug policy, providers may refer to the ForwardHealth Online Handbook Topic #4403, 15537, and 15937: https://www.forwardhealth.wi.gov/WIPortal/Online%20Handbooks/Display/tabid/152/Default.aspx

Physician Administered diagnosis restrictions can be found at: https://www.forwardhealth.wi.gov/WIPortal/Tab/42/icscontent/Provider/medicaid/physician/data_tables/index.htm.spage

Diagnosis Restricted Drugs

Effective:8/1/2016

Antibiotics, Topical

Products ALTABAX (retapamulin) Diagnosis Code Must Be Submitted on: Claim Prior Authorization Request ICD-10 Description L0100 Impetigo, unspecified L0101 Non-bullous impetigo L0102 Bockhart's impetigo L0103 Bullous impetigo L0109 Other impetigo Antiemetic Solution Products ZOFRAN (ondansetron hcl) Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request ICD-10 Description Z5111 Encounter for antineoplastic chemotherapy Z931 Gastrostomy status Antifungals, Oral Granules Products LAMISIL (terbinafine) Diagnosis Code Must Be Submitted on: Claim Prior Authorization Request ICD-10 Description B350 Tinea barbae and tinea capitis Antifungals, Oral Tablet Products ONMEL (itraconazole) Diagnosis Code Must Be Submitted on: Claim Prior Authorization Request ICD-10 Description B351 Tinea unguium

Diagnosis Restricted Drugs

Effective:8/1/2016

Antineoplastic and Premalignant Lesion Agent, Topical

| Products | | | | |
|---------------|---------------------------------------|--------|-------------------------------|--|
| SOLARAZE 3% | 5 GEL (diclofenac sodium) | | | |
| Diagno | sis Code Must Be Submitted on: Cl | laim 🗸 | Prior Authorization Request | |
| ICD-10 | Description | | | |
| L570 | Actinic Keratosis | | | |
| | | | | |
| itiparkins | son's Agents | | | |
| Products | | | | |
| VIRAPEX ER (| pramipexole) | | | |
| Diagna | aia Cada Must Pa Submittad any C | | Prior Authorization Paguaat | |
| Diagno | sis Code Must Be Submitted on: Cl | laim 🗌 | Prior Authorization Request 🔽 | |
| ICD-10 | Description | | | |
| G20 | Parkinson's disease | | | |
| G210 | Malignant neuroleptic syndrome | | | |
| G2111 | Neuroleptic induced parkinsonism | | | |
| G2119 | Other drug induced secondary parkinsc | nism | | |
| G213 | Postencephalitic parkinsonism | | | |
| G214 | Vascular parkinsonism | | | |
| G218 | Other secondary parkinsonism | | | |
| G219 | Secondary parkinsonism, unspecified | | | |
| Products | | | | |
| Floudels | | | | |
| REQUIP XL (ro | pinirole er) | | | |
| | | | | |
| Diagno | sis Code Must Be Submitted on: Cl | laim 🗌 | Prior Authorization Request 🖌 | |
| ICD-10 | Description | | | |
| G20 | Parkinson's disease | | | |
| G2111 | Neuroleptic induced parkinsonism | | | |
| G2119 | Other drug induced secondary parkinso | nism | | |
| G213 | Postencephalitic parkinsonism | | | |
| G214 | Vascular parkinsonism | | | |
| - | Other secondary parkinsonism | | | |
| G218 | | | | |

Diagnosis Restricted Drugs

Effective:8/1/2016

| Antiviral Ag | gents | | | | |
|-----------------|---|------------|-------------------------------|--|--|
| Products | | | | | |
| cidofovir (Exam | ple brand: VISTIDE) | | | | |
| Diagnos | sis Code Must Be Submitted on: | Claim 🗸 | Prior Authorization Request | | |
| ICD-10 | Description | | | | |
| B258 | Other cytomegaloviral diseases | | | | |
| Central Ne | rvous System Agents | , Miscella | neous | | |
| Products | | | | | |
| RILUTEK (riluzo | ble) | | | | |
| Diagnos | sis Code Must Be Submitted on: | Claim 🖌 | Prior Authorization Request | | |
| ICD-10 | Description | | | | |
| G1221 | Amyotrophic lateral sclerosis | | | | |
| Products | | | | | |
| NUEDEXTA (de | extromethorphan hbr/quinidine) | | | | |
| Diagno | sis Code Must Be Submitted on: | Claim 🖌 | Prior Authorization Request | | |
| ICD-10 | Description | | | | |
| F482 | Pseudobulbar affect | | | | |
| COPD Age | ents | | | | |
| Products | | | | | |
| DALIRESP (rof | umilast) | | | | |
| Diagno | sis Code Must Be Submitted on: | Claim 🗸 | Prior Authorization Request 🖌 | | |
| ICD-10 | Description | | | | |
| J440 | Chronic obstructive pulmonary dise | | | | |
| J441 | Chronic obstructive pulmonary dise | | | | |
| J449 | J449 Chronic obstructive pulmonary disease, unspecified | | | | |

Diagnosis Restricted Drugs

Effective:8/1/2016

Gamma Aminobutyric Acid Class

| ORIZANT (gat | apentin enacarbil) | | | |
|---|--|------------------------------|-------------------------------|--|
| Diagnos | is Code Must Be Submitted on: | Claim 🕅 | Prior Authorization Request 🖌 | |
| ICD-10 | Description | | · . | |
| B0221 | Postherpetic geniculate ganglionitis | s | | |
| B0222 | Postherpetic trigeminal neuralgia | - | | |
| B0223 | Postherpetic polyneuropathy | | | |
| B0224 | Postherpetic myelitis | | | |
| B0229 | Other postherpetic nervous system | n involvement | | |
| G2581 | Restless legs syndrome | | | |
| Products | | | | |
| GRALISE (gaba | pentin) | | | |
| | | | | |
| Diagnos | is Code Must Be Submitted on: | Claim | Prior Authorization Request 🖌 | |
| ICD-10 | Description | | | |
| B0221 | Postherpetic geniculate ganglioniti | S | | |
| B0222 | Postherpetic trigeminal neuralgia | | | |
| B0223 | Postherpetic polyneuropathy | | | |
| D000 1 | De ethe even etter versuellitie | | | |
| B0224 | Postherpetic myelitis | | | |
| B0229 B0229 | Other postherpetic nervous system | n involvement | | |
| B0229 | Other postherpetic nervous system | n involvement | | |
| B0229 Ddystroph Products MYALEPT (metri | Other postherpetic nervous system | n involvement | Prior Authorization Request | |
| B0229 Ddystroph Products MYALEPT (metri | Other postherpetic nervous system | | Prior Authorization Request | |
| B0229 Ddystropf Products MYALEPT (metri Diagnos | Other postherpetic nervous system IV eleptin) is Code Must Be Submitted on: | Claim 🖌 | Prior Authorization Request | |
| B0229 DOUSTODE Products MYALEPT (metri Diagnos ICD-10 | Other postherpetic nervous system V eleptin) is Code Must Be Submitted on: Description | Claim 🖌 | Prior Authorization Request | |
| B0229 Products MYALEPT (metri Diagnos ICD-10 E881 Products | Other postherpetic nervous system IV eleptin) is Code Must Be Submitted on: Description Lipodystrophy, not elsewhere class | Claim 🖌 | Prior Authorization Request | |
| B0229 Products MYALEPT (metri Diagnos ICD-10 E881 | Other postherpetic nervous system IV eleptin) is Code Must Be Submitted on: Description Lipodystrophy, not elsewhere class | Claim 🖌 | Prior Authorization Request | |
| B0229 Products MYALEPT (metri Diagnos ICD-10 E881 Products EGRIFTA (terbin | Other postherpetic nervous system IV eleptin) is Code Must Be Submitted on: Description Lipodystrophy, not elsewhere class | Claim 🖌 | Prior Authorization Request | |
| B0229 Ddystroph Products MYALEPT (metri Diagnos ICD-10 E881 Products EGRIFTA (terbin Diagnos | Other postherpetic nervous system V eleptin) is Code Must Be Submitted on: Description Lipodystrophy, not elsewhere class nafine hcl) | Claim 🔽 | | |
| B0229 Ddystroph Products MYALEPT (metri Diagnos ICD-10 E881 Products EGRIFTA (terbin Diagnos | Other postherpetic nervous system Other postherpetic nervous system Other postherpetic nervous system IV eleptin) is Code Must Be Submitted on: Description Lipodystrophy, not elsewhere class nafine hcl) is Code Must Be Submitted on: | Claim 🔽 | | |
| B0229 Products MYALEPT (metri Diagnos ICD-10 E881 Products EGRIFTA (terbin Diagnos Both dia | Other postherpetic nervous system Other postherpetic nervous system IV eleptin) is Code Must Be Submitted on: Description Lipodystrophy, not elsewhere class hafine hcl) is Code Must Be Submitted on: gnosis codes required or see below | Claim 🔽 | | |
| B0229 Products MYALEPT (metri Diagnos ICD-10 E881 Products EGRIFTA (terbin Diagnos Both dia ICD-10 | Other postherpetic nervous system Other postherpetic nervous system IV eleptin) is Code Must Be Submitted on: Description Lipodystrophy, not elsewhere class hafine hcl) is Code Must Be Submitted on: gnosis codes required or see below Description | Claim 🔽 sified Claim 🔽 | | |
| B0229 Products MYALEPT (metri Diagnos ICD-10 E881 Products EGRIFTA (terbin Diagnos Both dia ICD-10 B20 E881 | Other postherpetic nervous system Other postherpetic nervous system Other postherpetic nervous system IV eleptin) is Code Must Be Submitted on: Description Lipodystrophy, not elsewhere class hafine hcl) is Code Must Be Submitted on: gnosis codes required or see below Description Human immunodeficiency virus [H | Claim 🔽 sified Claim 🔽 | | |
| B0229 Products MYALEPT (metri Diagnos ICD-10 E881 Products EGRIFTA (terbin Diagnos Both dia ICD-10 B20 E881 | Other postherpetic nervous system Other postherpetic nervous system IV eleptin) is Code Must Be Submitted on: Description Lipodystrophy, not elsewhere class afine hcl) is Code Must Be Submitted on: gnosis codes required or see below Description Human immunodeficiency virus [H Lipodystrophy, not elsewhere class | Claim 🔽 sified Claim 🔽 | | |
| B0229 Products MYALEPT (metri Diagnos ICD-10 E881 Products EGRIFTA (terbin Diagnos Both dia ICD-10 B20 E881 Or an alto | Other postherpetic nervous system Other postherpetic nervous system IV eleptin) is Code Must Be Submitted on: Description Lipodystrophy, not elsewhere class nafine hcl) is Code Must Be Submitted or: gnosis codes required or see below Description Human immunodeficiency virus [H Lipodystrophy, not elsewhere class ernative combination of codes Description | Claim 🖌 | | |

Diagnosis Restricted Drugs

Effective:8/1/2016

Lipodoses Products CERDELGA (eliglustat tartrate) ZAVESCA (miglustat) Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request ICD-10 Description E7522 Gaucher disease **Opioid Dependency - Buprenorphine** Products BUNAVAIL (buprenorphine hcl/naloxone) buprenorphine hcl (Example brand: SUBUTEX) buprenorphine-naloxone (Example brand: SUBOXONE TAB) SUBOXONE (buprenorphine hcl/naloxone) ZUBSOLV (buprenorphine hcl/naloxone) Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request ICD-10 Description F1120 Opioid dependence, uncomplicated F1121 Opioid dependence, in remission F1124 Opioid dependence with opioid-induced mood disorder F11250 Opioid dependence with opioid-induced psychotic disorder with delusions F11251 Opioid dependence with opioid-induced psychotic disorder with hallucinations F11259 Opioid dependence with opioid-induced psychotic disorder, unspecified F11281 Opioid dependence with opioid-induced sexual dysfunction F11282 Opioid dependence with opioid-induced sleep disorder F11288 Opioid dependence with other opioid-induced disorder F1129 Opioid dependence with unspecified opioid-induced disorder

Diagnosis Restricted Drugs

Effective:8/1/2016

Opioid Dependency Agents - Methadone

| | ITENSOL 10 MG/ML (methadone hcl) METHADOSE 10 MG/ML ORAL CONC (methadone 0 MG TABLET DISPR (methadone hcl) METHADOSE 10 MG/ML ORAL CONC (methadone |
|----------|--|
| Diagnosi | s Code Must Be Submitted on: Claim 🖌 Prior Authorization Request 🗌 |
| ICD-10 | Description |
| F1120 | Opioid dependence, uncomplicated |
| F1121 | Opioid dependence, in remission |
| F1124 | Opioid dependence with opioid-induced mood disorder |
| F11250 | Opioid dependence with opioid-induced psychotic disorder with delusions |
| F11251 | Opioid dependence with opioid-induced psychotic disorder with hallucinations |
| F11259 | Opioid dependence with opioid-induced psychotic disorder, unspecified |
| F11281 | Opioid dependence with opioid-induced sexual dysfunction |
| F11282 | Opioid dependence with opioid-induced sleep disorder |
| F11288 | Opioid dependence with other opioid-induced disorder |
| F1129 | Opioid dependence with unspecified opioid-induced disorder |

Diagnosis Restricted Drugs

Opioid Dependency and Alcohol Abuse/Dependency Agents

Products

naltrexone hcl (Example brand: REVIA)

VIVITROL (naltrexone microspheres)

Prior Authorization Request

Diagnosis Code Must Be Submitted on: Claim 🔽

| ICD-10 | Description |
|--------|--|
| F1010 | Alcohol abuse, uncomplicated |
| F1014 | Alcohol abuse with alcohol-induced mood disorder |
| F10150 | Alcohol abuse with alcohol-induced psychotic disorder with delusions |
| F10151 | Alcohol abuse with alcohol-induced psychotic disorder with hallucinations |
| F10159 | Alcohol abuse with alcohol-induced psychotic disorder, unspecified |
| F10180 | Alcohol abuse with alcohol-induced anxiety disorder |
| F10181 | Alcohol abuse with alcohol-induced sexual dysfunction |
| F10182 | Alcohol abuse with alcohol-induced sleep disorder |
| F10188 | Alcohol abuse with other alcohol-induced disorder |
| F1019 | Alcohol abuse with unspecified alcohol-induced disorder |
| F1020 | Alcohol dependence, uncomplicated |
| F1021 | Alcohol dependence, in remission |
| F1024 | Alcohol dependence with alcohol-induced mood disorder |
| F10250 | Alcohol dependence with alcohol-induced psychotic disorder with delusions |
| F10251 | Alcohol dependence with alcohol-induced psychotic disorder with hallucinations |
| F10259 | Alcohol dependence with alcohol-induced psychotic disorder, unspecified |
| F1026 | Alcohol dependence with alcohol-induced persisting amnestic disorder |
| F1027 | Alcohol dependence with alcohol-induced persisting dementia |
| F10280 | Alcohol dependence with alcohol-induced anxiety disorder |
| F10281 | Alcohol dependence with alcohol-induced sexual dysfunction |
| F10282 | Alcohol dependence with alcohol-induced sleep disorder |
| F10288 | Alcohol dependence with other alcohol-induced disorder |
| F1029 | Alcohol dependence with unspecified alcohol-induced disorder |
| F1094 | Alcohol use, unspecified with alcohol-induced mood disorder |
| F10950 | Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions |
| F10951 | Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations |
| F10959 | Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified |
| F1096 | Alcohol use, unspecified with alcohol-induced persisting amnestic disorder |
| F1097 | Alcohol use, unspecified with alcohol-induced persisting dementia |
| F10980 | Alcohol use, unspecified with alcohol-induced anxiety disorder |
| F10981 | Alcohol use, unspecified with alcohol-induced sexual dysfunction |
| F10982 | Alcohol use, unspecified with alcohol-induced sleep disorder |
| F10988 | Alcohol use, unspecified with other alcohol-induced disorder |
| F1099 | Alcohol use, unspecified with unspecified alcohol-induced disorder |
| F1120 | Opioid dependence, uncomplicated |
| F1121 | Opioid dependence, in remission |
| F1124 | Opioid dependence with opioid-induced mood disorder |
| F11250 | Opioid dependence with opioid-induced psychotic disorder with delusions |
| F11251 | Opioid dependence with opioid-induced psychotic disorder with hallucinations |
| F11259 | Opioid dependence with opioid-induced psychotic disorder, unspecified |
| F11281 | Opioid dependence with opioid-induced sexual dysfunction |
| F11282 | Opioid dependence with opioid-induced sleep disorder |

Effective:8/1/2016

Diagnosis Restricted Drugs

Effective:8/1/2016

Opioid Dependency and Alcohol Abuse/Dependency Agents

 F11288
 Opioid dependence with other opioid-induced disorder

 F1129
 Opioid dependence with unspecified opioid-induced disorder

Progestational Agent

Products

CRINONE 8% GEL (progesterone)

Diagnosis Code Must Be Submitted on:

Prior Authorization Request

ICD-10 Description

| O09211 | Supervision of pregnancy with history of pre-term labor, first trimester |
|--------|---|
| O09212 | Supervision of pregnancy with history of pre-term labor, second trimester |
| O09213 | Supervision of pregnancy with history of pre-term labor, third trimester |
| O09219 | Supervision of pregnancy with history of pre-term labor, unspecified trimester |
| O09291 | Supervision of pregnancy with other poor reproductive or obstetric history, first trimester |
| O09292 | Supervision of pregnancy with other poor reproductive or obstetric history, second trimester |
| O09293 | Supervision of pregnancy with other poor reproductive or obstetric history, third trimester |
| O09299 | Supervision of pregnancy with other poor reproductive or obstetric history, unspecified trimester |
| O26872 | Cervical shortening, second trimester |
| O26873 | Cervical shortening, third trimester |
| O26879 | Cervical shortening, unspecified trimester |
| | |

Claim 🗸

Pulmonary Anti-Hypertensive Agents

| Products | | | | |
|---------------|---------------------------------|---------|-------------------------------|--|
| ADCIRCA (tac | dalafil) | | REVATIO (sildenafil citrate) | |
| Diagno | osis Code Must Be Submitted on: | Claim 🖌 | Prior Authorization Request 🖌 | |
| ICD-10 | D Description | | | |
| 1270 | Primary pulmonary hypertension | | | |
| 1272 | Other secondary pulmonary hyper | tension | | |
| ulmonary | y Fibrosis Agents | | | |
| Products | | | | |
| ESBRIET (pirf | enidone) | | OFEV (nintedanib esylate) | |

| Diagnosis Code Must Be Submitted on: | | Claim 🖌 | Prior Authorization Request |
|--------------------------------------|-------------------------------|---------|-----------------------------|
| ICD-10 | Description | | |
| J84112 | Idiopathic pulmonary fibrosis | | |

Diagnosis Restricted Drugs

Effective:8/1/2016

Smoking Cessation

| ROBAN 150 | MG TABLET (bupropion) | | CHANTIX (varenicline tartrate) |
|--------------|--|------------------|---|
| DDERM CQ (| nicotine) | | NICORELIEF (nicotine) |
| ORETTE (nic | otine) | | nicotine patch (Example brand: NICOTINE |
| OTROL (nicot | | | NICOTROL NS (nicotine) |
| AN SR 150 M | IG TABLET (bupropion) | | |
| Diagnosis | s Code Must Be Submitted on: | Claim 🖌 | Prior Authorization Request |
| ICD-10 | Description | v | • |
| F17200 | Nicotine dependence, unspecified, ur | ncomplicated | |
| F17201 | Nicotine dependence, unspecified, in | | |
| F17203 | Nicotine dependence unspecified, wit | | |
| F17208 | Nicotine dependence, unspecified, wi | ith other nicoti | ine-induced disorders |
| F17209 | Nicotine dependence, unspecified, wi | ith unspecified | nicotine-induced disorders |
| F17210 | Nicotine dependence, cigarettes, unc | omplicated | |
| F17211 | Nicotine dependence, cigarettes, in re | emission | |
| F17213 | Nicotine dependence, cigarettes, with | n withdrawal | |
| F17218 | Nicotine dependence, cigarettes, with | other nicotin | e-induced disorders |
| F17219 | Nicotine dependence, cigarettes, with | n unspecified r | nicotine-induced disorders |
| F17220 | Nicotine dependence, chewing tobac | co, uncomplic | ated |
| F17221 | Nicotine dependence, chewing tobac | co, in remissio | on |
| F17223 | Nicotine dependence, chewing tobac | co, with withd | rawal |
| F17228 | Nicotine dependence, chewing tobac | co, with other | nicotine-induced disorders |
| F17229 | Nicotine dependence, chewing tobac | | |
| F17290 | Nicotine dependence, other tobacco | | |
| F17291 | Nicotine dependence, other tobacco | | |
| F17293 | Nicotine dependence, other tobacco | | |
| F17298 | Nicotine dependence, other tobacco | | |
| F17299 | | | unspecified nicotine-induced disorders |

Diagnosis Restricted Drugs

Effective:8/1/2016

Stimulants and Related, Excluding Strattera and Vyvanse

Products

ADDERALL (dextroamphetamine/amphetamine) ADZENYS XR-ODT (dextroamphetamine/amphetamine) CONCERTA (methamphetamine hcl) DESOXYN (methamphetamine hcl) DYANAVEL XR (dextroamphetamine/amphetamine) FOCALIN (dexmethylphenidate hcl) METADATE CD (methamphetamine hcl) METHYLIN (methamphetamine hcl) PROCENTRA (dextroamphetamine sulfate) RITALIN (methamphetamine hcl) ZENZEDI (dextroamphetamine sulfate) ADDERALL XR (dextroamphetamine/amphetamine) APTENSIO XR (methamphetamine hcl) DAYTRANA (methylphenidate) DEXEDRINE (dextroamphetamine sulfate) EVEKEO (amphetamine) FOCALIN XR (dexmethylphenidate hcl) METADATE ER (methamphetamine hcl) methylphenidate er (Example brand: METADATE) QUILLIVANT XR (methamphetamine hcl) RITALIN LA (methamphetamine hcl)

Diagnosis Code Must Be Submitted on:

Prior Authorization Request 🗸

| ICD-10 | Description |
|--------|--|
| F900 | Attention-deficit hyperactivity disorder, predominantly inattentive type |
| F901 | Attention-deficit hyperactivity disorder, predominantly hyperactive type |
| F902 | Attention-deficit hyperactivity disorder, combined type |
| F908 | Attention-deficit hyperactivity disorder, other type |
| F909 | Attention-deficit hyperactivity disorder, unspecified type |
| G47411 | Narcolepsy with cataplexy |
| G47419 | Narcolepsy without cataplexy |

Claim 🗸

Stimulants and Related, Strattera

Products

STRATTERA (atomoxetine)

Diagnosis Code Must Be Submitted on:

Prior Authorization Request 🗸

ICD-10 Description

| F900 | Attention-deficit hyperactivity disorder, predominantly inattentive type |
|------|--|
| F901 | Attention-deficit hyperactivity disorder, predominantly hyperactive type |
| F902 | Attention-deficit hyperactivity disorder, combined type |
| F908 | Attention-deficit hyperactivity disorder, other type |
| F909 | Attention-deficit hyperactivity disorder, unspecified type |

Claim 🗸

Diagnosis Restricted Drugs

Effective:8/1/2016

Stimulants and Related, Vyvanse

PA required for the treatment of Binge Eating Disorder (BED). Use Sec VI of the PA/DGA (Refer to topic #15937) https://www.forwardhealth.wi.gov/WIPortal/Online%20Handbooks/Display/tabid/152/Default.aspx

Products

VYVANSE (lisdexamfetamine dimesylate)

| Diagnosi | s Code Must Be Submitted on: Claim 🖌 Prior Authorization Request 🖌 |
|----------|--|
| ICD-10 | Description |
| F900 | Attention-deficit hyperactivity disorder, predominantly inattentive type |
| F901 | Attention-deficit hyperactivity disorder, predominantly hyperactive type |
| F902 | Attention-deficit hyperactivity disorder, combined type |
| F908 | Attention-deficit hyperactivity disorder, other type |
| F909 | Attention-deficit hyperactivity disorder, unspecified type |

Vitamins, Renal

G47411

G47419

Products

DIALYVITE (folic acid combination) DIALYVITE 800 WITH IRON (fe fumarate combinations) FOLBEE PLUS (folic acid combination) HEMATINIC PLUS (iron combinations) NEPHROCAPS (vitamin b complex) NEPHRO-VITE RX (vitamin b complex) RENA-VITE RX (vitamin b complex) TRIPHROCAPS (vitamin b complex) VOL-CARE RX (vitamin b complex)

Narcolepsy with cataplexy

Narcolepsy without cataplexy

DIALYVITE 3000 (folic acid combination) FERROCITE PLUS (iron combinations) FOLBEE PLUS CZ (folic acid combination) HEMOCYTE PLUS (fe fumarate combinations) NEPHRON FA (fe fumarate combinations) RENAL CAPS (vitamin b complex) RENO CAPS (vitamin b complex) VIRT-CAPS (vitamin b complex) VP-VITE RX (vitamin b complex)

Diagnosis Code Must Be Submitted on:

Prior Authorization Request

| ICD-10 | Description |
|--------|--|
| N181 | Chronic kidney disease, Stage 1 |
| N182 | Chronic kidney disease, Stage 2 (mild) |
| N183 | Chronic kidney disease, Stage 3 (moderate) |
| N184 | Chronic kidney disease, Stage 4 (severe) |
| N185 | Chronic kidney disease, Stage 5 |
| N186 | End stage renal disease |
| N189 | Chronic kidney disease, unspecified |
| N250 | Renal osteodystrophy |
| N251 | Nephrogenic diabetes insipidus |
| N2581 | Secondary hyperparathyroidism of renal origin |
| N2589 | Other disorders resulting from impaired renal tubular function |
| N259 | Disorder resulting from impaired renal tubular function, unspecified |

Claim 🗸