Diagnosis Restricted Drugs

The table below includes a list of drugs that are diagnosis-restricted for pharmacy compound and non-compound claims. This table specifies if the diagnosis must be indicated on the claim, prior authorization (PA) request, or both. See the link below for physician-administered diagnosis restrictions.

If the prescriber writes a prescription with a diagnosis outside the ForwardHealth-allowed diagnoses for a drug, the prescriber is required to submit peer-reviewed medical literature to support the proven efficacy and safety of the requested use of the drug. Documentation of previous treatments and detailed reasons why other covered drug treatments were discontinued or not utilized are required. Medical records should be provided as necessary to support the PA request. This information should be documented on the Prior Authorization/Drug Attachment (PA/DGA), F- 11049 (10/13), in Section V (Clinical Information for Diagnosis-Restricted Drug Requests).

When completing the PA/DGA, prescribers should provide the diagnosis code and description, complete Section V, and use Section VIII (Additional Information), if needed. Prescribers are reminded to provide a handwritten signature and date on the form before submitting it to the pharmacy provider where the prescription will be filled. The pharmacy provider is required to complete a Prior Authorization Request Form (PA/RF), F- 11018 (05/13), before submitting the forms and supporting documentation to ForwardHealth. Prescribers should not submit PA forms to ForwardHealth.

As a reminder, prescribers and pharmacy providers are required to retain a completed copy of the PA form(s).

For additional information about diagnosis-restricted drug policy, providers may refer to the ForwardHealth Online Handbook Topic #4403, 15537, and 15937:

https://www.forwardhealth.wi.gov/wiportal/subsystem/kw/display.aspx

Physician Administered diagnosis restrictions can be found at:

https://www.forwardhealth.wi.gov/WIPortal/Tab/42/icscontent/Provider/medicaid/physician/data_tables/index.htm.spage

Diagnosis Restricted Drugs

Alzheimer's Agents

ENDA XR ((memantine hcl)			
Diagnos	sis Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 📝			
ICD-10	Description			
F0150	Vascular dementia without behavioral disturbance			
F0151	Vascular denentia with behavioral disturbance			
G300	Alzheimer's disease with early onset	Alzheimer's disease with early onset		
G301	Alzheimer's disease with late onset			
G308	Other alzheimer's disease			

Antibiotics, Inhaled

_			
•	rn	a	ucts

ARIKAYCE (amikacin liposomal)

Diagnosi	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request 🗸
ICD-10	Description		
A310	Pulmonary mycobacterial infection		
A312	Disseminated mycobacterium aviur	n-intracellulare o	complex (DMAC)

Diagnosis Restricted Drugs

Anticonvulsants

ıcts				
OMIT (stirip	entol)			
Diagnosi	s Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-10	Description			
G40833	Dravet Syndrome, Intractable, with	status Epileptic	us	
G40834	Dravet Syndrome, Intractable, with	out status Epiler	oticus	
ıcts				
OLEX (canı	nabidiol)			
Diagnosi	s Code Must Be Submitted on:	Claim 🗌	Prior Authorization Request ✓	
ICD-10	Description			
G40811	Lennox-Gastaut syndrome, not intra	actable, with sta	tus epilepticus	
G40812	Lennox-Gastaut syndrome, not intra			
G40813	Lennox-Gastaut syndrome, intracta			
G40814	Lennox-Gastaut syndrome, intracta	-	· ·	
G40833	Dravet Syndrome, Intractable, with			
G40834	-			
	Dravet Syndrome, Intractable, without status Epilepticus			
Q851	Tuberous Sclerosis			
icts EL (rufinam	nide)	Claim 🗔	Dries Authorization Dominat	
ucts EL (rufinam	nide) s Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request ✓	
EL (rufinam Diagnosi:	nide) s Code Must Be Submitted on: Description			
EL (rufinam Diagnosi: ICD-10 G40811	nide) s Code Must Be Submitted on: Description Lennox-Gastaut syndrome, not intra	actable, with sta	tus epilepticus	
Diagnosis ICD-10 G40811 G40812	nide) s Code Must Be Submitted on: Description Lennox-Gastaut syndrome, not intra	actable, with sta	tus epilepticus status epilepticus	
Diagnosi: ICD-10 G40811 G40812 G40813	s Code Must Be Submitted on: Description Lennox-Gastaut syndrome, not intra Lennox-Gastaut syndrome, not intra Lennox-Gastaut syndrome, intracta	actable, with sta actable, without ble, with status	tus epilepticus status epilepticus epilepticus	
Diagnosis ICD-10 G40811 G40812 G40813 G40814	nide) s Code Must Be Submitted on: Description Lennox-Gastaut syndrome, not intra	actable, with sta actable, without ble, with status	tus epilepticus status epilepticus epilepticus	
Diagnosis ICD-10 G40811 G40812 G40813 G40814	s Code Must Be Submitted on: Description Lennox-Gastaut syndrome, not intractant syndrome,	actable, with sta actable, without ble, with status	tus epilepticus status epilepticus epilepticus	
Diagnosis ICD-10 G40811 G40812 G40813 G40814	s Code Must Be Submitted on: Description Lennox-Gastaut syndrome, not intractant syndrome,	actable, with sta actable, without ble, with status	tus epilepticus status epilepticus epilepticus	
Diagnosis ICD-10 G40811 G40812 G40813 G40814 ICts EPLA (fenflu	s Code Must Be Submitted on: Description Lennox-Gastaut syndrome, not intractant syndrome,	actable, with sta actable, without ble, with status	tus epilepticus status epilepticus epilepticus	
Diagnosis ICD-10 G40811 G40812 G40813 G40814 ICts EPLA (fenflu	s Code Must Be Submitted on: Description Lennox-Gastaut syndrome, not intra Lennox-Gastaut syndrome, intracta Lennox-Gastaut syndrome, intracta Lennox-Gastaut syndrome, intracta uramine) s Code Must Be Submitted on: Description	actable, with sta actable, without able, with status ble, without stat	tus epilepticus status epilepticus epilepticus rus epilepticus Prior Authorization Request	
Diagnosis ICD-10 G40811 G40812 G40813 G40814 ICts EPLA (fenflu Diagnosis ICD-10 G40811	s Code Must Be Submitted on: Description Lennox-Gastaut syndrome, not intractant Lennox-Gastaut syndrome, not intractant Lennox-Gastaut syndrome, not intractant lennox-Gastaut synd	actable, with state actable, with status actable, with status able, without state Claim	tus epilepticus status epilepticus epilepticus tus epilepticus Prior Authorization Request tus epilepticus	
Diagnosis ICD-10 G40811 G40812 G40814 Icts EPLA (fenflu Diagnosis ICD-10 G40811 G40812	s Code Must Be Submitted on: Description Lennox-Gastaut syndrome, not intra Lennox-Gastaut syndrome, intracta Lennox-Gastaut syndrome, intracta Lennox-Gastaut syndrome, intracta uramine) s Code Must Be Submitted on: Description Lennox-Gastaut syndrome, not intra Lennox-Gastaut syndrome, not intra	actable, with state actable, without able, without state able, without state actable, with state actable, without	tus epilepticus status epilepticus epilepticus tus epilepticus Prior Authorization Request tus epilepticus status epilepticus	
Diagnosis ICD-10 G40811 G40812 G40813 G40814 Icts EPLA (fenflu Diagnosis ICD-10 G40811 G40812 G40813	s Code Must Be Submitted on: Description Lennox-Gastaut syndrome, not intractant Lennox-Gastaut syndrome, not intractant Lennox-Gastaut syndrome, not intractant lennox-Gastaut synd	actable, with state actable, without able, without state able, without state actable, with state actable, without	tus epilepticus status epilepticus epilepticus tus epilepticus Prior Authorization Request tus epilepticus status epilepticus	
Diagnosis ICD-10 G40811 G40812 G40813 G40814 ICts EPLA (fenflu Diagnosis ICD-10 G40811 G40812 G40813 G40814	s Code Must Be Submitted on: Description Lennox-Gastaut syndrome, not intra Lennox-Gastaut syndrome, intracta Lennox-Gastaut syndrome, intracta Lennox-Gastaut syndrome, intracta uramine) s Code Must Be Submitted on: Description Lennox-Gastaut syndrome, not intra Lennox-Gastaut syndrome, not intra	actable, with state actable, without state without state. Claim Claim actable, with state actable, with state actable, with state actable, with states actable, with states actable, with states actable, with states	tus epilepticus status epilepticus epilepticus tus epilepticus Prior Authorization Request tus epilepticus status epilepticus epilepticus epilepticus	
Diagnosis ICD-10 G40811 G40812 G40813 G40814 Icts EPLA (fenflu Diagnosis ICD-10 G40811 G40812 G40813	Description Lennox-Gastaut syndrome, not intracta Lennox-Gastaut syndrome, intracta Lennox-Gastaut syndrome, intracta Lennox-Gastaut syndrome, intracta Lennox-Gastaut syndrome, intracta uramine) s Code Must Be Submitted on: Description Lennox-Gastaut syndrome, not intracta Lennox-Gastaut syndrome, not intracta	actable, with state actable, without state without state. Claim Claim actable, with state without state actable, without state actable, without state actable, without state status Epileptic	tus epilepticus status epilepticus epilepticus tus epilepticus Prior Authorization Request tus epilepticus status epilepticus epilepticus status epilepticus epilepticus tus epilepticus	

Diagnosis Restricted Drugs

Products		
SYMPAZAN (c	obazam)	
Diagno	sis Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗹	
ICD-10	Description	
G4081	Lennox-Gastaut syndrome, not intractable, with status epilepticus	
G40812	Lennox-Gastaut syndrome, not intractable, without status epilepticus	
G40813	Lennox-Gastaut syndrome, intractable, with status epilepticus	
G40814	Lennox-Gastaut syndrome, intractable, without status epilepticus	
diclofenac sodi	um 3% gel (Example brand: SOLARAZE)	
	um 3% gel (Example brand: SOLARAZE) sis Code Must Be Submitted on: Claim ✓ Prior Authorization Request □	
Diagno	sis Code Must Be Submitted on: Claim ✔ Prior Authorization Request ☐	
Diagno	sis Code Must Be Submitted on: Claim Prior Authorization Request Description Actinic Keratosis Dents	
Diagno ICD-10 L570 ntiviral A Products LIVTENCITY (r	sis Code Must Be Submitted on: Claim Prior Authorization Request Description Actinic Keratosis Dents	
Diagno ICD-10 L570 ntiviral A Products LIVTENCITY (r	Description Actinic Keratosis pents Actinic Maribavir)	

B251

B252

B258

B259

Cytomegaloviral disease hepatitis

Other cytomegaloviral diseases

Cytomegaloviral disease pancreatitis

Cytomegaloviral disease, Unspecified

Diagnosis Restricted Drugs

Central Nervous System Agents, Miscellaneous

RELYVRIC					
	O (phen	/lbutyrate)		RILUTEK (riluzole)	
Dia	agnosis	Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	D-10	Description	•	. Ц	
	221	Amyotrophic lateral sclerosis			
Products					
NUEDEXT	A (dext	romethorphan hbr/quinidine)			
Dia	agnosis	Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICI	D-10	Description	ت ا		
F48		Pseudobulbar affect			
ystic F	ibro	sis			
-					
Products					
BRONCHI	TOL (m	annitol)			
			Claim ✓	Prior Authorization Request	
Dia	agnosis	Code Must Be Submitted on:	Jiaiiii 🗸	The Addicined to the Ad	
	agnosis D-10	Description		The Addistraction Request	
ICI E8	D-10	Description Cystic Fibrosis with Pulmonary Ma		The Authorization Request:	
ICI E8- E8-	D-10 40 411	Description Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis	nifestations	The Authorization Request	
E8 E8	D-10 340 3411	Description Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis Cystic Fibrosis with Other Intestina	nifestations	The Authorization Request	
E8 E8 E8	D-10 440 4411 4419	Description Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis Cystic Fibrosis with Other Intestina Cystic Fibrosis with Other Manifest	nifestations	The Authorization Request	
E8 E8 E8	D-10 340 3411	Description Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis Cystic Fibrosis with Other Intestina	nifestations	The Authorization Request	
E8 E8 E8 E8 E8	D-10 440 4411 4419 448 449	Description Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis Cystic Fibrosis with Other Intestina Cystic Fibrosis with Other Manifest Cystic Fibrosis, Unspecified	nifestations	The Authorization Request	
E8 E8 E8 E8 E8	D-10 440 4411 4419 448 449	Description Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis Cystic Fibrosis with Other Intestina Cystic Fibrosis with Other Manifest Cystic Fibrosis, Unspecified	nifestations	The Authorization Request [
riedreid	D-10 440 4411 4419 448 449	Description Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis Cystic Fibrosis with Other Intestina Cystic Fibrosis with Other Manifest Cystic Fibrosis, Unspecified	nifestations	The Authorization Request	
E8 E8 E8 E8 E8	D-10 440 4411 4419 448 449	Description Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis Cystic Fibrosis with Other Intestina Cystic Fibrosis with Other Manifest Cystic Fibrosis, Unspecified	nifestations	The Authorization Request	
riedreic	D-10 440 4411 4419 448 449 Ch's	Description Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis Cystic Fibrosis with Other Intestina Cystic Fibrosis with Other Manifest Cystic Fibrosis, Unspecified	nifestations	The Authorization Request	
riedreid Products SKYCLAR	D-10 440 4411 4419 448 449 Ch's	Description Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis Cystic Fibrosis with Other Intestina Cystic Fibrosis with Other Manifest Cystic Fibrosis, Unspecified Ataxia	nifestations Il Manifestations tations	Prior Authorization Request	
riedreid Products SKYCLAR	D-10 440 4411 4419 448 449 Ch's	Description Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis Cystic Fibrosis with Other Intestina Cystic Fibrosis with Other Manifest Cystic Fibrosis, Unspecified Ataxia	nifestations		

Diagnosis Restricted Drugs

Gamma Aminobutyric Acid Class

Products	
GRALISE (gaba	apentin)
Diagnos	sis Code Must Be Submitted on: Claim Prior Authorization Request
ICD-10	Description
B0221	Postherpetic geniculate ganglionitis
B0222	Postherpetic trigeminal neuralgia
B0223	Postherpetic polyneuropathy
B0224	Postherpetic myelitis
B0229	Other postherpetic nervous system involvement

Diagnosis Restricted Drugs

Hypoglycemics, GLP1

Products

ADLYXIN (lixisenatide)
BYETTA (exenatide)
OZEMPIC (semaglutide)
TRULICITY (dulaglutide)
VICTOZA 3-PAK (liraglutide)

BYDUREON BCISE (exenatide microspheres)
MOUNJARO (tirzepatide)
RYBELSUS (semaglutide)
VICTOZA 2-PAK (liraglutide)

Effective: 8/1/2023

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓

ICD-10 Description

100-10	Description
E1100	Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)
E1101	Type 2 diabetes mellitus with hyperosmolarity with coma
E1110	Type 2 diabetes mellitus with ketoacidosis without coma
E1111	Type 2 diabetes mellitus with ketoacidosis with coma
E1121	Type 2 diabetes mellitus with diabetic nephropathy
E1122	Type 2 diabetes mellitus with diabetic chronic kidney disease
E1129	Type 2 diabetes mellitus with other diabetic kidney complication
E11311	Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema
E11319	Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular edema
E113211	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, rt eye
E113212	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, It eye
E113213	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, bilat
E113219	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, unsp eye
E113291	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, rt eye
E113292	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, lt eye
E113293	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, bilat
E113299	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, unsp eye
E113311	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, rt eye
E113312	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, It eye
E113313	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, bilat
E113319	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, unsp eye
E113391	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, rt eye
E113392	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, lt eye
E113393	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, bilat
E113399	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, unsp eye
E113411	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, rt eye
E113412	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, It eye
E113413	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, bilat
E113419	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, unspe eye
E113491	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, rt eye
E113492	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, lt eye
E113493	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, bilat
E113499	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, unsp eye
E113511	Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, right eye
E113512	Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, left eye
E113513	Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, bilateral
E113519	Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, unspecified eye
E113521	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, rt eye

Diagnosis Restricted Drugs

Hypoglycemics, GLP1

E113522	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, It eye
E113523	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, bilat
E113529	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, unsp eye
E113531	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, rt eye
E113532	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, It eye
E113533	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, bilat
E113539	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, unsp eye
E113541	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, rt eye
E113542	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, It eye
E113543	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, bilat
E113549	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, unsp
E113551	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye
E113552	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye
E113553	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral
E113559	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye
E113591	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye
E113592	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye
E113593	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral
E113599	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye
E1136	Type 2 diabetes mellitus with diabetic cataract
E1137X1	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye
E1137X2	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye
E1137X3	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral
E1137X9	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye
E1139	Type 2 diabetes mellitus with other diabetic ophthalmic complication
E1140	Type 2 diabetes mellitus with diabetic neuropathy, unspecified
E1141	Type 2 diabetes mellitus with diabetic mononeuropathy
E1142	Type 2 diabetes mellitus with diabetic polyneuropathy
E1143	Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy
E1144	Type 2 diabetes mellitus with diabetic amyotrophy
E1149	Type 2 diabetes mellitus with other diabetic neurological complication
E1151	Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene
E1152	Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene
E1159	Type 2 diabetes mellitus with other circulatory complications
E11610	Type 2 diabetes mellitus with diabetic neuropathic arthropathy
E11618	Type 2 diabetes mellitus with other diabetic arthropathy
E11620	Type 2 diabetes mellitus with diabetic dermatitis
E11621	Type 2 diabetes mellitus with foot ulcer
E11622	Type 2 diabetes mellitus with other skin ulcer
E11628	Type 2 diabetes mellitus with other skin complications
E11630	Type 2 diabetes mellitus with periodontal disease
E11638	Type 2 diabetes mellitus with other oral complications
E11641	Type 2 diabetes mellitus with hypoglycemia with coma
E11649	Type 2 diabetes mellitus with hypoglycemia without coma
E1165	Type 2 diabetes mellitus with hyperglycemia
E1169	Type 2 diabetes mellitus with other specified complication
E118	Type 2 diabetes mellitus with unspecified complications
E119	Type 2 diabetes mellitus without complications

Diagnosis Restricted Drugs

		1			1
1 1	กล	1/0	tra	n	~ · ·
		V.S	tro		ΙV
_	\sim	, , –		ν.	

Produc	ts				
MYALE	PT (metro	eleptin)			
	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	ICD-10	Description			
	E881	Lipodystrophy, not elsewhere class	ified		
Produc	ts	1			
EGRIFT	ΓA SV (te	samorelin)			
	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	•	gnosis codes required or see below	•	• ⊔	
	ICD-10	Description			
	B20	Human immunodeficiency virus [H	IV1 Disease		
	E881	Lipodystrophy, not elsewhere class			\equiv
		ernative combination of codes			
	ICD-10	Description			
	B9735	•	pe 2 [HIV 2] as	the cause of diseases classified elsewhere	
	E881	Lipodystrophy, not elsewhere class			
podc Produc					
CERDE	LGA (eliç	glustat tartrate)		ZAVESCA (miglustat)	
	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	ICD-10	Description			
	E7522	Gaucher disease			
		Storage Disorder			
Produc	ts				
GALAF	OLD (mig	alastat)			
		is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	Diagnos	is Code Must Be Submitted on:	•	The Authorization Request	
	Diagnosi ICD-10	Description	•	The Famorization Request	

Diagnosis Restricted Drugs

Movement Disorders

ignosis O-10	rabenazine) Code Must Be Submitted on:		
D-10			
D-10		Claim 🗸	Prior Authorization Request
		Claim	r nor Authorization Request
0	Description		
	Huntington's Disease		
	Drug Induced Subacute Dyskinesi	a	
	Other induced Acute Dystonia		
409	Other Drug Induced Dystonia		
\ (valber	nazine)		INGREZZA INITIATION PACK (valbenazine)
ignosis	Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
D-10	Description		
401	Drug Induced Subacute Dyskinesia	a	
402	Drug Induced Acute Dystonia		
409	Other Drug Induced Dystonia		
(tetrabe	enazine)		
ignosis	Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
D-10	Description		
^	HUNTINGTON'S DISEASE		
	gnosis 0-10 401 402 409 (tetrabo	gnosis Code Must Be Submitted on: 0-10 Description 401 Drug Induced Subacute Dyskinesia 402 Drug Induced Acute Dystonia 409 Other Drug Induced Dystonia (tetrabenazine) gnosis Code Must Be Submitted on: 0-10 Description	gnosis Code Must Be Submitted on: Claim O-10 Description 401 Drug Induced Subacute Dyskinesia 402 Drug Induced Acute Dystonia 409 Other Drug Induced Dystonia (tetrabenazine) gnosis Code Must Be Submitted on: Claim O-10 Description

Diagnosis Restricted Drugs

Neuropathic Pain

A CR (pre	gahalin)		
T CIT (pie	gabaiii)		
Diagnos	is Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗸		
ICD-10	Description		
B0221	POSTHERPETIC GENICULATE GANGLIONITIS		
B0222	POSTHERPETIC TRIGEMINAL NEURALGIA		
B0223	POSTHERPETIC POLYNEUROPATHY		
B0224 POSTHERPETIC MYELITIS			
B0229 OTHER POSTHERPETIC NERVOUS SYSTEM INVOLVEMENT			
E1040	TYPE 1 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED		
E1041 TYPE 1 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY			
E1042 TYPE 1 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY			
E1043	TYPE 1 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY		
E1044	TYPE 1 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY		
E1049	TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION		
E1140	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED		
E1141	TYPE 2 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY		
E1142	TYPE 2 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY		
E1143	TYPE 2 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY		
E1144	TYPE 2 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY		
E1149	TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION		

Ophthalmics, Presbyopia

Produ	ıcts				
VUITY	∕ (pilocarpi	ne)			
	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	ICD-10	Description			
	H524	Presbyopia			

Diagnosis Restricted Drugs

Opioid Dependency - Buprenorphine

ucts	
enorphine h	cl (Example brand: SUBUTEX) buprenorphine-naloxone (Example brand: SUBOXC
	suprenorphine) SUBOXONE (buprenorphine hcl/naloxone)
	enorphine hcl/naloxone)
Diagnosi	is Code Must Be Submitted on: Claim 📝 Prior Authorization Request 📝
ICD-10	Description
F1120	Opioid dependence, uncomplicated
F1120	Opioid dependence, uncomplicated
F1121	Opioid dependence, in remission
F1124	Opioid dependence with opioid-induced mood disorder
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions
F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations
F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified
F11281	Opioid dependence with opioid-induced sexual dysfunction
F11282	Opioid dependence with opioid-induced sleep disorder
F11288	Opioid dependence with other opioid-induced disorder
F1129	Opioid dependence with unspecified opioid-induced disorder

Opioid Dependency Agents - Methadone

Prod	ucts		
		IG TABLET DISPR (methadone hcl) METHADONE INTENSOL 10 MG/ML (methadone hcl) METHADOSE 40 MG TABLET DISPR (methadone hcl)	,
	Diagnosi	sis Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗌	
	ICD-10	Description	
	F1120	Opioid dependence, uncomplicated	
	F1121	Opioid dependence, in remission	
	F1124	Opioid dependence with opioid-induced mood disorder	
	F11250	Opioid dependence with opioid-induced psychotic disorder with delusions	
	F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations	
	F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified	
	F11281	Opioid dependence with opioid-induced sexual dysfunction	
	F11282	Propioid dependence with opioid-induced sleep disorder	
	F11288	Opioid dependence with other opioid-induced disorder	
	F1129	Opioid dependence with unspecified opioid-induced disorder	

Diagnosis Restricted Drugs

Opioid Dependency and Alcohol Abuse/Dependency Agents

xone hcl (Example brand: REVIA) VIVITROL (naltrexone microspheres)		
(=	, , , , , , , , , , , , , , , , , , , ,	
Diagnosi	s Code Must Be Submitted on: Claim 📝 Prior Authorization Request 🗌	
ICD-10	Description	
F1010	Alcohol abuse, uncomplicated	
F1011	Alcohol abuse, uncomplicated	
F1014	Alcohol abuse with alcohol-induced mood disorder	
F10150	Alcohol abuse with alcohol-induced psychotic disorder with delusions	
F10151	Alcohol abuse with alcohol-induced psychotic disorder with hallucinations	
F10159	Alcohol abuse with alcohol-induced psychotic disorder, unspecified	
F10180	Alcohol abuse with alcohol-induced anxiety disorder	
F10181	Alcohol abuse with alcohol-induced sexual dysfunction	
F10182	Alcohol abuse with alcohol-induced sleep disorder	
F10188	Alcohol abuse with other alcohol-induced disorder	
F1019	Alcohol abuse with unspecified alcohol-induced disorder	
F1020	Alcohol dependence, uncomplicated	
F1021	Alcohol dependence, in remission	
F1024	Alcohol dependence with alcohol-induced mood disorder	
F10250	Alcohol dependence with alcohol-induced psychotic disorder with delusions	
F10251	Alcohol dependence with alcohol-induced psychotic disorder with hallucinations	
F10259	Alcohol dependence with alcohol-induced psychotic disorder, unspecified	
F1026	Alcohol dependence with alcohol-induced persisting amnestic disorder	
F1027	Alcohol dependence with alcohol-induced persisting dementia	
F10280	Alcohol dependence with alcohol-induced anxiety disorder	
F10281	Alcohol dependence with alcohol-induced sexual dysfunction	
F10282	Alcohol dependence with alcohol-induced sleep disorder	
F10288	Alcohol dependence with other alcohol-induced disorder	
F1029	Alcohol dependence with unspecified alcohol-induced disorder	
F1094 F10950	Alcohol use, unspecified with alcohol-induced mood disorder	
F10950 F10951	Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations	
F10951	Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified	
F10939	Alcohol use, unspecified with alcohol-induced persisting amnestic disorder	
F1097	Alcohol use, unspecified with alcohol-induced persisting dementia	
F10980	Alcohol use, unspecified with alcohol-induced anxiety disorder	
F10981	Alcohol use, unspecified with alcohol-induced sexual dysfunction	
F10982	Alcohol use, unspecified with alcohol-induced sleep disorder	
F10988	Alcohol use, unspecified with other alcohol-induced disorder	
F1099	Alcohol use, unspecified with unspecified alcohol-induced disorder	
F1120	Opioid dependence, uncomplicated	
F1121	Opioid dependence, in remission	
F1124	Opioid dependence with opioid-induced mood disorder	
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions	
F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations	
F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified	

Opioid dependence with opioid-induced sexual dysfunction

F11281

Diagnosis Restricted Drugs

Opioid Dependency and Alcohol Abuse/Dependency Agents

	F11282	Opioid dependence with opioid-induced sleep disorder	
ĺ	F11288	Opioid dependence with other opioid-induced disorder	
ĺ	F1129	Opioid dependence with unspecified opioid-induced disorder	

Peptic Ulcer

Products

DARTISLA (glycopyrrolate)

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐

ICD-10 Description

	CUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH HEMORRHAGE CUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH PERFORATION CUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH BOTH HEMORRHAGE AND PERFORATION
K271 AC	,
	CLITE PEPTIC LIL CER. SITE LINSPECIEIED. WITH BOTH HEMORRHAGE AND PERFORATION
K272 AC	SOTE TELL TIO GEGEN, GITE GIVOLEGILLES, WITH BOTT TIEMORINIAGE AND LERI ORATION
K273 AC	CUTE PEPTIC ULCER, SITE UNSPECIFIED, WITHOUT HEMORRHAGE OR PERFORATION
K274 CH	HRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH HEMORRHAGE
K275 CH	HRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH PERFORATION
K276 CH	HRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH BOTH HEMORRHAGE AND PER
K277 CH	HRONIC PEPTIC ULCER, SITE UNSPECIFIED, WITHOUT HEMORRHAGE OR PERFORATION
K279 PE	EPTIC ULCER, SITE UNSPECIFIED, UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT HEMORRHAGE

Progestational Agent

Products

CRINONE 8% GEL (progesterone)

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐

ICD-10 Description

O09211	Supervision of pregnancy with history of pre-term labor, first trimester
O09212	Supervision of pregnancy with history of pre-term labor, second trimester
O09213	Supervision of pregnancy with history of pre-term labor, third trimester
O09219	Supervision of pregnancy with history of pre-term labor, unspecified trimester
O09291	Supervision of pregnancy with other poor reproductive or obstetric history, first trimester
O09292	Supervision of pregnancy with other poor reproductive or obstetric history, second trimester
O09293	Supervision of pregnancy with other poor reproductive or obstetric history, third trimester
O09299	Supervision of pregnancy with other poor reproductive or obstetric history, unspecified trimester
O26872	Cervical shortening, second trimester
O26873	Cervical shortening, third trimester
O26879	Cervical shortening, unspecified trimester

Diagnosis Restricted Drugs

Proteinuria Reduction

Products

TARPEYO (budesonide)

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓

ICD-10 Description

N028 RECURRENT AND PERSISTENT HEMATURIA WITH OTHER MORPHOLOGIC CHANGES

Pulmonary Anti-Hypertensive Agents

Products

ADCIRCA (tadalafil) LIQREV (sildenafil citrate) TADLIQ (tadalafil) ALYQ (tadalafil)
REVATIO (sildenafil citrate)

Effective: 8/1/2023

Diagnosis Code Must Be Submitted on:

Claim 🗸

Prior Authorization Request 🗸

ICD-10 Description

1270	Primary pulmonary hypertension
12720	Pulmonary hypertension, unspecified
12721	Secondary pulmonary arterial hypertension
12722	Pulmonary hypertension due to left heart disease
12723	Pulmonary hypertension Due to Lung Diseases and hypoxia
12724	Chronic thromboembolic pulmonary hypertension
12729	Other secondary pulmonary hypertension
12783	Eisenmenger's syndrome

Diagnosis Restricted Drugs

Smoking Cessation

F908

F909

Attention-deficit hyperactivity disorder, other type

Attention-deficit hyperactivity disorder, unspecified type

Products	
bupropion hcl sr	150 mg tablet (Example brand: ZYBAN) bupropion hcl sr 150 mg tablet (Example brand: ZYBAN)
CHANTIX (varer	nicline tartrate) nicotine 4 mg c (Example brand: NICORETTE)
nicotine gum (Ex	rample brand: NICORETTE) nicotine lozenge (Example brand: NICORETTE)
nicotine lozenge	(Example brand: NICOTINE) nicotine patch (Example brand: CVS NICOTINE)
nicotine patch (E	Example brand: NICOTINE) NICOTROL (nicotine)
NICOTROL NS ((nicotine)
Diagnos	is Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐
ICD-10	Description
F17200	Nicotine dependence, unspecified, uncomplicated
F17201	Nicotine dependence, unspecified, in remission
F17203	Nicotine dependence unspecified, with withdrawal
F17208	Nicotine dependence, unspecified, with other nicotine-induced disorders
F17209	Nicotine dependence, unspecified, with unspecified nicotine-induced disorders
F17210	Nicotine dependence, cigarettes, uncomplicated
F17211	Nicotine dependence, cigarettes, in remission
F17213	Nicotine dependence, cigarettes, with withdrawal
F17218	Nicotine dependence, cigarettes, with other nicotine-induced disorders
F17219	Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders
F17220	Nicotine dependence, chewing tobacco, uncomplicated
F17221	Nicotine dependence, chewing tobacco, in remission
F17223	Nicotine dependence, chewing tobacco, with withdrawal
F17228 F17229	Nicotine dependence, chewing tobacco, with other nicotine-induced disorders
F17229	Nicotine dependence, chewing tobacco, with unspecified nicotine-induced disorders Nicotine dependence, other tobacco product, uncomplicated
F17291	Nicotine dependence, other tobacco product, in remission
F17293	Nicotine dependence, other tobacco product, with withdrawal
F17298	Nicotine dependence, other tobacco product, with other nicotine-induced disorders
F17299	Nicotine dependence, other tobacco product, with unspecified nicotine-induced disorders
Z720	Tobacco use
imulanta	Dosovyn
imulants,	Desoxyn
D d4.	
Products	
DESOXYN (metl	hamphetamine hcl)
Diagnos	is Code Must Be Submitted on: Claim 🗸 Prior Authorization Request 🗸
ICD-10	Description
F900	Attention-deficit hyperactivity disorder, predominantly inattentive type
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type
F902	Attention-deficit hyperactivity disorder, combined type

Diagnosis Restricted Drugs

Stimulants, Excluding Desoxyn and Vyvanse

G47419

Narcolepsy without cataplexy

Produ	ucts		
ADDE	RALL (dex	troamphetamine/amphetamine)	ADDERALL XR (dextroamphetamine/amphetamine)
ADHA	ANSIA XR (methylphenidate)	ADZENYS XR-ODT (amphetamine)
APTE	NSIO XR (methylphenidate hcl)	AZSTARYS (serdexmethylphenidate/dexmethylphenida
CON	CERTA (me	ethylphenidate hcl)	COTEMPLA XR-ODT (methylphenidate)
DAYTRANA (methylphenidate hcl)			DEXEDRINE (dextroamphetamine sulfate)
dextro	oamphetam	ine sulfate er (Example brand: DEXEDRINE)	DYANAVEL XR (amphetamine)
EVEK	EO (amphe	etamine)	FOCALIN (dexmethylphenidate hcl)
FOCA	ALIN XR (de	exmethylphenidate hcl)	JORNAY PM (methylphenidate er)
METH	HYLIN (met	hylphenidate hcl)	methylphenidate er (Example brand: METADATE ER)
methy	/lphenidate	er (Example brand: METHYLIN)	methylphenidate hcl (Example brand: METHYLIN CHEV
methy	/lphenidate	hcl cd (Example brand: METADATE CD)	methylphenidate hcl er (cd) (Example brand: METADAT
		la (Example brand: RITALIN LA)	MYDAYIS (dextroamphetamine/amphetamine)
PROC	CENTRA (d	extroamphetamine sulfate)	QUILLIVANT XR (methylphenidate hcl)
RELE	XXII (meth	ylphenidate)	RITALIN (methylphenidate hcl)
RITAL	_IN LA (me	thylphenidate hcl)	ZENZEDI (dextroamphetamine sulfate)
	ICD-10	Description	
	F900	Attention-deficit hyperactivity disorder, predominant	ly inattentive type
	F901	Attention-deficit hyperactivity disorder, predominant	
	F902	Attention-deficit hyperactivity disorder, combined type	
	F908	Attention-deficit hyperactivity disorder, other type	
	F909	Attention-deficit hyperactivity disorder, unspecified t	уре
	G47411	Narcolepsy with cataplexy	
	G47419	Narcolepsy without cataplexy	
timu	ulants,	Vyvanse	
Produ	ucts		_
VYVA	NSE (lisde	xamfetamine dimesylate)	VYVANSE CHEWABLE (lisdexamfetamine dimesylate)
	Diagnosi	is Code Must Be Submitted on: Claim 🗹	Prior Authorization Request
	ICD-10	Description	
	F5081	Binge Eating Disorder	
	F900	Attention-deficit hyperactivity disorder, predominant	ly inattentive type
	F901	Attention-deficit hyperactivity disorder, predominant	ly hyperactive type
	F902	Attention-deficit hyperactivity disorder, combined type	pe
	F908	Attention-deficit hyperactivity disorder, other type	
	F909	Attention-deficit hyperactivity disorder, unspecified t	уре
	G47411	Narcolepsy with cataplexy	

Diagnosis Restricted Drugs

Vitamins, Renal

Products

DIALYVITE (folic acid combination)
DIALYVITE 800 WITH IRON (fe fumarate combinations)
FOLBEE PLUS (folic acid combination)
HEMATINIC PLUS (iron combinations)

RENA-VITE RX (vitamin b complex) VIRT-CAPS (vitamin b complex)

WESCAPS (vitamin b complex)

DIALYVITE 3000 (folic acid combination)
FERROCITE PLUS (iron combinations)
FOLBEE PLUS CZ (folic acid combination)
RENAL CAPS (vitamin b complex)
TRIPHROCAPS (vitamin b complex)
VP-VITE RX (vitamin b complex)

Effective: 8/1/2023

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐

ICD-10 Description

ICD-10	Description
N181	Chronic kidney disease, Stage 1
N182	Chronic kidney disease, Stage 2 (mild)
N1830	Chronic kidney disease, stage 3 unspecified
N1831	Chronic kidney disease, stage 3A
N1832	Chronic kidney disease, stage 3B
N184	Chronic kidney disease, Stage 4 (severe)
N185	Chronic kidney disease, Stage 5
N186	End stage renal disease
N189	Chronic kidney disease, unspecified
N250	Renal osteodystrophy
N251	Nephrogenic diabetes insipidus
N2581	Secondary hyperparathyroidism of renal origin
N2589	Other disorders resulting from impaired renal tubular function
N259	Disorder resulting from impaired renal tubular function, unspecified