Diagnosis Restricted Drugs

The table below includes a list of drugs that are diagnosis-restricted for pharmacy compound and non-compound claims. This table specifies if the diagnosis must be indicated on the claim, prior authorization (PA) request, or both. See the link below for physician-administered diagnosis restrictions.

If the prescriber writes a prescription with a diagnosis outside the ForwardHealth-allowed diagnoses for a drug, the prescriber is required to submit peer-reviewed medical literature to support the proven efficacy and safety of the requested use of the drug. Documentation of previous treatments and detailed reasons why other covered drug treatments were discontinued or not utilized are required. Medical records should be provided as necessary to support the PA request. This information should be documented on the Prior Authorization/Drug Attachment (PA/DGA), F- 11049 (10/13), in Section V (Clinical Information for Diagnosis-Restricted Drug Requests).

When completing the PA/DGA, prescribers should provide the diagnosis code and description, complete Section V, and use Section VIII (Additional Information), if needed. Prescribers are reminded to provide a handwritten signature and date on the form before submitting it to the pharmacy provider where the prescription will be filled. The pharmacy provider is required to complete a Prior Authorization Request Form (PA/RF), F- 11018 (05/13), before submitting the forms and supporting documentation to ForwardHealth. Prescribers should not submit PA forms to ForwardHealth.

As a reminder, prescribers and pharmacy providers are required to retain a completed copy of the PA form(s).

For additional information about diagnosis-restricted drug policy, providers may refer to the ForwardHealth Online Handbook Topic #4403, #15537, and #15937:

https://www.forwardhealth.wi.gov/wiportal/subsystem/kw/display.aspx

Physician Administered diagnosis restrictions can be found at:

https://www.forwardhealth.wi.gov/WIPortal/cms/public/physician/administered-drug-resources

Diagnosis Restricted Drugs

Alzheimer's Agents

memantine hcl	er (Example brand: NAMENDA XR)			
Diagnos	sis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request ✓	
ICD-10	Description			
F0150	Vascular dementia without behaviora	al disturbance		
F0151	Vascular denentia with behavioral di	sturbance		
G300	Alzheimer's disease with early onset			
G301	Alzheimer's disease with late onset			
G308	0			
6306	Other alzheimer's disease			
G309	Other alzheimer's disease Alzheimer's disease, unspecified			
G309 ntibiotics, Products ARIKAYCE (am	Alzheimer's disease, unspecified Inhaled ikacin liposomal)			
G309 ntibiotics, Products ARIKAYCE (am	Alzheimer's disease, unspecified Inhaled	Claim ✓	Prior Authorization Request ☐	
G309 ntibiotics, Products ARIKAYCE (am	Alzheimer's disease, unspecified Inhaled ikacin liposomal)	Claim ✓	Prior Authorization Request	
G309 Atibiotics, Products ARIKAYCE (am	Alzheimer's disease, unspecified Inhaled ikacin liposomal) sis Code Must Be Submitted on:	Claim √	Prior Authorization Request	

Diagnosis Restricted Drugs

Anticonvulsants

oducts				
ACOMIT (stir	ipentol)			
Diagnos	sis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request 🗸	
ICD-10	Description			
G40833		status Epileptic	us	
G40834	Dravet Syndrome, Intractable, with	out status Epile	oticus	
oducts	•			
PIDIOLEX (ca	nnabidiol)			
Diagnos	sis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request 🗸	
ICD-10	Description			
G40811	,,,,			
G40812	, ,			
G40813	, ,			
G40814	, ,			
G40833	, ,			
G40834	, ,	out status Epile	oticus	
Q851	Tuberous Sclerosis			
Q031				
oducts	mida)			
oducts NZEL (rufina	·	Claim ✓	Prior Authorization Request ✓	
oducts NZEL (rufina	sis Code Must Be Submitted on:	Claim √	Prior Authorization Request ✓	
oducts NZEL (rufina Diagnos ICD-10	sis Code Must Be Submitted on:			
oducts NZEL (rufina Diagnos ICD-10 G40811	sis Code Must Be Submitted on: Description Lennox-Gastaut syndrome, not into	ractable, with sta	atus epilepticus	
oducts NZEL (rufina Diagnos ICD-10 G40811 G40812	Description Lennox-Gastaut syndrome, not into Lennox-Gastaut syndrome, not lendox-Gastaut syndrome, not lendox-	ractable, with sta	atus epilepticus status epilepticus	
Diagnos ICD-10 G40811 G40813	Description Lennox-Gastaut syndrome, not into Lennox-Gastaut syndrome, introduced into Lennox-Gastaut syndrome, intractation.	ractable, with sta ractable, without able, with status	atus epilepticus status epilepticus epilepticus	
Diagnos ICD-10 G40811 G40813 G40814	bis Code Must Be Submitted on: Description Lennox-Gastaut syndrome, not into Lennox-Gastaut syndrome, intractation and the control of the c	ractable, with sta ractable, without able, with status	atus epilepticus status epilepticus epilepticus	
Diagnos ICD-10 G40811 G40813 G40814 oducts	Description Lennox-Gastaut syndrome, not into Lennox-Gastaut syndrome, not into Lennox-Gastaut syndrome, intracta Lennox-Gastaut syndrome, intracta	ractable, with sta ractable, without able, with status	atus epilepticus status epilepticus epilepticus	
Diagnos ICD-10 G40811 G40813 G40814	Description Lennox-Gastaut syndrome, not into Lennox-Gastaut syndrome, not into Lennox-Gastaut syndrome, intracta Lennox-Gastaut syndrome, intracta	ractable, with sta ractable, without able, with status	atus epilepticus status epilepticus epilepticus	
Diagnos ICD-10 G40811 G40812 G40814 oducts NTEPLA (fent	Description Lennox-Gastaut syndrome, not into Lennox-Gastaut syndrome, not into Lennox-Gastaut syndrome, intracta Lennox-Gastaut syndrome, intracta	ractable, with sta ractable, without able, with status	atus epilepticus status epilepticus epilepticus	
Diagnos ICD-10 G40811 G40812 G40814 oducts NTEPLA (fent	Description Lennox-Gastaut syndrome, not into Lennox-Gastaut syndrome, intracta Lennox-Gastaut syndrome, in	ractable, with staractable, without able, with status able, without sta	atus epilepticus status epilepticus epilepticus tus epilepticus	
Diagnos ICD-10 G40811 G40812 G40814 oducts NTEPLA (fent	Description Lennox-Gastaut syndrome, not into Lennox-Gastaut syndrome, not into Lennox-Gastaut syndrome, intracta Lennox-Gastaut syndrome, intracta Lennox-Gastaut syndrome, intracta fluramine) sis Code Must Be Submitted on:	ractable, with staractable, with status able, without status able, without sta	etus epilepticus status epilepticus epilepticus tus epilepticus Prior Authorization Request	
Diagnos ICD-10 G40811 G40812 G40814 Oducts NTEPLA (fent	Description Lennox-Gastaut syndrome, not into Lennox-Gastaut syndrome, intracta Lennox-Gastaut syndrome, not intracta Lennox-Gastaut syndrome, not intractal Lennox-Gasta	ractable, with staractable, with status able, without status able, without sta	etus epilepticus status epilepticus epilepticus tus epilepticus Prior Authorization Request	
Diagnos G40811 G40812 G40814 Oducts NTEPLA (fent	Description Lennox-Gastaut syndrome, not into Lennox-Gastaut syndrome, intracta Lennox-Gastaut syndrome, not into Lennox-Gastaut syndrome, no	ractable, with staractable, with status able, without stable, without staractable, without staractable, with staractable, without	etus epilepticus status epilepticus epilepticus tus epilepticus Prior Authorization Request etus epilepticus status epilepticus status epilepticus	
Diagnos G40811 G40813 G40814 Oducts NTEPLA (fent	Description Lennox-Gastaut syndrome, not into Lennox-Gastaut syndrome, intracta lennox-Gastaut syndrome, not into Lennox-Gastaut syndrome, not into Lennox-Gastaut syndrome, not into Lennox-Gastaut syndrome, intracta lennox-Gastaut syndrome, intracta lennox-Gastaut syndrome, intracta	ractable, with staractable, with status able, without stable, without staractable, with staractable, with staractable, with status able, with status	status epilepticus status epilepticus epilepticus tus epilepticus Prior Authorization Request status epilepticus status epilepticus epilepticus epilepticus	
Diagnos G40811 G40813 G40814 Oducts NTEPLA (fent	Description Lennox-Gastaut syndrome, not into Lennox-Gastaut syndrome, intracta Lennox-Gastaut syndrome, not into Lennox-Gastaut syndrome, not into Lennox-Gastaut syndrome, intracta Lennox-Gastaut syndrome, intracta Lennox-Gastaut syndrome, intracta Lennox-Gastaut syndrome, intracta	ractable, with staractable, with status able, without sta Claim ractable, with staractable, without staractable, without staractable, without able, without starable, without starable, without staractable, without star	etus epilepticus status epilepticus epilepticus tus epilepticus Prior Authorization Request etus epilepticus status epilepticus status epilepticus epilepticus tus epilepticus tus epilepticus tus epilepticus	

Diagnosis Restricted Drugs

Anticonvulsants

Products	·				
SYMPAZA	AN (clobaz	zam)			
Di	iagnosis (Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request 🗸	
IC	D-10 D	Description			
_		ennox-Gastaut syndrome, not inti	ractable. with sta	tus epilepticus	
		ennox-Gastaut syndrome, not inti			
G4		ennox-Gastaut syndrome, intracta			
G4	40814 L	ennox-Gastaut syndrome, intracta	able, without stat	us epilepticus	
Products	i				
ZTALMY ((ganaxolo	ne)			
Di	iagnosis (Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
IC	:D-10 E	Description			
		•			
		Oyclin-Dependent Kinase-Like 5 D	eficiency Disorde	er	
	ressa		eficiency Disorde	er	
Antidep	ressa	nts, Other	eficiency Disorde	er	
Antidep Products ZURZUVA	Pressa	nts, Other	eficiency Disorde	Prior Authorization Request ✓	
Antidep Products ZURZUVA	Pressa AE (zurand	nts, Other plone) Code Must Be Submitted on:			
Antidep Products ZURZUVA Di	AE (zurandiagnosis (nts, Other			
Antidep Products ZURZUVA Di	AE (zurandiagnosis (nts, Other plone) Code Must Be Submitted on:			
Antidep Products ZURZUVA Di	AE (zuranciagnosis (nts, Other plone) Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request ✓	
Antidep Products ZURZUVA Di	AE (zurandiagnosis (ED-10 E	nts, Other clone) Code Must Be Submitted on: Description Postpartum depression	Claim 🗸	Prior Authorization Request ✓	
Products ZURZUVA Di IC F5 Antineo	AE (zurandiagnosis (nts, Other clone) Code Must Be Submitted on: Description Postpartum depression	claim √ : Lesion A	Prior Authorization Request ✓	
Products ZURZUVA Di IC F5 Antineo Products diclofenace	AE (zurandiagnosis (c) 530 F	nts, Other Code Must Be Submitted on: Description Postpartum depression c and Premalignant	claim √ : Lesion A	Prior Authorization Request ✓	
Products ZURZUVA Di IC F5 Antineo Products diclofenac	AE (zurandiagnosis (ipplastic	nts, Other Code Must Be Submitted on: Description Costpartum depression C and Premalignant W gel (Example brand: SOLARAZ	Claim ✓ : Lesion A	Prior Authorization Request gent, Topical	

Diagnosis Restricted Drugs

Products				
LIVTENCITY (mar	bavir)			
Diagnosis	Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
•			•	
ICD-10	Description	141 _		
B250 B251	Cytomegaloviral disease pneumon Cytomegaloviral disease hepatitis	ilis		
B251	Cytomegaloviral disease pancreati	tic		
B258	Other cytomegaloviral diseases		_	
B259	Cytomegaloviral disease, Unspecif	ied	_	
2200	- Cytomogaloviiai alocaso, chieposii			
ontral None	oue System Agents	Miscolla	noolis	
ential Nerv	ous System Agents,	, iviisceiia	neous	
Products				
DILLITER /silvado				
RILUTEK (riluzole				
Diagnosis	Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-10	Description	_	_	
G1221	Description Amyotrophic lateral sclerosis			
G1221	Arriyotropriic lateral scierosis			
Products				
NUEDEXTA (dexti	omethorphan hbr/quinidine)			
•	, ,			
Diagnosis	Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	Description			
ICD 10	Description "			
ICD-10				
ICD-10 F482	Pseudobulbar affect			
F482				
-				
F482 compliment				
F482				
F482 Compliment	Inhibitors			
F482 Compliment Products ZILBRYSQ (ziluco	Inhibitors	Claim ☑	Prior Authorization Request □	
F482 Compliment Products ZILBRYSQ (ziluco Diagnosis	Inhibitors plan) Code Must Be Submitted on:	Claim √	Prior Authorization Request	
F482 Compliment Products ZILBRYSQ (ziluco	Inhibitors		Prior Authorization Request	

Diagnosis Restricted Drugs

$ \sim$ 14	dermo	1 1010	$\mathbf{D} \cdot \mathbf{n}$	$1 \sim 1 \sim 10^{-2}$
	10-11111		\neg	いいぐコ
$ \nu$	acilio	1 V 313	Dui	เบงผ
		. .		

	ts				
FILSUV	EZ (birch	bark extract)			
ı	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	ICD-10	Description			
[Q810	Epidermollysis Bullosa Simplex			
Ī	Q811	Epidermollysis Bullosa Letalis			
Ī	Q812	Epidermollysis Bullosa Dystrophica	a		
Ī	Q818	Other Epidermollysis Bullosa			
Ī	Q819	Epidermollysis Bullosa, unspecifie	d		
riedre	eich's	Ataxia			
Product	ts				
SKYCLA	ARYS (or	maveloxolone)			
_	D!	is Oada Mart De Oakaritted and	01-1	Britan Australian Barras 4	
I	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	Diagnos ICD-10	Description	Ciaiiii	Prior Authorization Request	
 -	_		Ciaiiii 🗸	Prior Authorization Request	
[G1111 Cortic	Description	Ciaiiii	Prior Authorization Request	
Glucoo Product	G1111 Cortic	Description Friedreich Ataxia Oids, Oral	Ciallii	Prior Authorization Request	
Glucoc Product	G1111 COTTICE ts YO (bude	Description Friedreich Ataxia Oids, Oral	Claim 🗸	Prior Authorization Request Prior Authorization Request ✓	
Glucoc Product TARPE	G1111 COTTICE ts YO (bude	Description Friedreich Ataxia Oids, Oral esonide)			
Product TARPE	G1111 CORTIC ts YO (bude	Description Friedreich Ataxia Oids, Oral esonide) is Code Must Be Submitted on:	Claim ✓	Prior Authorization Request ✓	
Glucoc Product TARPE	ICD-10 G1111 COTTIC ts YO (bude Diagnos ICD-10 N028	Description Friedreich Ataxia Oids, Oral esonide) is Code Must Be Submitted on: Description	Claim ✓	Prior Authorization Request ✓	
Product	ICD-10 G1111 COTTIC ts YO (bude Diagnos ICD-10 N028	Description Friedreich Ataxia Oids, Oral esonide) is Code Must Be Submitted on: Description Recurrrent and persistent hematur	Claim ✓	Prior Authorization Request ✓	
Product TARPE	ICD-10 G1111 COTTIC ts YO (bude Diagnos ICD-10 N028 ts A (budese	Description Friedreich Ataxia Oids, Oral esonide) is Code Must Be Submitted on: Description Recurrrent and persistent hematur	Claim ✓	Prior Authorization Request ✓	
Product TARPE Product [Product [Product []	ICD-10 G1111 COTTIC ts YO (bude Diagnos ICD-10 N028 ts A (budese	Description Friedreich Ataxia Oids, Oral esonide) is Code Must Be Submitted on: Description Recurrent and persistent hematur onide)	Claim ✓ ia with other mo	Prior Authorization Request ✓	

Diagnosis Restricted Drugs

Hypoglycemics, GLP1

Products

BYDUREON BCISE (exenatide microspheres)
MOUNJARO (tirzepatide)
RYBELSUS ()
SOLIQUA 100-33 (insulin degludec/liraglutide)
VICTOZA 2-PAK (liraglutide)
XULTOPHY 100-3.6 (insulin degludec/liraglutide)

BYETTA (exenatide)
OZEMPIC (semaglutide)
RYBELSUS (semaglutide)
TRULICITY (dulaglutide)
VICTOZA 3-PAK (liraglutide)

Effective: 8/1/2025

Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request 🗸

ICD-10 Description E1100 Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) E1101 Type 2 diabetes mellitus with hyperosmolarity with coma E1110 Type 2 diabetes mellitus with ketoacidosis without coma F1111 Type 2 diabetes mellitus with ketoacidosis with coma E1121 Type 2 diabetes mellitus with diabetic nephropathy E1122 Type 2 diabetes mellitus with diabetic chronic kidney disease E1129 Type 2 diabetes mellitus with other diabetic kidney complication E11311 Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema E11319 Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular edema E113211 Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, rt eye E113212 Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, It eye E113213 Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, bilat E113219 Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, unsp eye E113291 Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, rt eye E113292 Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, It eye Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, bilat E113299 Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, unsp eye Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, rt eye E113311 E113312 Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, It eye E113313 Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, bilat E113319 Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, unsp eye E113391 Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, rt eye E113392 Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, It eye E113393 Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, bilat E113399 Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, unsp eye E113411 Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, rt eye E113412 Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, It eye E113413 Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, bilat E113419 Гуре 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, unspe eye E113491 Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, rt eye E113492 Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, It eye E113493 Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, bilat E113499 Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, unsp eye E113511 Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, right eye E113512 Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, left eye E113513 Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, bilateral E113519 Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, unspecified eye

Diagnosis Restricted Drugs

Hypoglycemics, GLP1

, ,	·
E113521	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, rt eye
E113522	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, It eye
E113523	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, bilat
E113529	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, unsp eye
E113531	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, rt eye
E113532	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, It eye
E113533	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, bilat
E113539	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, unsp eye
E113541	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, rt ey
E113542	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, It ey
E113543	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, bilat
E113549	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, unsp
E113551	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye
E113552	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye
E113553	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral
E113559	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye
E113591	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye
E113592	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye
E113593	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral
E113599	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye
E1136	Type 2 diabetes mellitus with diabetic cataract
E1137X1	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye
E1137X2	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye
E1137X3	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral
E1137X9	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye
E1139	Type 2 diabetes mellitus with other diabetic ophthalmic complication
E1140	Type 2 diabetes mellitus with diabetic neuropathy, unspecified
E1141	Type 2 diabetes mellitus with diabetic mononeuropathy
E1142	Type 2 diabetes mellitus with diabetic polyneuropathy
E1143	Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy
E1144	Type 2 diabetes mellitus with diabetic amyotrophy
E1149	Type 2 diabetes mellitus with other diabetic neurological complication
E1151	Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene
E1152	Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene
E1159	Type 2 diabetes mellitus with other circulatory complications
E11610	Type 2 diabetes mellitus with diabetic neuropathic arthropathy
E11618	Type 2 diabetes mellitus with other diabetic arthropathy
E11620	Type 2 diabetes mellitus with diabetic dermatitis
E11621	Type 2 diabetes mellitus with foot ulcer
E11622	Type 2 diabetes mellitus with other skin ulcer
E11628	Type 2 diabetes mellitus with other skin complications
E11630	Type 2 diabetes mellitus with periodontal disease
E11638	Type 2 diabetes mellitus with other oral complications
E11641	Type 2 diabetes mellitus with hypoglycemia with coma
E11649	Type 2 diabetes mellitus with hypoglycemia without coma
E1165	Type 2 diabetes mellitus with hyperglycemia
E1169	Type 2 diabetes mellitus with other specified complication
E118	Type 2 diabetes mellitus with unspecified complications

Diagnosis Restricted Drugs

Hypoglycemics, GLP1
E119 Type 2 diabetes mellitus without complications
_ipdystrophy
Products
MYALEPT (metreleptin)
Discussed Code Must De Cubusitted and Claim G. Drive Authorization Demuset
Diagnosis Code Must Be Submitted on: Claim 📝 Prior Authorization Request
ICD-10 Description E881 Lipodystrophy, not elsewhere classified
Products
EGRIFTA SV (tesamorelin)
Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐
Both diagnosis codes required or see below
ICD-10 Description
B20 Human immunodeficiency virus [HIV] Disease
E881 Lipodystrophy, not elsewhere classified
Or an alternative combination of codes
ICD-10 Description
B9735 Human immunodeficiency virus, Type 2 [HIV 2] as the cause of diseases classified elsewhere
E881 Lipodystrophy, not elsewhere classified
inadagaa
ipodoses
Products
CERDELGA (eliglustat tartrate) YARGESA (miglustat)
ZAVESCA (miglustat)
Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request
ICD-10 Description
E7522 Gaucher disease
via a samual Otamana Dia andan
_ysosomal Storage Disorder
Products
GALAFOLD (migalastat)
Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐
ICD-10 Description E7521 Fabry (-Anderson) Disease

Diagnosis Restricted Drugs

Movement Disorders

Products				
AUSTEDO) (deute	etrabenazine)		AUSTEDO XR (deutetrabenazine)
INGREZZA	A (valbe	enazine)		INGREZZA INITIATION PK(TARDIV) (valbenazine
INGREZZA	A SPRII	NKLE (valbenazine)		
Dia	agnosis	s Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
ICE	D-10	Description		
G1	10	Huntington's Disease		
G2	2401	Drug Induced Subacute Dyskinesia	а	
G2	2402	Other induced Acute Dystonia		
G2	2409	Other Drug Induced Dystonia		
Products				
XENAZINE	E (tetral	penazine)		
Dia	agnosis	s Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
ICE	D-10	Description		
G1	10	HUNTINGTON'S DISEASE		
ultiple	Scle	erosis Agents, Other		
Products				
AMPYRA ((dalfam	pridin)		
Dia	agnosis	s Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
ICE	D-10	Description		
G3	35	Multiple sclerosis		

Diagnosis Restricted Drugs

N	eι	ıro	pa	thi	С	Pa	in
1 4		11 U	ρu		J	ıu	

LISE ER (ga	abapentin)
Diagnos	is Code Must Be Submitted on: Claim ☐ Prior Authorization Request ✓
ICD-10	Description
B0221	Postherpetic geniculate ganglionitis
B0222	Postherpetic trigeminal neuralgia
B0223	Postherpetic polyneuropathy
B0224	Postherpetic myelitis
B0229	Other postherpetic nervous system involvement
ducts	
ICA CR (pre	gabalin)
Diagnos	is Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗸
ICD-10	Description
B0221	POSTHERPETIC GENICULATE GANGLIONITIS
B0222	POSTHERPETIC TRIGEMINAL NEURALGIA
B0223	POSTHERPETIC POLYNEUROPATHY
B0224	POSTHERPETIC MYELITIS
B0229	OTHER POSTHERPETIC NERVOUS SYSTEM INVOLVEMENT
E1040	TYPE 1 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED
E1041	TYPE 1 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY
E1042	TYPE 1 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY
E1043	TYPE 1 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY
E1044	TYPE 1 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY
E1049	TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION
E1140	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED
E1141	TYPE 2 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY
E1142 E1143	TYPE 2 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (DOLYNIEUROPATHY
E1143 E1144	TYPE 2 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY TYPE 2 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY
E1149 thalmic	TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION s, Presbyopia
ducts	
ΓΥ (pilocarpi	ne)
Diagnos	is Code Must Be Submitted on: Claim 📝 Prior Authorization Request 🗌
Diagnos	is Code Must Be Submitted on: Claim ☑ Prior Authorization Request ☐ Description

Diagnosis Restricted Drugs

Opioid Dependency - Buprenorphine

F1129

RIXADI (buprer	orphine)	buprenorphine hcl (Example brand: SUBUTEX)
ouprenorphine-na	aloxone (Example brand: SUBOXONE)	SUBLOCADE (buprenorphine)
SUBOXONE (bu	orenorphine hcl/naloxone)	ZUBSOLV (buprenorphine hcl/naloxone)
Diagnos	s Code Must Be Submitted on:	laim ✓ Prior Authorization Request ☐
ICD-10	Description	
F1120	Opioid dependence, uncomplicated	
F1120	Opioid dependence, uncomplicated	
F1121	Opioid dependence, in remission	
F1124	Opioid dependence with opioid-induce	d mood disorder
F11250	Opioid dependence with opioid-induce	d psychotic disorder with delusions
F11251	Opioid dependence with opioid-induce	d psychotic disorder with hallucinations
F11259	Opioid dependence with opioid-induce	d psychotic disorder, unspecified
F11281	Opioid dependence with opioid-induce	d sexual dysfunction
F11282	Opioid dependence with opioid-induce	d sleep disorder
F11288	Opioid dependence with other opioid-i	nduced disorder
F1129	Opioid dependence with unspecified of	pioid-induced disorder
	TABLET DISPR (methadone hcl) MG/ML ORAL CONC (methadone hcl)	`
DISKETS 40 MG	MG/ML ORAL CONC (methadone hcl)	METHADONE INTENSOL 10 MG/ML (methadon METHADOSE 40 MG TABLET DISPR (methadon Prior Authorization Request ☐
DISKETS 40 MG	MG/ML ORAL CONC (methadone hcl)	METHADOSE 40 MG TABLET DISPR (methado
DISKETS 40 MG METHADOSE 10 Diagnos	MG/ML ORAL CONC (methadone hcl) s Code Must Be Submitted on:	METHADOSE 40 MG TABLET DISPR (methado
DISKETS 40 MG METHADOSE 10 Diagnos ICD-10	MG/ML ORAL CONC (methadone hcl) s Code Must Be Submitted on: Description	METHADOSE 40 MG TABLET DISPR (methado
DISKETS 40 MG METHADOSE 10 Diagnosi ICD-10 F1120	MG/ML ORAL CONC (methadone hcl) s Code Must Be Submitted on: Description Opioid dependence, uncomplicated	METHADOSE 40 MG TABLET DISPR (methado
DISKETS 40 MG METHADOSE 10 Diagnosi ICD-10 F1120 F1121	MG/ML ORAL CONC (methadone hcl) s Code Must Be Submitted on: Description Opioid dependence, uncomplicated Opioid dependence, in remission	METHADOSE 40 MG TABLET DISPR (methado Claim ✓ Prior Authorization Request d mood disorder
DISKETS 40 MG METHADOSE 10 Diagnosi ICD-10 F1120 F1121 F1124	MG/ML ORAL CONC (methadone hcl) s Code Must Be Submitted on: Description Opioid dependence, uncomplicated Opioid dependence, in remission Opioid dependence with opioid-induce Opioid dependence with opioid-induce	METHADOSE 40 MG TABLET DISPR (methado Claim ✓ Prior Authorization Request d mood disorder
DISKETS 40 MG METHADOSE 10 Diagnosi ICD-10 F1120 F1121 F1124 F11250	MG/ML ORAL CONC (methadone hcl) s Code Must Be Submitted on: Description Opioid dependence, uncomplicated Opioid dependence, in remission Opioid dependence with opioid-induce Opioid dependence with opioid-induce	METHADOSE 40 MG TABLET DISPR (methado Claim Prior Authorization Request d mood disorder d psychotic disorder with delusions d psychotic disorder with hallucinations
DISKETS 40 MG METHADOSE 10 Diagnos ICD-10 F1120 F1121 F1124 F11250 F11251	MG/ML ORAL CONC (methadone hcl) s Code Must Be Submitted on: Description Opioid dependence, uncomplicated Opioid dependence, in remission Opioid dependence with opioid-induce Opioid dependence with opioid-induce Opioid dependence with opioid-induce	METHADOSE 40 MG TABLET DISPR (methado
DISKETS 40 MG METHADOSE 10 Diagnosi ICD-10 F1120 F1121 F1124 F11250 F11251 F11259	MG/ML ORAL CONC (methadone hcl) s Code Must Be Submitted on: Description Opioid dependence, uncomplicated Opioid dependence, in remission Opioid dependence with opioid-induce Opioid dependence with opioid-induce Opioid dependence with opioid-induce Opioid dependence with opioid-induce Opioid dependence with opioid-induce	METHADOSE 40 MG TABLET DISPR (methado Claim Prior Authorization Request d mood disorder d psychotic disorder with delusions d psychotic disorder with hallucinations d psychotic disorder, unspecified d sexual dysfunction

Opioid dependence with unspecified opioid-induced disorder

Diagnosis Restricted Drugs

Opioid Dependency and Alcohol Abuse/Dependency Agents

one hcl (Example brand: REVIA) VIVITROL (naltrexone microspheres) Diagnosis Code Must Be Submitted on: Claim Prior Authorization Request □	
F1010	Alcohol abuse, uncomplicated
F1011	Alcohol abuse, uncomplicated
F1014	Alcohol abuse with alcohol-induced mood disorder
F10150	Alcohol abuse with alcohol-induced psychotic disorder with delusions
F10151	Alcohol abuse with alcohol-induced psychotic disorder with hallucinations
F10159	Alcohol abuse with alcohol-induced psychotic disorder, unspecified
F10180	Alcohol abuse with alcohol-induced anxiety disorder
F10181	Alcohol abuse with alcohol-induced sexual dysfunction
F10182	Alcohol abuse with alcohol-induced sleep disorder
F10188	Alcohol abuse with other alcohol-induced disorder
F1019	Alcohol abuse with unspecified alcohol-induced disorder
F1020	Alcohol dependence, uncomplicated
F1021	Alcohol dependence, in remission
F1024	Alcohol dependence with alcohol-induced mood disorder
-10250	Alcohol dependence with alcohol-induced psychotic disorder with delusions
F10251	Alcohol dependence with alcohol-induced psychotic disorder with hallucinations
F10259	Alcohol dependence with alcohol-induced psychotic disorder, unspecified
-1026	Alcohol dependence with alcohol-induced persisting amnestic disorder
-1027	Alcohol dependence with alcohol-induced persisting dementia
F10280	Alcohol dependence with alcohol-induced anxiety disorder
10281	Alcohol dependence with alcohol-induced sexual dysfunction
10282	Alcohol dependence with alcohol-induced sleep disorder
F10288	Alcohol dependence with other alcohol-induced disorder
F1029	Alcohol dependence with unspecified alcohol-induced disorder
-1094	Alcohol use, unspecified with alcohol-induced mood disorder
F10950	Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions
-10951	Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations
F10959	Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified
-1096	Alcohol use, unspecified with alcohol-induced persisting amnestic disorder
-1097	Alcohol use, unspecified with alcohol-induced persisting dementia
-10980	Alcohol use, unspecified with alcohol-induced anxiety disorder
-10981	Alcohol use, unspecified with alcohol-induced sexual dysfunction
-10982	Alcohol use, unspecified with alcohol-induced sleep disorder
10988	Alcohol use, unspecified with other alcohol-induced disorder
-1099	Alcohol use, unspecified with unspecified alcohol-induced disorder
-1120	Opioid dependence, uncomplicated
-1121	Opioid dependence, in remission
F1124	Opioid dependence with opioid-induced mood disorder
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions
-11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations
F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified

Opioid dependence with opioid-induced sexual dysfunction

F11281

Diagnosis Restricted Drugs

Opioid Dependency and Alcohol Abuse/Dependency Agents

F11282	Opioid dependence with opioid-induced sleep disorder
F11288	Opioid dependence with other opioid-induced disorder
F1129	Opioid dependence with unspecified opioid-induced disorder

Peptic Ulcer

Prod	Products		
DAR	TISLA (glyc	opyrrolate)	
	Diagnos	is Code Must Be Submitted on: Claim ✔ Prior Authorization Request ☐	
	ICD-10	Description	
	K270	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH HEMORRHAGE	
	K271	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH PERFORATION	
	K272	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH BOTH HEMORRHAGE AND PERFORATION	
	K273	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITHOUT HEMORRHAGE OR PERFORATION	
	K274	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH HEMORRHAGE	
	K275	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH PERFORATION	
	K276	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH BOTH HEMORRHAGE AND PE	
	K277	CHRONIC PEPTIC UI CER, SITE UNSPECIFIED, WITHOUT HEMORRHAGE OR PERFORATION	

PEPTIC ULCER, SITE UNSPECIFIED, UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT HEMORRHAG

Pompe Disease

Products				
OPFOLDA (migl	ustat)			
Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-10	Description			
E7402	Pompe disease			

Primary Hyperoxaluria

Proc	ducts				
RIVE	LOZA (ned	osiran)			
	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	ICD-10	Description			
	E7253	Primary Hyperoxaluria			

Diagnosis Restricted Drugs

Progestational Agent

oducts	
INONE 8% G	EL (progesterone)
Diagnos	is Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗌
ICD-10	Description
O09211	Supervision of pregnancy with history of pre-term labor, first trimester
O09212	Supervision of pregnancy with history of pre-term labor, second trimester
O09213	Supervision of pregnancy with history of pre-term labor, third trimester
O09219	Supervision of pregnancy with history of pre-term labor, unspecified trimester
O09291	Supervision of pregnancy with other poor reproductive or obstetric history, first trimester
O09292	Supervision of pregnancy with other poor reproductive or obstetric history, second trimester
O09293	Supervision of pregnancy with other poor reproductive or obstetric history, third trimester
O09299	Supervision of pregnancy with other poor reproductive or obstetric history, unspecified trimester
O26872	Cervical shortening, second trimester
O26873	Cervical shortening, third trimester
O26879	Cervical shortening, unspecified trimester
Diagnos	is Code Must Be Submitted on: Claim ✔ Prior Authorization Request ✔
ICD-10	Description
E75242	Niemann-Pick Disease Type C
nonary	Anti-Hypertensive Agents
CIRCA (tadala	afil) ALYQ (tadalafil)
/ATIO (silder	,
Diagnos	is Code Must Be Submitted on: Claim 🗸 Prior Authorization Request 🗸
ICD-10	Description
1270	Primary pulmonary hypertension
12720	Pulmonary hypertension, unspecified
12721	Secondary pulmonary arterial hypertension
12722	Pulmonary hypertension due to left heart disease
12723	Pulmonary hypertension Due to Lung Diseases and hypoxia
12724	Chronic thromboembolic pulmonary hypertension
12729	Other secondary pulmonary hypertension
12783	Eisenmenger's syndrome

Diagnosis Restricted Drugs

Smoking Cessation

908

F909

Products bupropion hcl sr 150 mg tablet (Example brand: ZYBAN) CHANTIX (varenicline tartrate) nicotine gum (Example brand: NICORETTE) nicotine lozenge (Example brand: NICORETTE) nicotine lozenge (Example brand: NICOTINE) nicotine patch (Example brand: CVS NICOTINE) nicotine patch (Example brand: NICOTINE) NICOTROL (nicotine) NICOTROL NS (nicotine) Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request ICD-10 Description F17200 Nicotine dependence, unspecified, uncomplicated F17201 Nicotine dependence, unspecified, in remission F17203 Nicotine dependence unspecified, with withdrawal F17208 Nicotine dependence, unspecified, with other nicotine-induced disorders F17209 Nicotine dependence, unspecified, with unspecified nicotine-induced disorders F17210 Nicotine dependence, cigarettes, uncomplicated F17211 Nicotine dependence, cigarettes, in remission F17213 Nicotine dependence, cigarettes, with withdrawal F17218 Nicotine dependence, cigarettes, with other nicotine-induced disorders F17219 Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders F17220 Nicotine dependence, chewing tobacco, uncomplicated 17221 Nicotine dependence, chewing tobacco, in remission 17223 Nicotine dependence, chewing tobacco, with withdrawal 17228 Nicotine dependence, chewing tobacco, with other nicotine-induced disorders -17229 Nicotine dependence, chewing tobacco, with unspecified nicotine-induced disorders F17290 Nicotine dependence, other tobacco product, uncomplicated F17291 Nicotine dependence, other tobacco product, in remission F17293 Nicotine dependence, other tobacco product, with withdrawal F17298 Nicotine dependence, other tobacco product, with other nicotine-induced disorders F17299 Nicotine dependence, other tobacco product, with unspecified nicotine-induced disorders Z720 Tobacco use Stimulants, Desoxyn **Products** methamphetamine hcl (Example brand: DESOXYN) Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request **ICD-10** Description F900 Attention-deficit hyperactivity disorder, predominantly inattentive type F901 Attention-deficit hyperactivity disorder, predominantly hyperactive type -902

Attention-deficit hyperactivity disorder, combined type

Attention-deficit hyperactivity disorder, unspecified type

Attention-deficit hyperactivity disorder, other type

Diagnosis Restricted Drugs

Stimulants, Excluding Desoxyn and Vyvanse

Products

ADDERALL (dextroamphetamine/amphetamine)

ADZENYS XR-ODT (amphetamine)

AZSTARYS (serdexmethylphenidate/dexmethylphenidate)

COTEMPLA XR-ODT (methylphenidate)
DEXEDRINE (dextroamphetamine sulfate)

DYANAVEL XR (amphetamine)
FOCALIN (dexmethylphenidate hcl)
JORNAY PM (methylphenidate er)

methylphenidate er (Example brand: METADATE ER) methylphenidate er (Ia) (Example brand: RITALIN LA) methylphenidate hcl cd (Example brand: METADATE CD)

MYDAYIS (dextroamphetamine/amphetamine)
QUILLICHEW ER (methylphenidate hcl)
RELEXXII (methylphenidate hcl)
RITALIN (methylphenidate hcl)
ZENZEDI (dextroamphetamine sulfate)

ADDERALL XR (dextroamphetamine/amphetamine)

Effective: 8/1/2025

APTENSIO XR (methylphenidate hcl) CONCERTA (methylphenidate hcl) DAYTRANA (methylphenidate hcl)

dextroamphetamine sulfate er (Example brand: DEXEDR

EVEKEO (amphetamine)

FOCALIN XR (dexmethylphenidate hcl)
METHYLIN (methylphenidate hcl)

methylphenidate er (Example brand: METHYLIN)

methylphenidate hcl (Example brand: METHYLIN CHEW methylphenidate hcl er (cd) (Example brand: METADATE

PROCENTRA (dextroamphetamine sulfate)
QUILLIVANT XR (methylphenidate hcl)

RELEXXII (methylphenidate)
RITALIN LA (methylphenidate hcl)

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓

ICD-10 Description

F900	Attention-deficit hyperactivity disorder, predominantly inattentive type
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type
F902	Attention-deficit hyperactivity disorder, combined type
F908	Attention-deficit hyperactivity disorder, other type
F909	Attention-deficit hyperactivity disorder, unspecified type
G47411	Narcolepsy with cataplexy
G47419	Narcolepsy without cataplexy

Diagnosis Restricted Drugs

Stimulants,	Vyvanse
-------------	---------

YVANSE (lisdexamfetamine dimesylate) VYVANSE CHEWABLE (lisdexamfetamine dimes	
Diagnosi	s Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗌
ICD-10	Description
F5081	Binge Eating Disorder
F50810	Binge Eating Disorder, Mild
F50811	Binge Eating Disorder, Moderate
F50812	Binge Eating Disorder, Severe
F50813	Binge Eating Disorder, Extreme
F50814	Binge Eating Disorder, In Remission
F50819	Binge Eating Disorder, Unspecified
F900	Attention-deficit hyperactivity disorder, predominantly inattentive type
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type
F902	Attention-deficit hyperactivity disorder, combined type
F908	Attention-deficit hyperactivity disorder, other type
F909	Attention-deficit hyperactivity disorder, unspecified type
G47411	Narcolepsy with cataplexy
G47419	Narcolepsy without cataplexy
cal Anti	cholinergic Hyperhidrosis Treatment Agents
DRA (sofpire	onium)
Diama	s Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐

Diagnosis Restricted Drugs

Vitamins, Renal

N259

Products DIALYVITE (folic acid combination) DIALYVITE 3000 (folic acid combination) DIALYVITE 800 WITH IRON (fe fumarate combinations) FOLBEE PLUS (folic acid combination) FOLBEE PLUS CZ (folic acid combination) TRIPHROCAPS (vitamin b complex) VIRT-CAPS (vitamin b complex) WESCAPS (vitamin b complex) Diagnosis Code Must Be Submitted on: Prior Authorization Request Claim 🗸 **ICD-10** Description N181 Chronic kidney disease, Stage 1 N182 Chronic kidney disease, Stage 2 (mild) N1830 Chronic kidney disease, stage 3 unspecified N1831 Chronic kidney disease, stage 3A N1832 Chronic kidney disease, stage 3B N184 Chronic kidney disease, Stage 4 (severe) N185 Chronic kidney disease, Stage 5 N186 End stage renal disease N189 Chronic kidney disease, unspecified N250 Renal osteodystrophy N251 Nephrogenic diabetes insipidus N2581 Secondary hyperparathyroidism of renal origin N2589 Other disorders resulting from impaired renal tubular function

Disorder resulting from impaired renal tubular function, unspecified