Diagnosis Restricted Drugs

The table below includes a list of drugs that are diagnosis-restricted for pharmacy compound and non-compound claims. This table specifies if the diagnosis must be indicated on the claim, prior authorization (PA) request, or both. See the link below for physician-administered diagnosis restrictions.

If the prescriber writes a prescription with a diagnosis outside the ForwardHealth-allowed diagnoses for a drug, the prescriber is required to submit peer-reviewed medical literature to support the proven efficacy and safety of the requested use of the drug. Documentation of previous treatments and detailed reasons why other covered drug treatments were discontinued or not utilized are required. Medical records should be provided as necessary to support the PA request. This information should be documented on the Prior Authorization/Drug Attachment (PA/DGA), F- 11049 (10/13), in Section V (Clinical Information for Diagnosis-Restricted Drug Requests).

When completing the PA/DGA, prescribers should provide the diagnosis code and description, complete Section V, and use Section VIII (Additional Information), if needed. Prescribers are reminded to provide a handwritten signature and date on the form before submitting it to the pharmacy provider where the prescription will be filled. The pharmacy provider is required to complete a Prior Authorization Request Form (PA/RF), F- 11018 (05/13), before submitting the forms and supporting documentation to ForwardHealth. Prescribers should not submit PA forms to ForwardHealth.

As a reminder, prescribers and pharmacy providers are required to retain a completed copy of the PA form(s).

For additional information about diagnosis-restricted drug policy, providers may refer to the ForwardHealth Online Handbook Topic #4403, 15537, and 15937:

https://www.forwardhealth.wi.gov/wiportal/subsystem/kw/display.aspx

Physician Administered diagnosis restrictions can be found at:

https://www.forwardhealth.wi.gov/WIPortal/Tab/42/icscontent/Provider/medicaid/physician/data_tables/index.htm.spage

Diagnosis Restricted Drugs

Antibiotics	, Topical			
Products				
ALTABAX (ret	apamulin)			
Diagn	osis Code Must Be Submitted on:	Claim 🗌	Prior Authorization Request 🗸	
		Claim	Thor Authorization Request	
ICD-10	•			
L0100	Impetigo, unspecified Non-bullous impetigo			
L0101 L0102	Bockhart's impetigo			
L0102	Bullous impetigo			
L0109	Other impetigo			——
L0103	Other impetigo			
Antiemetic	Solution			
Products				
ZOFRAN (ond	ansetron hcl)			
Diagno	osis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-10	•			
Z5111	Encounter for antineoplastic chem	notherapy		
Z931	Gastrostomy status			
Antifungal	s, Oral Granules			
Products				
LAMISIL (terbi	nafine)			
Diagno	osis Code Must Be Submitted on:	Claim 🗌	Prior Authorization Request 🗸	
ICD-10) Description			
B350	Tinea barbae and tinea capitis			
Antifungal	s, Oral Tablet			
Products				
ONMEL (itraco	pnazole)			
Diagno	osis Code Must Be Submitted on:	Claim	Prior Authorization Request	
ICD-10				
B351	Tinea unguium			
<u> </u>	-			

Diagnosis Restricted Drugs

Effective:9/1/2016

Antineoplastic and Premalignant Lesion Agent, Topical

Products		
SOLARAZE	3% GEL (diclofenac sodium)	
Diag	nosis Code Must Be Submitted on: Claim 🕡 Prior Authorization Request 🗍	
ICD L57	0 Description Actinic Keratosis	1
L37	Actific Relatosis	J
Antiparki	nson's Agents	
Products		
MIRAPEX F	R (pramipexole)	
	. ([
Diag	nosis Code Must Be Submitted on: Claim Prior Authorization Request 🗸	
ICD	0 Description	
G20	Parkinson's disease	1
G21	Malignant neuroleptic syndrome	1
G21		1
G21		1
G21		1
G21	Vascular parkinsonism	1
G21	Other secondary parkinsonism	1
G21	Secondary parkinsonism, unspecified	1
Products		•
REQUIP XL	ropinirole er)	
Dia	nosis Code Must Be Submitted on: Claim Prior Authorization Request	
ICD	0 Description	
G20	Parkinson's disease]
G21	· · ·]
G21		
G21	·	
G21		
G21	7.1	
G21	Secondary parkinsonism, unspecified	1

Diagnosis Restricted Drugs

Effective:9/1/2016

Products				
cidofovir (Exa	mple brand: VISTIDE)			
Diegn	acis Cada Must Ba Submitted an	Claim 🗔	Drier Authorization Request	
_	osis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-1	-			
B258	Other cytomegaloviral diseases			
	ervous System Agents	, Miscella	neous	
Products RILUTEK (rilu	zole)			
Diagn	osis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-1	Description			
G122	Amyotrophic lateral sclerosis			
Products				
NUEDEXTA (dextromethorphan hbr/quinidine)			
Diagn	osis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-1	Description			
F482	Pseudobulbar affect			
COPD Ag	ents			
Products				
DALIRESP (re	oflumilast)			
Diagn	osis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request 🗸	
ICD-1	D Description			
.1440	Chronic obstructive pulmonary dis			1

Chronic obstructive pulmonary disease with (acute) exacerbation

Chronic obstructive pulmonary disease, unspecified

J441

J449

Diagnosis Restricted Drugs

Camma	Aminobut	rio	۸منط	Class
Gamma	AIIIIIIODUL	VIIC	ACIU	Class

Produ	cts		
HORIZ	ZANT (gaba	pentin enacarbil)	
	Diagnosis	s Code Must Be Submitted on: Claim ☐ Prior Authorization Request ✔	
	•		
	ICD-10 B0221	Description Postherpetic geniculate ganglionitis	
	B0221	Postherpetic trigeminal neuralgia	
	B0223	Postherpetic polyneuropathy	
	B0224	Postherpetic myelitis	
	B0229	Other postherpetic nervous system involvement	
	G2581	Restless legs syndrome	
D	<u>J</u>	readings syndrome	
Produ			
GRALI	SE (gabape	entin)	
	Diagnosis	s Code Must Be Submitted on: Claim Prior Authorization Request	
	ICD-10	Description	
	B0221	Postherpetic geniculate ganglionitis	
	B0222	Postherpetic trigeminal neuralgia	
	B0223	Postherpetic polyneuropathy	
	B0224	Postherpetic myelitis	
	B0229	Other postherpetic nervous system involvement	
Produ	cts EPT (metre		
	Diagnosis	s Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐	
	ICD-10	Description	
	E881	Lipodystrophy, not elsewhere classified	
Produ	cts		
EGRIF	TA (terbina	afine hcl)	
	_	s Code Must Be Submitted on: Claim ✓ Prior Authorization Request	
	_	nosis codes required or see below	
	ICD-10	Description	
	B20	Human immunodeficiency virus [HIV] Disease	
	E881	Lipodystrophy, not elsewhere classified	
		rnative combination of codes	
	ICD-10	Description To a full Volume to the first term of the first term o	
	B9735	Human immunodeficiency virus, Type 2 [HIV 2] as the cause of diseases classified elsewhere	
	E881	Lipodystrophy, not elsewhere classified	

Diagnosis Restricted Drugs

Effective:9/1/2016

Lipodoses

CERDELGA (eliglustat tartrate) ZAVESCA (miglustat)				
Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-10	Description			
E7522	Gaucher disease			

C

Products

BUNAVAIL (buprenorphine hcl/naloxone) buprenorphine-naloxone (Example brand: SUBOXONE TAB) ZUBSOLV (buprenorphine hcl/naloxone)

buprenorphine hcl (Example brand: SUBUTEX) SUBOXONE (buprenorphine hcl/naloxone)

Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request 🗸

ICD-10 Description

Opioid dependence, uncomplicated
Opioid dependence, in remission
Opioid dependence with opioid-induced mood disorder
Opioid dependence with opioid-induced psychotic disorder with delusions
Opioid dependence with opioid-induced psychotic disorder with hallucinations
Opioid dependence with opioid-induced psychotic disorder, unspecified
Opioid dependence with opioid-induced sexual dysfunction
Opioid dependence with opioid-induced sleep disorder
Opioid dependence with other opioid-induced disorder
Opioid dependence with unspecified opioid-induced disorder

Diagnosis Restricted Drugs

Opioid Dependency Agents - Methadone

Products			
METHADON	NE INT	TENSOL 10 MG/ML (methadone hcl) METHADOSE 10 MG/ML ORAL CONC (methad	one hcl
METHADOS	SE 40	MG TABLET DISPR (methadone hcl)	
Diag	gnosis	s Code Must Be Submitted on: Claim 🗸 Prior Authorization Request 🗌	
ICD-	-10	Description	
F112	20	Opioid dependence, uncomplicated	
F112	21	Opioid dependence, in remission	
F112	24	Opioid dependence with opioid-induced mood disorder	
F112	250	Opioid dependence with opioid-induced psychotic disorder with delusions	
F112	251	Opioid dependence with opioid-induced psychotic disorder with hallucinations	
F11:	259	Opioid dependence with opioid-induced psychotic disorder, unspecified	
F112	281	Opioid dependence with opioid-induced sexual dysfunction	
F112	282	Opioid dependence with opioid-induced sleep disorder	1
F112	288	Opioid dependence with other opioid-induced disorder	1
F112	29	Opioid dependence with unspecified opioid-induced disorder	1

Diagnosis Restricted Drugs

Opioid Dependency and Alcohol Abuse/Dependency Agents

one hcl (Example brand: REVIA) VIVITROL (naltrexone microspheres)		
Diagnosi	is Code Must Be Submitted on: Claim 🗸 Prior Authorization Request 🗌	
ICD-10	Description	
F1010	Alcohol abuse, uncomplicated	
F1014	Alcohol abuse with alcohol-induced mood disorder	
F10150	Alcohol abuse with alcohol-induced psychotic disorder with delusions	
F10151	Alcohol abuse with alcohol-induced psychotic disorder with hallucinations	
F10159	Alcohol abuse with alcohol-induced psychotic disorder, unspecified	
F10180	Alcohol abuse with alcohol-induced anxiety disorder	
F10181	Alcohol abuse with alcohol-induced sexual dysfunction	
F10182	Alcohol abuse with alcohol-induced sleep disorder	
F10188	Alcohol abuse with other alcohol-induced disorder	
F1019	Alcohol abuse with unspecified alcohol-induced disorder	
F1020	Alcohol dependence, uncomplicated	
F1021	Alcohol dependence, in remission	
F1024	Alcohol dependence with alcohol-induced mood disorder	
F10250	Alcohol dependence with alcohol-induced psychotic disorder with delusions	
F10251	Alcohol dependence with alcohol-induced psychotic disorder with hallucinations	
F10259	Alcohol dependence with alcohol-induced psychotic disorder, unspecified	
F1026	Alcohol dependence with alcohol-induced persisting amnestic disorder	
F1027	Alcohol dependence with alcohol-induced persisting dementia	
F10280	Alcohol dependence with alcohol-induced anxiety disorder	
F10281	Alcohol dependence with alcohol-induced sexual dysfunction	
F10282	Alcohol dependence with alcohol-induced sleep disorder	
F10288	Alcohol dependence with other alcohol-induced disorder	
F1029	Alcohol dependence with unspecified alcohol-induced disorder	
F1094	Alcohol use, unspecified with alcohol-induced mood disorder	
F10950	Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions	
F10951	Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations	
F10959	Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified	
F1096	Alcohol use, unspecified with alcohol-induced persisting amnestic disorder	
F1097	Alcohol use, unspecified with alcohol-induced persisting dementia	
F10980	Alcohol use, unspecified with alcohol-induced anxiety disorder	
F10981	Alcohol use, unspecified with alcohol-induced sexual dysfunction	
F10982	Alcohol use, unspecified with alcohol-induced sleep disorder	
F10988	Alcohol use, unspecified with other alcohol-induced disorder	
F1099	Alcohol use, unspecified with unspecified alcohol-induced disorder	
F1120	Opioid dependence, uncomplicated	
F1121	Opioid dependence, in remission	
F1124	Opioid dependence with opioid-induced mood disorder	
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions	
F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations	
F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified	
F11281	Opioid dependence with opioid-induced sexual dysfunction	
F11282	Opioid dependence with opioid-induced sleep disorder	

Diagnosis Restricted Drugs

Effective:9/1/2016

Opioid Dependency and Alcohol Abuse/Dependency Agents	Opioid D	ependency	and Alcohol	Abuse/Depe	endency Agents
---	----------	-----------	-------------	------------	----------------

ICD-10

J84112

Description

Idiopathic pulmonary fibrosis

	F11288	Opioid dependence with other opioid-induced disorder	
	F1129	Opioid dependence with unspecified opioid-induced disorder	
Proge	station	nal Agent	
Produ	cts		
CRINC	NE 8% GE	EL (progesterone)	
	Diagnosis	s Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗌	
	ICD-10	Description	
	O09211	Supervision of pregnancy with history of pre-term labor, first trimester	
	O09212	Supervision of pregnancy with history of pre-term labor, second trimester	
	O09213	Supervision of pregnancy with history of pre-term labor, third trimester	
	O09219	Supervision of pregnancy with history of pre-term labor, unspecified trimester	
	O09291	Supervision of pregnancy with other poor reproductive or obstetric history, first trimester	
	O09292	Supervision of pregnancy with other poor reproductive or obstetric history, second trimester	
	O09293	Supervision of pregnancy with other poor reproductive or obstetric history, third trimester	
	O09299	Supervision of pregnancy with other poor reproductive or obstetric history, unspecified trimester	
	O26872	Cervical shortening, second trimester	
	O26873	Cervical shortening, third trimester	
	O26879	Cervical shortening, unspecified trimester	
Dulma	nary /	Anti-Hypertensive Agents	
diffic	Jilaiy 7	Anti-Hypertensive Agents	
Produ	cts		
ADCIR	CA (tadala	afil) REVATIO (sildenafil citrate)	
	Diagnosis	s Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗹	
	ICD-10	Description	
	1270	Primary pulmonary hypertension	
	1272	Other secondary pulmonary hypertension	
		200 - 207 M - 20 - 20 - 20 - 20 - 20 - 20 - 20 -	
Pulmo	onary I	Fibrosis Agents	
Produ	cts		
ESBRI	ET (pirfenio	done) OFEV (nintedanib esylate)	
	Diagnosis	s Code Must Be Submitted on: Claim ☑ Prior Authorization Request ☐	

Diagnosis Restricted Drugs

Smoking Cessation

Products

BUPROBAN 150 MG TABLET (bupropion) NICODERM CQ (nicotine) NICORETTE (nicotine) NICOTROL (nicotine) ZYBAN SR 150 MG TABLET (bupropion)

CHANTIX (varenicline tartrate) NICORELIEF (nicotine) nicotine patch (Example brand: NICOTINE) NICOTROL NS (nicotine)

Effective:9/1/2016

Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request

ICD-10 Description

Description
Nicotine dependence, unspecified, uncomplicated
Nicotine dependence, unspecified, in remission
Nicotine dependence unspecified, with withdrawal
Nicotine dependence, unspecified, with other nicotine-induced disorders
Nicotine dependence, unspecified, with unspecified nicotine-induced disorders
Nicotine dependence, cigarettes, uncomplicated
Nicotine dependence, cigarettes, in remission
Nicotine dependence, cigarettes, with withdrawal
Nicotine dependence, cigarettes, with other nicotine-induced disorders
Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders
Nicotine dependence, chewing tobacco, uncomplicated
Nicotine dependence, chewing tobacco, in remission
Nicotine dependence, chewing tobacco, with withdrawal
Nicotine dependence, chewing tobacco, with other nicotine-induced disorders
Nicotine dependence, chewing tobacco, with unspecified nicotine-induced disorders
Nicotine dependence, other tobacco product, uncomplicated
Nicotine dependence, other tobacco product, in remission
Nicotine dependence, other tobacco product, with withdrawal
Nicotine dependence, other tobacco product, with other nicotine-induced disorders
Nicotine dependence, other tobacco product, with unspecified nicotine-induced disorders
Tobacco use

Diagnosis Restricted Drugs

Stimulants and Related, Excluding Strattera and Vyvanse

Products

ADDERALL (dextroamphetamine/amphetamine)

ADZENYS XR-ODT (dextroamphetamine/amphetamine)

CONCERTA (methamphetamine hcl) DESOXYN (methamphetamine hcl)

DYANAVEL XR (dextroamphetamine/amphetamine)

FOCALIN (dexmethylphenidate hcl) METADATE CD (methamphetamine hcl) METHYLIN (methamphetamine hcl) PROCENTRA (dextroamphetamine sulfate)

RITALIN (methamphetamine hcl) ZENZEDI (dextroamphetamine sulfate) ADDERALL XR (dextroamphetamine/amphetamine)

Effective:9/1/2016

APTENSIO XR (methamphetamine hcl)

DAYTRANA (methylphenidate)

DEXEDRINE (dextroamphetamine sulfate)

EVEKEO (amphetamine)

FOCALIN XR (dexmethylphenidate hcl) METADATE ER (methamphetamine hcl)

methylphenidate er (Example brand: METADATE)

QUILLIVANT XR (methamphetamine hcl) RITALIN LA (methamphetamine hcl)

Diagnosis Code Must Be Submitted on:

Claim	✓
-------	----------

Prior Authorization Reques

t	✓
---	---

ICD-10	Description
--------	-------------

F900	Attention-deficit hyperactivity disorder, predominantly inattentive type
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type
F902	Attention-deficit hyperactivity disorder, combined type
F908	Attention-deficit hyperactivity disorder, other type
F909	Attention-deficit hyperactivity disorder, unspecified type
G47411	Narcolepsy with cataplexy
G47419	Narcolepsy without cataplexy

Stimulants and Related, Strattera

Products

STRATTERA (atomoxetine)

Diagnosis Code Must Be Submitted on:

Claim 🗸

Prior Authorization Request

ICD-10 Description

F900	Attention-deficit hyperactivity disorder, predominantly inattentive type
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type
F902	Attention-deficit hyperactivity disorder, combined type
F908	Attention-deficit hyperactivity disorder, other type
F909	Attention-deficit hyperactivity disorder, unspecified type

Diagnosis Restricted Drugs

Stimulants and Related, Vyvanse

PA required for the treatment of Binge Eating Disorder (BED). Use Sec VI of the PA/DGA (Refer to topic #15937) https://www.forwardhealth.wi.gov/WIPortal/Online%20Handbooks/Display/tabid/152/Default.aspx

Products

VYVANSE (lisdexamfetamine dimesylate)

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓

ICD-10 Description

F900	Attention-deficit hyperactivity disorder, predominantly inattentive type
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type
F902	Attention-deficit hyperactivity disorder, combined type
F908	Attention-deficit hyperactivity disorder, other type
F909	Attention-deficit hyperactivity disorder, unspecified type
G47411	Narcolepsy with cataplexy
G47419	Narcolepsy without cataplexy

Vitamins, Renal

Products

DIALYVITE 800 WITH IPON (fe tumorate combinations)

DIALYVITE 800 WITH IPON (fe tumorate combinations)

EERBOCITE BLUS (iron combinations)

DIALYVITE 800 WITH IRON (fe fumarate combinations)

FERROCITE PLUS (iron combinations)

FOLBEE PLUS (folic acid combination)

HEMATINIC PLUS (iron combinations)

FOLBEE PLUS CZ (folic acid combination)

HEMOCYTE PLUS (fe fumarate combinations)

NEPHROCAPS (vitamin b complex)

NEPHRO-VITE RX (vitamin b complex)

RENAL CAPS (vitamin b complex)

RENA-VITE RX (vitamin b complex)

TRIPHROCAPS (vitamin b complex)

VOL-CARE RX (vitamin b complex)

VP-VITE RX (vitamin b complex)

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐

ICD-10 Description

N181	Chronic kidney disease, Stage 1
N182	Chronic kidney disease, Stage 2 (mild)
N183	Chronic kidney disease, Stage 3 (moderate)
N184	Chronic kidney disease, Stage 4 (severe)
N185	Chronic kidney disease, Stage 5
N186	End stage renal disease
N189	Chronic kidney disease, unspecified
N250	Renal osteodystrophy
N251	Nephrogenic diabetes insipidus
N2581	Secondary hyperparathyroidism of renal origin
N2589	Other disorders resulting from impaired renal tubular function
N259	Disorder resulting from impaired renal tubular function, unspecified