### **Diagnosis Restricted Drugs**

The table below includes a list of drugs that are diagnosis-restricted for pharmacy compound and non-compound claims. This table specifies if the diagnosis must be indicated on the claim, prior authorization (PA) request, or both. See the link below for physician-administered diagnosis restrictions.

If the prescriber writes a prescription with a diagnosis outside the ForwardHealth-allowed diagnoses for a drug, the prescriber is required to submit peer-reviewed medical literature to support the proven efficacy and safety of the requested use of the drug. Documentation of previous treatments and detailed reasons why other covered drug treatments were discontinued or not utilized are required. Medical records should be provided as necessary to support the PA request. This information should be documented on the Prior Authorization/Drug Attachment (PA/DGA), F- 11049 (10/13), in Section V (Clinical Information for Diagnosis-Restricted Drug Requests).

When completing the PA/DGA, prescribers should provide the diagnosis code and description, complete Section V, and use Section VIII (Additional Information), if needed. Prescribers are reminded to provide a handwritten signature and date on the form before submitting it to the pharmacy provider where the prescription will be filled. The pharmacy provider is required to complete a Prior Authorization Request Form (PA/RF), F- 11018 (05/13), before submitting the forms and supporting documentation to ForwardHealth. Prescribers should not submit PA forms to ForwardHealth.

As a reminder, prescribers and pharmacy providers are required to retain a completed copy of the PA form(s).

For additional information about diagnosis-restricted drug policy, providers may refer to the ForwardHealth Online Handbook Topic #4403, 15537, and 15937:

https://www.forwardhealth.wi.gov/wiportal/subsystem/kw/display.aspx

Physician Administered diagnosis restrictions can be found at:

https://www.forwardhealth.wi.gov/WIPortal/Tab/42/icscontent/Provider/medicaid/physician/data\_tables/index.htm.spage

## Diagnosis Restricted Drugs

## Alzheimer's Agents

NAMENDA XR (	(memantine hcl)	
Diagnos	sis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓	
ICD-10	Description	
F0150	Vascular dementia without behavioral disturbance	
F0151	Vascular denentia with behavioral disturbance	
G300	Alzheimer's disease with early onset	
G301	Alzheimer's disease with late onset	
G308	Other alzheimer's disease	
G309	Alzheimer's disease unspecified	

### Antibiotics, Inhaled

_		4		_	_
М	ro	α	u	CI	S

ARIKAYCE (amikacin liposomal)

Diagnosi	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
ICD-10	Description		
A310	Pulmonary mycobacterial infection		
A312	Disseminated mycobacterium avium	n-intracellulare c	omplex (DMAC)

## Diagnosis Restricted Drugs

### Anticonvulsants

roducts		
IACOMIT (stirip	pentol)	
Diagnos	sis Code Must Be Submitted on: Claim 🕡 Prior Authorization Request 🕡	
ICD-10 G40833	Description  Dravet Syndrome, Intractable, with status Epilepticus	
G40834	Dravet Syndrome, Intractable, without status Epilepticus	
	Diavet Syndrome, intractable, without status Ephephicus	
roducts		
PIDIOLEX (can	nabidiol)	
Diagnos	sis Code Must Be Submitted on: Claim ☐ Prior Authorization Request ✔	
ICD-10	Description	
G40811	Lennox-Gastaut syndrome, not intractable, with status epilepticus	
G40812	Lennox-Gastaut syndrome, not intractable, without status epilepticus	
G40813	Lennox-Gastaut syndrome, intractable, with status epilepticus	
G40814	Lennox-Gastaut syndrome, intractable, without status epilepticus	
G40833	Dravet Syndrome, Intractable, with status Epilepticus	
L_		
G40834	Dravet Syndrome, Intractable, without status Epilepticus	
Q851	Dravet Syndrome, Intractable, without status Epilepticus Tuberous Sclerosis	
Q851 roducts ANZEL (rufinar	Tuberous Sclerosis	
Q851 roducts ANZEL (rufinar	Tuberous Sclerosis mide)	
Q851 roducts ANZEL (rufinar Diagnos	Tuberous Sclerosis  mide) sis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓	
Q851 roducts ANZEL (rufinar Diagnos	Tuberous Sclerosis  mide)  sis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓  Description	
Q851 roducts ANZEL (rufinar Diagnos ICD-10 G40811	Tuberous Sclerosis  mide)  sis Code Must Be Submitted on: Claim  Prior Authorization Request  Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus	
Q851  roducts  ANZEL (rufinar  Diagnos  ICD-10  G40811  G40812	Tuberous Sclerosis  mide)  sis Code Must Be Submitted on: Claim Prior Authorization Request Poscription  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus	
Q851  roducts  ANZEL (rufinar  Diagnos  ICD-10  G40811  G40812  G40813  G40814	Tuberous Sclerosis  mide)  sis Code Must Be Submitted on: Claim Prior Authorization Request Pescription  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus	
Q851  roducts  ANZEL (rufinar  Diagnos  ICD-10  G40811  G40812  G40813  G40814  roducts	Tuberous Sclerosis  mide)  Sis Code Must Be Submitted on: Claim Prior Authorization Request Poscription  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus	
Q851  roducts  ANZEL (rufinar  Diagnos  ICD-10  G40811  G40812  G40813  G40814	Tuberous Sclerosis  mide)  Sis Code Must Be Submitted on: Claim Prior Authorization Request Poscription  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus	
Q851  roducts  ANZEL (rufinar  Diagnos  ICD-10  G40811  G40812  G40813  G40814  roducts  INTEPLA (fenfl	Tuberous Sclerosis  mide)  Sis Code Must Be Submitted on: Claim Prior Authorization Request Poscription  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus	
Q851  roducts  ANZEL (rufinar  Diagnos  ICD-10  G40811  G40812  G40813  G40814  roducts  INTEPLA (fenfl	Tuberous Sclerosis  mide)  sis Code Must Be Submitted on: Claim Prior Authorization Request Posscription  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus	
Q851  roducts  ANZEL (rufinar  Diagnos  ICD-10  G40811  G40812  G40813  G40814  roducts  INTEPLA (fenfl	Tuberous Sclerosis  mide)  sis Code Must Be Submitted on: Claim Prior Authorization Request Poescription  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Sis Code Must Be Submitted on: Claim Prior Authorization Request Prior Authorization Request	
Q851  roducts  ANZEL (rufinar  Diagnos  ICD-10  G40811  G40812  G40813  G40814  roducts  INTEPLA (fenfl  Diagnos  ICD-10	Tuberous Sclerosis  mide)  sis Code Must Be Submitted on: Claim Prior Authorization Request Prior Authorization Re	
Q851  roducts  ANZEL (rufinar  Diagnos  ICD-10  G40811  G40813  G40814  roducts  INTEPLA (fenfl  Diagnos  ICD-10  G40811	Tuberous Sclerosis  mide)  Sis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓  Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Juramine)  Sis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓  Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus	
Q851  roducts  ANZEL (rufinar  Diagnos  ICD-10  G40811  G40813  G40814  roducts  INTEPLA (fenfl  Diagnos  ICD-10  G40811  G40812	Tuberous Sclerosis  mide)  sis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓  Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Juramine)  sis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓  Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus	
Q851  roducts  ANZEL (rufinar  Diagnos  ICD-10  G40811  G40813  G40814  roducts  INTEPLA (fenfl  Diagnos  ICD-10  G40811  G40812  G40813	Tuberous Sclerosis  mide)  sis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓  Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  luramine)  sis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓  Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus	

## Diagnosis Restricted Drugs

	onvuls	ants	
Produ	ucts		
SYMP	PAZAN (clo	bazam)	
	Diagnos	is Code Must Be Submitted on: Claim 🕡 Prior Authorization Request 🕡	
	ICD-10	Description	
	G40811	Lennox-Gastaut syndrome, not intractable, with status epilepticus	
	G40812	Lennox-Gastaut syndrome, not intractable, without status epilepticus	
	G40813	Lennox-Gastaut syndrome, intractable, with status epilepticus	
	G40814	Lennox-Gastaut syndrome, intractable, without status epilepticus	
diclofe	enac sodiur	m 3% gel (Example brand: SOLARAZE) is Code Must Be Submitted on: Claim ✓ Prior Authorization Request □	_
	ICD-10	Description	
	L570	Actinic Keratosis	
Antivi	iral Ag	ents	
Produ	ucts		
LIVTE	ENCITY (ma	aribavir)	
	Diagnos	is Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐	
	ICD-10	Description	
	B250	Cytomegaloviral disease pneumonitis	
	B251	Cytomegaloviral disease hepatitis	

B252

B258

B259

Cytomegaloviral disease pancreatitis

Cytomegaloviral disease, Unspecified

Other cytomegaloviral diseases

## Diagnosis Restricted Drugs

# Central Nervous System Agents, Miscellaneous

RELYVRIC					
	O (phen	/lbutyrate)		RILUTEK (riluzole)	
Dia	agnosis	Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	D-10	Description	•	. Ц	
	221	Amyotrophic lateral sclerosis			
Products					
NUEDEXT	A (dext	romethorphan hbr/quinidine)			
Dia	agnosis	Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICI	D-10	Description	ت ا		
F48		Pseudobulbar affect			
ystic F	ibro	sis			
-					
Products					
BRONCHI	TOL (m	annitol)			
			Claim <b></b> ✓	Prior Authorization Request	
Dia	agnosis	Code Must Be Submitted on:	Jiaiiii 🗸	The Addicined to the Ad	
	agnosis D-10	Description		The Addistraction Request	
ICI E8	<b>D-10</b>	<b>Description</b> Cystic Fibrosis with Pulmonary Ma		The Authorization Request _	
ICI E8- E8-	<b>D-10</b> 40 411	Description Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis	nifestations	The Authorization Request	
E8 E8	<b>D-10</b> 340 3411	Description Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis Cystic Fibrosis with Other Intestina	nifestations	The Authorization Request	
E8 E8 E8	D-10 440 4411 4419	Description  Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis  Cystic Fibrosis with Other Intestina  Cystic Fibrosis with Other Manifest	nifestations	The Authorization Request	
E8 E8 E8	<b>D-10</b> 340 3411	Description Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis Cystic Fibrosis with Other Intestina	nifestations	The Authorization Request	
E8 E8 E8 E8 E8	D-10 440 4411 4419 448 449	Description Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis Cystic Fibrosis with Other Intestina Cystic Fibrosis with Other Manifest Cystic Fibrosis, Unspecified	nifestations	The Authorization Request	
E8 E8 E8 E8 E8	D-10 440 4411 4419 448 449	Description Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis Cystic Fibrosis with Other Intestina Cystic Fibrosis with Other Manifest Cystic Fibrosis, Unspecified	nifestations	The Authorization Request [	
riedreid	D-10 440 4411 4419 448 449	Description Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis Cystic Fibrosis with Other Intestina Cystic Fibrosis with Other Manifest Cystic Fibrosis, Unspecified	nifestations	The Authorization Request	
E8 E8 E8 E8 E8	D-10 440 4411 4419 448 449	Description Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis Cystic Fibrosis with Other Intestina Cystic Fibrosis with Other Manifest Cystic Fibrosis, Unspecified	nifestations	The Authorization Request	
riedreic	D-10 440 4411 4419 448 449 Ch's	Description Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis Cystic Fibrosis with Other Intestina Cystic Fibrosis with Other Manifest Cystic Fibrosis, Unspecified	nifestations	The Authorization Request	
riedreid  Products  SKYCLAR	D-10 440 4411 4419 448 449 Ch's	Description  Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis Cystic Fibrosis with Other Intestina Cystic Fibrosis with Other Manifest Cystic Fibrosis, Unspecified  Ataxia	nifestations  Il Manifestations tations	Prior Authorization Request	
riedreid  Products  SKYCLAR	D-10 440 4411 4419 448 449 Ch's	Description  Cystic Fibrosis with Pulmonary Ma Meconium Ileus in Cystic Fibrosis Cystic Fibrosis with Other Intestina Cystic Fibrosis with Other Manifest Cystic Fibrosis, Unspecified  Ataxia	nifestations		

## Diagnosis Restricted Drugs

## Gamma Aminobutyric Acid Class

Products	
GRALISE (gaba	apentin)
Diagnos	sis Code Must Be Submitted on: Claim Prior Authorization Request
ICD-10	Description
B0221	Postherpetic geniculate ganglionitis
B0222	Postherpetic trigeminal neuralgia
B0223	Postherpetic polyneuropathy
B0224	Postherpetic myelitis
B0229	Other postherpetic nervous system involvement

### Diagnosis Restricted Drugs

## Hypoglycemics, GLP1

#### **Products**

ADLYXIN (lixisenatide)
BYETTA (exenatide)
OZEMPIC (semaglutide)
TRULICITY (dulaglutide)
VICTOZA 3-PAK (liraglutide)

BYDUREON BCISE (exenatide microspheres)
MOUNJARO (tirzepatide)
RYBELSUS (semaglutide)
VICTOZA 2-PAK (liraglutide)

Effective: 9/1/2023

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓

#### ICD-10 Description

ICD-10	Description
E1100	Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)
E1101	Type 2 diabetes mellitus with hyperosmolarity with coma
E1110	Type 2 diabetes mellitus with ketoacidosis without coma
E1111	Type 2 diabetes mellitus with ketoacidosis with coma
E1121	Type 2 diabetes mellitus with diabetic nephropathy
E1122	Type 2 diabetes mellitus with diabetic chronic kidney disease
E1129	Type 2 diabetes mellitus with other diabetic kidney complication
E11311	Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema
E11319	Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular edema
E113211	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, rt eye
E113212	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, It eye
E113213	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, bilat
E113219	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, unsp eye
E113291	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, rt eye
E113292	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, lt eye
E113293	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, bilat
E113299	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, unsp eye
E113311	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, rt eye
E113312	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, lt eye
E113313	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, bilat
E113319	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, unsp eye
E113391	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, rt eye
E113392	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, lt eye
E113393	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, bilat
E113399	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, unsp eye
E113411	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, rt eye
E113412	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, lt eye
E113413	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, bilat
E113419	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, unspe eye
E113491	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, rt eye
E113492	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, lt eye
E113493	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, bilat
E113499	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, unsp eye
E113511	Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, right eye
E113512	Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, left eye
E113513	Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, bilateral
E113519	Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, unspecified eye
E113521	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, rt eye
-	

## Diagnosis Restricted Drugs

## Hypoglycemics, GLP1

E113522	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, It eye
E113523	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, bilat
E113529	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, unsp eye
E113531	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, rt eye
E113532	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, It eye
E113533	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, bilat
E113539	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, unsp eye
E113541	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, rt eye
E113542	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, It eye
E113543	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, bilat
E113549	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, unsp
E113551	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye
E113552	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye
E113553	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral
E113559	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye
E113591	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye
E113592	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye
E113593	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral
E113599	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye
E1136	Type 2 diabetes mellitus with diabetic cataract
E1137X1	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye
E1137X2	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye
E1137X3	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral
E1137X9	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye
E1139	Type 2 diabetes mellitus with other diabetic ophthalmic complication
E1140	Type 2 diabetes mellitus with diabetic neuropathy, unspecified
E1141	Type 2 diabetes mellitus with diabetic mononeuropathy
E1142	Type 2 diabetes mellitus with diabetic polyneuropathy
E1143	Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy
E1144	Type 2 diabetes mellitus with diabetic amyotrophy
E1149	Type 2 diabetes mellitus with other diabetic neurological complication
E1151	Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene
E1152	Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene
E1159	Type 2 diabetes mellitus with other circulatory complications
E11610	Type 2 diabetes mellitus with diabetic neuropathic arthropathy
E11618	Type 2 diabetes mellitus with other diabetic arthropathy
E11620	Type 2 diabetes mellitus with diabetic dermatitis
E11621	Type 2 diabetes mellitus with foot ulcer
E11622	Type 2 diabetes mellitus with other skin ulcer
E11628	Type 2 diabetes mellitus with other skin complications
E11630	Type 2 diabetes mellitus with periodontal disease
E11638	Type 2 diabetes mellitus with other oral complications
E11641	Type 2 diabetes mellitus with hypoglycemia with coma
E11649	Type 2 diabetes mellitus with hypoglycemia without coma
E1165	Type 2 diabetes mellitus with hyperglycemia
E1169	Type 2 diabetes mellitus with other specified complication
E118	Type 2 diabetes mellitus with unspecified complications
E119	Type 2 diabetes mellitus without complications

## Diagnosis Restricted Drugs

		1			1
1 1	กล	1/0	tra	n	~ · ·
		V.S	tro		ΙV
_	$\sim$	, <b>,</b> –		ν.	

Produ	ıcts				_
MYAL	EPT (metro	eleptin)			
	Diagnos	s Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	ICD-10	Description			
	E881	Lipodystrophy, not elsewhere class	sified		1
Produ	ıcts				_
EGRIF	FTA SV (te	samorelin)			
	Diagnos	s Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	Both diad	nosis codes required or see below			
	ICD-10	Description			
	B20	Human immunodeficiency virus [H	IV] Disease		7
	E881	Lipodystrophy, not elsewhere class			1
	Or an alte	ernative combination of codes			_
	ICD-10	Description			
	B9735	•	pe 2 [HIV 2] as	the cause of diseases classified elsewhere	1
	E881	Lipodystrophy, not elsewhere class	sified		1
ipod Produ	OSES				
CERD	ELGA (eliç	llustat tartrate)		ZAVESCA (miglustat)	
	Diagnos	s Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	ICD-10	Description			
	E7522	Gaucher disease			1
ysos	somal	Storage Disorder			
Produ	ıcts				
GALA	FOLD (mig	alastat)			
	Diagnos	s Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	ICD-10	Description			
	E7521	Fabry (-Anderson) Disease			1
		•			-

## Diagnosis Restricted Drugs

## **Movement Disorders**

Produ	ıcts				
AUSTE	EDO (deute	trabenazine)		AUSTEDO XR (deutetrabenazine)	
AUSTE	EDO XR TI	TRATION KT(WK1-4) (deutetrabena	zine)	INGREZZA (valbenazine)	
INGRE	EZZA INITIA	ATION PACK (valbenazine)			
	Diagnosis	s Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	ICD-10	Description			
	G10	Huntington's Disease			
	G2401	Drug Induced Subacute Dyskinesia	1		
	G2402	Other induced Acute Dystonia			
	G2409	Other Drug Induced Dystonia			
Produ	icts				
	zine (tetral	benazine)			
	ZINE (tetral	penazine) s Code Must Be Submitted on:	Claim <b>√</b>	Prior Authorization Request ☐	
	ZINE (tetral	,	Claim <b>✓</b>	Prior Authorization Request	
	ZINE (tetral	s Code Must Be Submitted on:	Claim <b>√</b>	Prior Authorization Request	
XENA	Diagnosis ICD-10 G10 DIE Scle	s Code Must Be Submitted on:  Description	Claim <b>✓</b>	Prior Authorization Request	
XENA	Diagnosis ICD-10 G10 DIE SCIE	Description HUNTINGTON'S DISEASE Prosis Agents, Other	Claim ✓	Prior Authorization Request	
XENA	Diagnosis ICD-10 G10 DIE Scle	Description HUNTINGTON'S DISEASE Prosis Agents, Other	Claim <b>✓</b>	Prior Authorization Request	
XENA	Diagnosis ICD-10 G10 DIE SCIE	Description HUNTINGTON'S DISEASE Prosis Agents, Other	Claim ✓	Prior Authorization Request  Prior Authorization Request	
XENA	Diagnosis ICD-10 G10 DIE SCIE	Description HUNTINGTON'S DISEASE Prosis Agents, Other  pridin)			

## Diagnosis Restricted Drugs

### Neuropathic Pain

v Orv (pro	gabalin)		
Diagnos	is Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗸		
ICD-10	Description		
B0221	POSTHERPETIC GENICULATE GANGLIONITIS		
B0222	POSTHERPETIC TRIGEMINAL NEURALGIA		
B0223	POSTHERPETIC POLYNEUROPATHY		
B0224	POSTHERPETIC MYELITIS		
B0229	OTHER POSTHERPETIC NERVOUS SYSTEM INVOLVEMENT		
E1040	TYPE 1 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED		
E1041	TYPE 1 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY		
E1042	TYPE 1 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY		
E1043	TYPE 1 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY		
E1044	TYPE 1 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY		
E1049	TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION		
E1140	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED		
E1141	TYPE 2 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY		
E1142	TYPE 2 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY		
E1143	TYPE 2 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY		
E1144	TYPE 2 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY		
E1149	TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION		

## Ophthalmics, Presbyopia

Produ	Products				
VUITY	∕ (pilocarpi	ne)			
	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	ICD-10	Description			
	H524	Presbyopia			

### Diagnosis Restricted Drugs

### Opioid Dependency - Buprenorphine

#### **Products** buprenorphine hcl (Example brand: SUBUTEX) buprenorphine-n (Example brand: SUBOXONE) buprenorphine-naloxone (Example brand: SUBOXONE) SUBLOCADE (buprenorphine) SUBOXONE (buprenorphine hcl/naloxone) ZUBSOLV (buprenorphine hcl/naloxone) Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request **ICD-10** Description F1120 Opioid dependence, uncomplicated F1120 Opioid dependence, uncomplicated F1121 Opioid dependence, in remission F1124 Opioid dependence with opioid-induced mood disorder F11250 Opioid dependence with opioid-induced psychotic disorder with delusions F11251 Opioid dependence with opioid-induced psychotic disorder with hallucinations F11259 Opioid dependence with opioid-induced psychotic disorder, unspecified F11281 Opioid dependence with opioid-induced sexual dysfunction F11282 Opioid dependence with opioid-induced sleep disorder F11288 Opioid dependence with other opioid-induced disorder

### Opioid Dependency Agents - Methadone

Opioid dependence with unspecified opioid-induced disorder

F1129

Products	Products			
DISKETS 4	0 MG	TABLET DISPR (methadone hcl)  METHADONE INTENSOL 10 MG/ML (methadon	METHADONE INTENSOL 10 MG/ML (methadone hcl)	
METHADOS	SE 10	) MG/ML ORAL CONC (methadone hcl) METHADOSE 40 MG TABLET DISPR (methado	ne hcl)	
Diaç	gnosis	is Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗌		
ICD	-10	Description		
F11	F1120 Opioid dependence, uncomplicated			
F11	F1121 Opioid dependence, in remission			
F11	24	Opioid dependence with opioid-induced mood disorder		
F11	F11250 Opioid dependence with opioid-induced psychotic disorder with delusions			
F11	F11251 Opioid dependence with opioid-induced psychotic disorder with hallucinations			
F11	259	59 Opioid dependence with opioid-induced psychotic disorder, unspecified		
F11	281	Opioid dependence with opioid-induced sexual dysfunction		
F11	282	Opioid dependence with opioid-induced sleep disorder		
F11	288	Opioid dependence with other opioid-induced disorder		
F11	29	Opioid dependence with unspecified opioid-induced disorder		

## Diagnosis Restricted Drugs

## Opioid Dependency and Alcohol Abuse/Dependency Agents

xone hcl (Example brand: REVIA)  VIVITROL (naltrexone microspheres)		
one nor (E	viviiio biana. NE vivi	
Diagnosi	s Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗌	
ICD-10	Description	
F1010	Alcohol abuse, uncomplicated	
F1011	Alcohol abuse, uncomplicated	
F1014	Alcohol abuse with alcohol-induced mood disorder	
F10150	Alcohol abuse with alcohol-induced psychotic disorder with delusions	
F10151	Alcohol abuse with alcohol-induced psychotic disorder with hallucinations	
F10159	Alcohol abuse with alcohol-induced psychotic disorder, unspecified	
F10180	Alcohol abuse with alcohol-induced anxiety disorder	
F10181	Alcohol abuse with alcohol-induced sexual dysfunction	
F10182	Alcohol abuse with alcohol-induced sleep disorder	
F10188	Alcohol abuse with other alcohol-induced disorder	
F1019	Alcohol abuse with unspecified alcohol-induced disorder	
F1020	Alcohol dependence, uncomplicated	
F1021	Alcohol dependence, in remission	
F1024	Alcohol dependence with alcohol-induced mood disorder	
F10250	Alcohol dependence with alcohol-induced psychotic disorder with delusions	
-10251	Alcohol dependence with alcohol-induced psychotic disorder with hallucinations	
F10259	Alcohol dependence with alcohol-induced psychotic disorder, unspecified	
1026	Alcohol dependence with alcohol-induced persisting amnestic disorder	
1027	Alcohol dependence with alcohol-induced persisting dementia	
10280	Alcohol dependence with alcohol-induced anxiety disorder	
-10281	Alcohol dependence with alcohol-induced sexual dysfunction	
-10282	Alcohol dependence with alcohol-induced sleep disorder	
F10288	Alcohol dependence with other alcohol-induced disorder	
F1029	Alcohol dependence with unspecified alcohol-induced disorder	
1094	Alcohol use, unspecified with alcohol-induced mood disorder	
F10950	Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions	
F10951	Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations	
F10959	Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified	
-1096	Alcohol use, unspecified with alcohol-induced persisting amnestic disorder	
F1097	Alcohol use, unspecified with alcohol-induced persisting dementia	
-10980	Alcohol use, unspecified with alcohol-induced anxiety disorder	
F10981	Alcohol use, unspecified with alcohol-induced sexual dysfunction	
-10982	Alcohol use, unspecified with alcohol-induced sleep disorder	
-10988	Alcohol use, unspecified with other alcohol-induced disorder	
-1099	Alcohol use, unspecified with unspecified alcohol-induced disorder	
F1120	Opioid dependence, uncomplicated	
F1121	Opioid dependence, in remission	
F1124	Opioid dependence with opioid-induced mood disorder	
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions	
F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations	
F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified	

Opioid dependence with opioid-induced sexual dysfunction

F11281

### Diagnosis Restricted Drugs

## Opioid Dependency and Alcohol Abuse/Dependency Agents

F11282	Opioid dependence with opioid-induced sleep disorder		
F11288	Opioid dependence with other opioid-induced disorder		
F1129	Opioid dependence with unspecified opioid-induced disorder		

### Peptic Ulcer

#### **Products**

DARTISLA (glycopyrrolate)

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐

#### ICD-10 Description

K270	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH HEMORRHAGE
K271	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH PERFORATION
K272	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH BOTH HEMORRHAGE AND PERFORATION
K273	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITHOUT HEMORRHAGE OR PERFORATION
K274	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH HEMORRHAGE
K275	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH PERFORATION
K276	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH BOTH HEMORRHAGE AND PER
K277	CHRONIC PEPTIC ULCER, SITE UNSPECIFIED, WITHOUT HEMORRHAGE OR PERFORATION
K279	PEPTIC ULCER, SITE UNSPECIFIED, UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT HEMORRHAGE

## **Progestational Agent**

#### **Products**

CRINONE 8% GEL (progesterone)

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐

#### ICD-10 Description

O09211	Supervision of pregnancy with history of pre-term labor, first trimester		
O09212	Supervision of pregnancy with history of pre-term labor, second trimester		
O09213	Supervision of pregnancy with history of pre-term labor, third trimester		
O09219	Supervision of pregnancy with history of pre-term labor, unspecified trimester		
O09291	Supervision of pregnancy with other poor reproductive or obstetric history, first trimester		
O09292	Supervision of pregnancy with other poor reproductive or obstetric history, second trimester		
O09293	Supervision of pregnancy with other poor reproductive or obstetric history, third trimester		
O09299	Supervision of pregnancy with other poor reproductive or obstetric history, unspecified trimester		
O26872	Cervical shortening, second trimester		
O26873	Cervical shortening, third trimester		
O26879	Cervical shortening, unspecified trimester		

### Diagnosis Restricted Drugs

### Proteinuria Reduction

**Products** 

TARPEYO (budesonide)

Diagnosis Code Must Be Submitted on: Claim ✓

aim 🗸 Prior Authorization Request 🗸

ICD-10 Description

N028 RECURRENT AND PERSISTENT HEMATURIA WITH OTHER MORPHOLOGIC CHANGES

### Pulmonary Anti-Hypertensive Agents

#### **Products**

ADCIRCA (tadalafil) LIQREV (sildenafil citrate) TADLIQ (tadalafil) ALYQ (tadalafil) REVATIO (sildenafil citrate)

Effective: 9/1/2023

Diagnosis Code Must Be Submitted on:

Claim 🗸

Prior Authorization Request 🗸

#### ICD-10 Description

1270	Primary pulmonary hypertension
12720	Pulmonary hypertension, unspecified
12721	Secondary pulmonary arterial hypertension
12722	Pulmonary hypertension due to left heart disease
12723	Pulmonary hypertension Due to Lung Diseases and hypoxia
12724	Chronic thromboembolic pulmonary hypertension
12729	Other secondary pulmonary hypertension
12783	Eisenmenger's syndrome

### Diagnosis Restricted Drugs

### **Smoking Cessation**

F908

F909

Attention-deficit hyperactivity disorder, other type

Attention-deficit hyperactivity disorder, unspecified type

#### **Products** bupropion hcl sr 150 mg tablet (Example brand: ZYBAN) CHANTIX (varenicline tartrate) nicotine 2 mg c (Example brand: NICORETTE) nicotine gum (Example brand: NICORETTE) nicotine lozenge (Example brand: NICORETTE) nicotine lozenge (Example brand: NICOTINE) nicotine patch (Example brand: CVS NICOTINE) nicotine patch (Example brand: NICOTINE) NICOTROL (nicotine) NICOTROL NS (nicotine) Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request ICD-10 Description F17200 Nicotine dependence, unspecified, uncomplicated F17201 Nicotine dependence, unspecified, in remission F17203 Nicotine dependence unspecified, with withdrawal 17208 Nicotine dependence, unspecified, with other nicotine-induced disorders -17209 Nicotine dependence, unspecified, with unspecified nicotine-induced disorders -17210 Nicotine dependence, cigarettes, uncomplicated F17211 Nicotine dependence, cigarettes, in remission F17213 Nicotine dependence, cigarettes, with withdrawal F17218 Nicotine dependence, cigarettes, with other nicotine-induced disorders F17219 Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders F17220 Nicotine dependence, chewing tobacco, uncomplicated 17221 Nicotine dependence, chewing tobacco, in remission -17223 Nicotine dependence, chewing tobacco, with withdrawal 17228 Nicotine dependence, chewing tobacco, with other nicotine-induced disorders -17229 Nicotine dependence, chewing tobacco, with unspecified nicotine-induced disorders 17290 Nicotine dependence, other tobacco product, uncomplicated F17291 Nicotine dependence, other tobacco product, in remission F17293 Nicotine dependence, other tobacco product, with withdrawal F17298 Nicotine dependence, other tobacco product, with other nicotine-induced disorders F17299 Nicotine dependence, other tobacco product, with unspecified nicotine-induced disorders Z720 Tobacco use Stimulants, Desoxyn **Products** DESOXYN (methamphetamine hcl) Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request **ICD-10** Description F900 Attention-deficit hyperactivity disorder, predominantly inattentive type F901 Attention-deficit hyperactivity disorder, predominantly hyperactive type F902 Attention-deficit hyperactivity disorder, combined type

## Diagnosis Restricted Drugs

## Stimulants, Excluding Desoxyn and Vyvanse

G47419

Narcolepsy without cataplexy

Product	ts				
ADDER	ALL (dext	troamphetamine/amphetamine)	ADDERALL XR (dextroamphetamine/amphetamine)		
ADHANSIA XR (methylphenidate)			ADZENYS XR-ODT (amphetamine)		
APTENSIO XR (methylphenidate hcl)			AZSTARYS (serdexmethylphenidate/dexmethylphenida		
CONCERTA (methylphenidate hcl)			COTEMPLA XR-ODT (methylphenidate)		
DAYTRANA (methylphenidate hcl)			DEXEDRINE (dextroamphetamine sulfate)		
dextroamphetamine sulfate er (Example brand: DEXEDRINE)			DYANAVEL XR (amphetamine)		
EVEKEO (amphetamine)			FOCALIN (dexmethylphenidate hcl)		
FOCALI	N XR (de	exmethylphenidate hcl)	JORNAY PM (methylphenidate er)		
METHY	LIN (meth	nylphenidate hcl)	methylphenidate er (Example brand: METADATE ER)		
methylpl	henidate	er (Example brand: METHYLIN)	methylphenidate hcl (Example brand: METHYLIN CHEV		
methylpl	henidate	hcl cd (Example brand: METADATE CD)	methylphenidate hcl er (cd) (Example brand: METADAT		
		la (Example brand: RITALIN LA)	MYDAYIS (dextroamphetamine/amphetamine)		
PROCE	NTRA (de	extroamphetamine sulfate)	QUILLIVANT XR (methylphenidate hcl)		
RELEXX	KII (methy	/lphenidate)	RITALIN (methylphenidate hcl)		
RITALIN	I LA (met	hylphenidate hcl)	ZENZEDI (dextroamphetamine sulfate)		
_	ICD-10	Description			
_	F900	Attention-deficit hyperactivity disorder, predomina	ntly inattentive type		
31 2 21		Attention-deficit hyperactivity disorder, predomina	, , , , , , , , , , , , , , , , , , , ,		
F	F902	Attention-deficit hyperactivity disorder, combined			
F	F908	Attention-deficit hyperactivity disorder, other type	<del></del>		
F	F909	Attention-deficit hyperactivity disorder, unspecified	d type		
Ō	G47411	Narcolepsy with cataplexy			
Ō	G47419	Narcolepsy without cataplexy			
timula	ants,	Vyvanse			
Product	ts				
VYVANS	SE (lisde)	xamfetamine dimesylate)	VYVANSE CHEWABLE (lisdexamfetamine dimesylate)		
	Diagnosi	s Code Must Be Submitted on: Claim 🗸	Prior Authorization Request		
ı	ICD-10	Description			
F	F5081	Binge Eating Disorder			
F	F900	Attention-deficit hyperactivity disorder, predomina	ntly inattentive type		
F	F901	Attention-deficit hyperactivity disorder, predomina	ntly hyperactive type		
F	F902	Attention-deficit hyperactivity disorder, combined	туре		
F	F908	Attention-deficit hyperactivity disorder, other type			
F	F909	Attention-deficit hyperactivity disorder, unspecified	d type		
ļ	G47411	Narcolepsy with cataplexy			
		· · · · · · · · · · · · · · · · · · ·			

### Diagnosis Restricted Drugs

### Vitamins, Renal

N251

N2581

N2589

N259

Nephrogenic diabetes insipidus

Secondary hyperparathyroidism of renal origin

Other disorders resulting from impaired renal tubular function

Disorder resulting from impaired renal tubular function, unspecified

#### **Products** DIALYVITE (folic acid combination) DIALYVITE 3000 (folic acid combination) DIALYVITE 800 WITH IRON (fe fumarate combinations) FERROCITE PLUS (iron combinations) FOLBEE PLUS (folic acid combination) FOLBEE PLUS CZ (folic acid combination) TRIPHROCAPS (vitamin b complex) VIRT-CAPS (vitamin b complex) WESCAPS (vitamin b complex) VP-VITE RX (vitamin b complex) Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request **ICD-10** Description N181 Chronic kidney disease, Stage 1 N182 Chronic kidney disease, Stage 2 (mild) N1830 Chronic kidney disease, stage 3 unspecified N1831 Chronic kidney disease, stage 3A N1832 Chronic kidney disease, stage 3B N184 Chronic kidney disease, Stage 4 (severe) N185 Chronic kidney disease, Stage 5 N186 End stage renal disease N189 Chronic kidney disease, unspecified Renal osteodystrophy N250