Diagnosis Restricted Drugs

The table below includes a list of drugs that are diagnosis-restricted for pharmacy compound and non-compound claims. This table specifies if the diagnosis must be indicated on the claim, prior authorization (PA) request, or both. See the link below for physician-administered diagnosis restrictions.

If the prescriber writes a prescription with a diagnosis outside the ForwardHealth-allowed diagnoses for a drug, the prescriber is required to submit peer-reviewed medical literature to support the proven efficacy and safety of the requested use of the drug. Documentation of previous treatments and detailed reasons why other covered drug treatments were discontinued or not utilized are required. Medical records should be provided as necessary to support the PA request. This information should be documented on the Prior Authorization/Drug Attachment (PA/DGA), F- 11049 (10/13), in Section V (Clinical Information for Diagnosis-Restricted Drug Requests).

When completing the PA/DGA, prescribers should provide the diagnosis code and description, complete Section V, and use Section VIII (Additional Information), if needed. Prescribers are reminded to provide a handwritten signature and date on the form before submitting it to the pharmacy provider where the prescription will be filled. The pharmacy provider is required to complete a Prior Authorization Request Form (PA/RF), F- 11018 (05/13), before submitting the forms and supporting documentation to ForwardHealth. Prescribers should not submit PA forms to ForwardHealth.

As a reminder, prescribers and pharmacy providers are required to retain a completed copy of the PA form(s).

For additional information about diagnosis-restricted drug policy, providers may refer to the ForwardHealth Online Handbook Topic #4403, 15537, and 15937: https://www.forwardhealth.wi.gov/wiportal/subsystem/kw/display.aspx

Physician Administered diagnosis restrictions can be found at: https://www.forwardhealth.wi.gov/WIPortal/Tab/42/icscontent/Provider/medicaid/physician/data_tables/index.htm.spage

Diagnosis Restricted Drugs

Effective: 3/1/2024

Alzheimer's Agents

Products

NAMENDA XR (memantine hcl)

Diagnosis Code Must Be Submitted on: Claim 🖌 Prior Authorization Request 🗸

ICD-10 Description

F0150	Vascular dementia without behavioral disturbance
F0151	Vascular denentia with behavioral disturbance
G300	Alzheimer's disease with early onset
G301	Alzheimer's disease with late onset
G308	Other alzheimer's disease
G309	Alzheimer's disease, unspecified

Antibiotics, Inhaled

Products

ARIKAYCE (amikacin liposomal)

Diagnosis Coo	le Must Be S	ubmitted on:
---------------	--------------	--------------

Prior Authorization Request 🖌

	ICD-10	Description
A310 Pulmonary mycobacterial infection		Pulmonary mycobacterial infection
	A312	Disseminated mycobacterium avium-intracellulare complex (DMAC)

Diagnosis Restricted Drugs

Effective: 3/1/2024

Anticonvulsants

COMIT (stirip	entol)
Diagnosi	s Code Must Be Submitted on: Claim 🖌 Prior Authorization Request 🖌
ICD-10	Description
G40833	Dravet Syndrome, Intractable, with status Epilepticus
G40834	Dravet Syndrome, Intractable, without status Epilepticus
ducts DIOLEX (can Diagnosi	nabidiol) s Code Must Be Submitted on: Claim
DIOLEX (can	
DIOLEX (can Diagnosi	s Code Must Be Submitted on: Claim Prior Authorization Request ✔
DIOLEX (can Diagnosi ICD-10	s Code Must Be Submitted on: Claim Prior Authorization Request ✔ Description
DIOLEX (can Diagnosi ICD-10 G40811	s Code Must Be Submitted on: Claim Prior Authorization Request Description Lennox-Gastaut syndrome, not intractable, with status epilepticus
DIOLEX (can Diagnosi ICD-10 G40811 G40812	s Code Must Be Submitted on: Claim
DIOLEX (can Diagnosi ICD-10 G40811 G40812 G40813	s Code Must Be Submitted on: Claim
DIOLEX (can Diagnosi ICD-10 G40811 G40812 G40813 G40814	s Code Must Be Submitted on: Claim Prior Authorization Request ✓ Description ✓ ✓ ✓ Lennox-Gastaut syndrome, not intractable, with status epilepticus ✓ ✓ Lennox-Gastaut syndrome, not intractable, with status epilepticus ✓ ✓ Lennox-Gastaut syndrome, intractable, with status epilepticus ✓ ✓ Lennox-Gastaut syndrome, intractable, with status epilepticus ✓ ✓ Lennox-Gastaut syndrome, intractable, without status epilepticus ✓ ✓

Diagnosis Code Must Be Submitted on: Claim 🔽 Prior Authorization Request 🔽

ICD-10	Description
G40811	Lennox-Gastaut syndrome, not intractable, with status epilepticus
G40812	Lennox-Gastaut syndrome, not intractable, without status epilepticus
G40813	Lennox-Gastaut syndrome, intractable, with status epilepticus
G40814	Lennox-Gastaut syndrome, intractable, without status epilepticus

Products

FINTEPLA (fenfluramine)

Diagnosis Code Must Be Submitted on:

Prior Authorization Request 🗸

ICD-10 Description

G40811	Lennox-Gastaut syndrome, not intractable, with status epilepticus
G40812	Lennox-Gastaut syndrome, not intractable, without status epilepticus
G40813	Lennox-Gastaut syndrome, intractable, with status epilepticus
G40814	Lennox-Gastaut syndrome, intractable, without status epilepticus
G40833	Dravet Syndrome, Intractable, with status Epilepticus
G40834	Dravet Syndrome, Intractable, without status Epilepticus

Diagnosis Restricted Drugs

Effective: 3/1/2024

Anticonvulsants

de Must Be Submitted on: scription nox-Gastaut syndrome, not int nox-Gastaut syndrome, intract nox-Gastaut syndrome, intract nox-Gastaut syndrome, intract de Must Be Submitted on: scription clin-Dependent Kinase-Like 5 E	tractable, without table, with status table, without stat Claim	status epilepticus epilepticus tus epilepticus Prior Authorization Request	
nnox-Gastaut syndrome, not int nnox-Gastaut syndrome, not int nnox-Gastaut syndrome, intract nnox-Gastaut syndrome, intract) de Must Be Submitted on: scription clin-Dependent Kinase-Like 5 E	tractable, with sta tractable, without table, with status table, without stat	Atus epilepticus status epilepticus epilepticus tus epilepticus Prior Authorization Request	
nnox-Gastaut syndrome, not int inox-Gastaut syndrome, not int inox-Gastaut syndrome, intract inox-Gastaut syndrome, intract) de Must Be Submitted on: scription clin-Dependent Kinase-Like 5 E	tractable, without table, with status table, without stat Claim	status epilepticus epilepticus tus epilepticus Prior Authorization Request	
nox-Gastaut syndrome, not int nox-Gastaut syndrome, intract nox-Gastaut syndrome, intract) de Must Be Submitted on: scription clin-Dependent Kinase-Like 5 D	tractable, without table, with status table, without stat Claim	status epilepticus epilepticus tus epilepticus Prior Authorization Request	
nox-Gastaut syndrome, intract nox-Gastaut syndrome, intract) de Must Be Submitted on: scription clin-Dependent Kinase-Like 5 E	table, with status table, without stat Claim v	epilepticus tus epilepticus Prior Authorization Request	
nox-Gastaut syndrome, intract) de Must Be Submitted on: scription clin-Dependent Kinase-Like 5 D	table, without stat	Prior Authorization Request v	
) de Must Be Submitted on: scription Slin-Dependent Kinase-Like 5 D	Claim ✔	Prior Authorization Request 🖌	
de Must Be Submitted on: scription lin-Dependent Kinase-Like 5 D			
de Must Be Submitted on: scription lin-Dependent Kinase-Like 5 D			
scription Slin-Dependent Kinase-Like 5 E			
clin-Dependent Kinase-Like 5 E	Deficiency Disorde	er	
· ·	Deficiency Disorde	er	
ts Other	-		
ne)			
de Must Be Submitted on:	Claim 🖌	Prior Authorization Request 🖌	
scription			
and Premalionan	t Lesion A	gent Tonical	
and Fremalighan	C LOSION /		
gel (Example brand: SOLARA	ZE)		
do Must Bo Submitted on	Claim [Prior Authorization Paguast	
		de Must Be Submitted on: Claim v scription stpartum depression and Premalignant Lesion A gel (Example brand: SOLARAZE)	de Must Be Submitted on: Claim Prior Authorization Request scription stpartum depression and Premalignant Lesion Agent, Topical gel (Example brand: SOLARAZE)

ICD-10	Description
L570	Actinic Keratosis

Diagnosis Restricted Drugs

Effective: 3/1/2024

Antiviral Agents

Products LIVTENCITY (maribavir) Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request ICD-10 Description B250 Cytomegaloviral disease pneumonitis B251 Cytomegaloviral disease hepatitis B252 Cytomegaloviral disease pancreatitis B258 Other cytomegaloviral diseases B259 Cytomegaloviral disease, Unspecified Central Nervous System Agents, Miscellaneous Products RELYVRIO (phenylbutyrate) RILUTEK (riluzole) Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request ICD-10 Description G1221 Amyotrophic lateral sclerosis Products NUEDEXTA (dextromethorphan hbr/quinidine) Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request ICD-10 Description F482 Pseudobulbar affect **Cystic Fibrosis** Products **BRONCHITOL** (mannitol) Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request ICD-10 Description E840 Cystic Fibrosis with Pulmonary Manifestations E8411 Meconium Ileus in Cystic Fibrosis E8419 Cystic Fibrosis with Other Intestinal Manifestations Cystic Fibrosis with Other Manifestations E848 E849 Cystic Fibrosis, Unspecified

Diagnosis Restricted Drugs

Effective: 3/1/2024

Friedreich's Ataxia

Products				
SKYCLARYS (omaveloxolone)			
Diagno	sis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-10	Description			
G1111	Friedreich Ataxia			
Gamma Ar	minobutyric Acid Class			
Products				
FIGURES				
GRALISE (gaba	apentin)			
Diagno	sis Code Must Be Submitted on:	Claim	Prior Authorization Request 🖌	
ICD-10	Description			
B0221	Postherpetic geniculate ganglionitis			
B0222	Postherpetic trigeminal neuralgia			
B0223	Postherpetic polyneuropathy			
B0224	Postherpetic myelitis			
B0229	Other postherpetic nervous system	involvement		
Glucocortio	coids Oral			
Products				
EOHILIA (bude	sonide)			
		. —		
Diagno	sis Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request 🖌	
ICD-10	Description			
K200	Eosinophilic Esophagitis			

Diagnosis Restricted Drugs

Effective: 3/1/2024

Hypoglycemics, GLP1

oducts	
DUREON BCIS	SE (exenatide microspheres) BYETTA (exenatide)
ounjaro (tirze	· · ·
BELSUS (sem	aglutide) TRULICITY (dulaglutide)
CTOZA 2-PAK	(liraglutide) VICTOZA 3-PAK (liraglutide)
Diagnosis	Code Must Be Submitted on: Claim 🖌 Prior Authorization Request 🖌
ICD-10	Description
E1100	Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)
E1101	Type 2 diabetes mellitus with hyperosmolarity with coma
E1110	Type 2 diabetes mellitus with ketoacidosis without coma
E1111	Type 2 diabetes mellitus with ketoacidosis with coma
E1121	Type 2 diabetes mellitus with diabetic nephropathy
E1122	Type 2 diabetes mellitus with diabetic chronic kidney disease
E1129	Type 2 diabetes mellitus with other diabetic kidney complication
E11311	Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema
E11319	Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular edema
E113211	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, rt eye
E113212	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, It eye
E113213	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, bilat
E113219	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, unsp eye
E113291	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, rt eye
E113292	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, lt eye
E113293	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, bilat
E113299	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, unsp eye
E113311	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, rt eye
E113312	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, It eye
E113313	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, bilat
E113319	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, unsp eye
E113391	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, rt eye
E113392	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, It eye
E113393	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, bilat
E113399	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, unsp eye
E113411	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, rt eye
E113412	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, It eye
E113413	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, bilat
E113419	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, unspe eye
E113491	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, rt eye
E113492	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, It eye
E113493	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, bilat
E113499	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, unsp eye
E113511	Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, right eye
E113512	Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, left eye
E113512	Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, left cyc
E113519	Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, unspecified eye
E113521	Type 2 diabetes mellitus with prolif diabetic retinopathy with macdial edenia, dispectified eye
	rype 2 diabetes mentus with proin diabete rethopathy w traction retinal dion macula, it eye

Diagnosis Restricted Drugs

Effective: 3/1/2024

Hypoglycemics, GLP1

E113523	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, bilat
E113529	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, unsp eye
E113531	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, rt eye
E113532	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, It eye
E113533	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, bilat
E113539	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, unsp eye
E113541	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, rt eye
E113542	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, It eye
E113543	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, bilat
E113549	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, unsp
E113551	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye
E113552	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye
E113553	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral
E113559	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye
E113591	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye
E113592	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye
E113593	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bit eye
E113599	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye
E1136	Type 2 diabetes mellitus with diabetic cataract
E1137X1	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye
E1137X2	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye
E1137X3	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral
E1137X9	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye
E1139	Type 2 diabetes mellitus with other diabetic ophthalmic complication
E1140	Type 2 diabetes mellitus with diabetic neuropathy, unspecified
E1141	Type 2 diabetes mellitus with diabetic mononeuropathy
E1142	Type 2 diabetes mellitus with diabetic polyneuropathy
E1143	Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy
E1144	Type 2 diabetes mellitus with diabetic amyotrophy
E1149	Type 2 diabetes mellitus with other diabetic neurological complication
E1151	Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene
E1152	Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene
E1159	Type 2 diabetes mellitus with other circulatory complications
E11610	Type 2 diabetes mellitus with diabetic neuropathic arthropathy
E11618	Type 2 diabetes mellitus with other diabetic arthropathy
E11620	Type 2 diabetes mellitus with diabetic dermatitis
E11621	Type 2 diabetes mellitus with foot ulcer
E11622	Type 2 diabetes mellitus with other skin ulcer
E11628	Type 2 diabetes mellitus with other skin complications
E11630	Type 2 diabetes mellitus with periodontal disease
E11638	Type 2 diabetes mellitus with other oral complications
E11641	Type 2 diabetes mellitus with hypoglycemia with coma
E11649	Type 2 diabetes mellitus with hypoglycemia without coma
E1165	Type 2 diabetes mellitus with hyperglycemia
E1169	Type 2 diabetes mellitus with other specified complication
E118	Type 2 diabetes mellitus with unspecified complications
E119	Type 2 diabetes mellitus without complications
L	21

Diagnosis Restricted Drugs

Effective: 3/1/2024

Lipd	ystroph	У			
Proc	ducts				
MYA	ALEPT (metro	eleptin)			
	Diagnos	is Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request	
	ICD-10	Description			
	E881	Lipodystrophy, not elsewhere class	ified		
Proc	ducts				
EGF	RIFTA SV (te	samorelin)			
	-	is Code Must Be Submitted on: gnosis codes required or see below	Claim 🖌	Prior Authorization Request	
	ICD-10	Description			
	B20	Human immunodeficiency virus [H	IV] Disease		
	E881	Lipodystrophy, not elsewhere class	ified		
	Or an alte	ernative combination of codes			
	ICD-10	Description			
	B9735	Human immunodeficiency virus, Ty	/pe 2 [HIV 2] as	the cause of diseases classified elsewhere	
	E881	Lipodystrophy, not elsewhere class	ified		
•	doses				
CER	RDELGA (elic	glustat tartrate)		YARGESA (miglustat)	
	ESCA (miglu			ZAVESCA 100 MG (miglustat)	
	Diagnos	is Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request	
	ICD-10	Description			
	E7522	Gaucher disease			
Lysc	osomal	Storage Disorder			
Proc	ducts				
GAL	AFOLD (mig	jalastat)			
	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	ICD-10	Description			
	E7521	Fabry (-Anderson) Disease			

Diagnosis Restricted Drugs

Effective: 3/1/2024

Movement Disorders

AUSTEDO (deu	tetrabenazine)		AUSTEDO XR (deutetrabenazine)	
AUSTEDO XR 1	TITRATION KT(WK1-4) (deutetraben	azine)	INGREZZA (valbenazine)	
NGREZZA INIT	IATION PACK (valbenazine)			
Diagnos	is Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request	
ICD-10	Description			
G10	Huntington's Disease			
G2401	Drug Induced Subacute Dyskines	ia		
G2402	Other induced Acute Dystonia			
G2409	Other Drug Induced Dystonia			
Due du ete				
XENAZINE (tetra	,	Claim 🔽	Prior Authorization Request	
Products XENAZINE (tetr: Diagnos ICD-10	abenazine) is Code Must Be Submitted on: Description	Claim ✔	Prior Authorization Request	
XENAZINE (tetra Diagnos	is Code Must Be Submitted on:	Claim ✔	Prior Authorization Request	
XENAZINE (tetra Diagnos ICD-10 G10	is Code Must Be Submitted on: Description		Prior Authorization Request	
XENAZINE (tetr Diagnos ICD-10 G10 Ultiple Sc	is Code Must Be Submitted on: Description HUNTINGTON'S DISEASE lerosis Agents, Other		Prior Authorization Request	
XENAZINE (tetra Diagnos ICD-10 G10 Ultiple Sc Products AMPYRA (dalfar	is Code Must Be Submitted on: Description HUNTINGTON'S DISEASE lerosis Agents, Other		Prior Authorization Request	
XENAZINE (tetra Diagnos ICD-10 G10 Ultiple Sc Products AMPYRA (dalfar	nis Code Must Be Submitted on: Description HUNTINGTON'S DISEASE Ierosis Agents, Other mpridin)			

Diagnosis Restricted Drugs

Effective: 3/1/2024

Neuropathic Pain

Products

LYRICA CR (pregabalin)

Diagnosis Code Must Be Submitted on: Claim 🖌 Prior Authorization Request 🖌					
ICD-10	Description				
B0221	POSTHERPETIC GENICULATE GANGLIONITIS				
B0222	POSTHERPETIC TRIGEMINAL NEURALGIA				
B0223	POSTHERPETIC POLYNEUROPATHY				
B0224	POSTHERPETIC MYELITIS				
B0229	OTHER POSTHERPETIC NERVOUS SYSTEM INVOLVEMENT				
E1040	TYPE 1 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED				
E1041	TYPE 1 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY				
E1042	TYPE 1 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY				
E1043	TYPE 1 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY				
E1044	TYPE 1 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY				
E1049	TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION				
E1140	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED				
E1141	TYPE 2 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY				
E1142	TYPE 2 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY				
E1143	TYPE 2 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY				
E1144	TYPE 2 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY				
E1149	TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION				

Ophthalmics, Presbyopia

Products				
VUITY (pilocarpine)				
Diagnos	Diagnosis Code Must Be Submitted on:		Prior Authorization Request	
ICD-10	Description			
H524	Presbyopia			

Diagnosis Restricted Drugs

Effective: 3/1/2024

Opioid Dependency - Buprenorphine

Products

100 40

BRIXADI (buprenorphine) BRIXADI MONTH 6 (buprenorphine) BRIXADI WEEKLY (buprenorphine) buprenorphine hcl (Example brand: SUBUTEX) SUBLOCADE (buprenorphine) ZUBSOLV (buprenorphine hcl/naloxone)

Description

BRIXADI MONTH 1 (buprenorphine) BRIXADI MONTH 9 (buprenorphine) buprenorphine (Example brand: SUBUTEX) buprenorphine-naloxone (Example brand: SUBOXONE) SUBOXONE (buprenorphine hcl/naloxone)

Diagnosis Code Must Be Submitted on:

Prior Authorization Request 🗸

ICD-10	Description
F1120	Opioid dependence, uncomplicated
F1120	Opioid dependence, uncomplicated
F1121	Opioid dependence, in remission
F1124	Opioid dependence with opioid-induced mood disorder
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions
F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations
F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified
F11281	Opioid dependence with opioid-induced sexual dysfunction
F11282	Opioid dependence with opioid-induced sleep disorder
F11288	Opioid dependence with other opioid-induced disorder
F1129	Opioid dependence with unspecified opioid-induced disorder

Claim 🗸

Opioid Dependency Agents - Methadone

Products

DISKETS 40 MG TABLET DISPR (methadone hcl)METHADONE INTENSOL 10 MG/ML (methadone hcl)METHADOSE 10 MG/ML ORAL CONC (methadone hcl)METHADOSE 40 MG TABLET DISPR (methadone hcl)

Claim 🗸

Diagnosis Code Must Be Submitted on:

Prior Authorization Request

ICD-10 Description

F1120	Opioid dependence, uncomplicated
F1121	Opioid dependence, in remission
F1124	Opioid dependence with opioid-induced mood disorder
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions
F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations
F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified
F11281	Opioid dependence with opioid-induced sexual dysfunction
F11282	Opioid dependence with opioid-induced sleep disorder
F11288	Opioid dependence with other opioid-induced disorder
F1129	Opioid dependence with unspecified opioid-induced disorder

Diagnosis Restricted Drugs

Opioid Dependency and Alcohol Abuse/Dependency Agents

	(Example brand: REVIA) naltrexone hcl (Example brand: REVIA xone microspheres)
-	s Code Must Be Submitted on: Claim 🖌 Prior Authorization Request 🦳
ICD-10	
F1010	Alcohol abuse, uncomplicated
F1011	Alcohol abuse, uncomplicated
F1014	Alcohol abuse with alcohol-induced mood disorder
F10150	Alcohol abuse with alcohol-induced psychotic disorder with delusions
F10151	Alcohol abuse with alcohol-induced psychotic disorder with hallucinations
F10159	Alcohol abuse with alcohol-induced psychotic disorder, unspecified
F10180	Alcohol abuse with alcohol-induced anxiety disorder
F10181	Alcohol abuse with alcohol-induced sexual dysfunction
F10182	Alcohol abuse with alcohol-induced sleep disorder
F10188	Alcohol abuse with other alcohol-induced disorder
F1019	Alcohol abuse with unspecified alcohol-induced disorder
F1020	Alcohol dependence, uncomplicated
F1021	Alcohol dependence, in remission
F1024	Alcohol dependence with alcohol-induced mood disorder
F10250	Alcohol dependence with alcohol-induced psychotic disorder with delusions
F10251	Alcohol dependence with alcohol-induced psychotic disorder with hallucinations
F10259	Alcohol dependence with alcohol-induced psychotic disorder, unspecified
F1026	Alcohol dependence with alcohol-induced persisting amnestic disorder
F1027	Alcohol dependence with alcohol-induced persisting dementia
F10280	Alcohol dependence with alcohol-induced anxiety disorder
F10281	Alcohol dependence with alcohol-induced sexual dysfunction
F10282	Alcohol dependence with alcohol-induced sleep disorder
F10288	Alcohol dependence with other alcohol-induced disorder
F1029	Alcohol dependence with unspecified alcohol-induced disorder
F1094	Alcohol use, unspecified with alcohol-induced mood disorder
F10950	Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions
F10951	Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations
F10959	Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified
F1096	Alcohol use, unspecified with alcohol-induced persisting amnestic disorder
F1097	Alcohol use, unspecified with alcohol-induced persisting dementia
F10980	Alcohol use, unspecified with alcohol-induced anxiety disorder
F10981	Alcohol use, unspecified with alcohol-induced sexual dysfunction
F10982	Alcohol use, unspecified with alcohol-induced sleep disorder
F10988	Alcohol use, unspecified with other alcohol-induced disorder
F1099	Alcohol use, unspecified with unspecified alcohol-induced disorder
F1120	Opioid dependence, uncomplicated
F1121	Opioid dependence, in remission
F1124	Opioid dependence with opioid-induced mood disorder
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions
F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations
	Out of the second second the second s

Opioid dependence with opioid-induced psychotic disorder, unspecified

F11259

Effective: 3/1/2024

Diagnosis Restricted Drugs

Effective: 3/1/2024

Opioid Dependency and Alcohol Abuse/Dependency Agents

F11281	Opioid dependence with opioid-induced sexual dysfunction
F11282	Opioid dependence with opioid-induced sleep disorder
F11288	Opioid dependence with other opioid-induced disorder
F1129	Opioid dependence with unspecified opioid-induced disorder

Peptic Ulcer

Products

DARTISLA (glycopyrrolate)

Diagnosis Code Must Be Submitted on:

Claim
Prior Authorization Request

ICD-10 Description

K270	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH HEMORRHAGE
K271	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH PERFORATION
K272	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH BOTH HEMORRHAGE AND PERFORATION
K273	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITHOUT HEMORRHAGE OR PERFORATION
K274	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH HEMORRHAGE
K275	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH PERFORATION
K276	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH BOTH HEMORRHAGE AND PER
K277	CHRONIC PEPTIC ULCER, SITE UNSPECIFIED, WITHOUT HEMORRHAGE OR PERFORATION
K279	PEPTIC ULCER, SITE UNSPECIFIED, UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT HEMORRHAGE

Pompe Disease

Produc	cts				
OPFOL	_DA (miglu	istat)			
	Diagnosi	s Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request 🖌	
	ICD-10	Description			
	E7402	Pompe disease			
		•			

Diagnosis Restricted Drugs

Effective: 3/1/2024

Progestational Agent

Products

CRINONE 8% GEL (progesterone)

Diagnosi	is Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗌					
ICD-10	Description					
O09211	Supervision of pregnancy with history of pre-term labor, first trimester					
O09212	Supervision of pregnancy with history of pre-term labor, second trimester					
O09213	Supervision of pregnancy with history of pre-term labor, third trimester					
O09219	Supervision of pregnancy with history of pre-term labor, unspecified trimester					
O09291	Supervision of pregnancy with other poor reproductive or obstetric history, first trimester					
O09292	Supervision of pregnancy with other poor reproductive or obstetric history, second trimester					
O09293	Supervision of pregnancy with other poor reproductive or obstetric history, third trimester					
O09299	Supervision of pregnancy with other poor reproductive or obstetric history, unspecified trimester					
O26872	Cervical shortening, second trimester					
O26873	Cervical shortening, third trimester					
O26879	Cervical shortening, unspecified trimester					

Proteinuria Reduction

Products

TARPEYO (budesonide)

Diagnosis Code Must Be Submitted on:		Claim 🖌	Prior Authorization Request 🖌
ICD-10	Description		
N028	RECURRENT AND PERSISTENT F	HEMATURIA V	VITH OTHER MORPHOLOGIC CHANGES

Claim 🗸

Pulmonary Anti-Hypertensive Agents

Products

ADCIRCA (tadalafil) ALYQ 20 MG TABL (tadalafil) REVATIO (sildenafil citrate) ALYQ (tadalafil) LIQREV (sildenafil citrate) TADLIQ (tadalafil)

Diagnosis Code Must Be Submitted on:

Prior Authorization Request 🗸

ICD-10	Description
1270	Primary pulmonary hypertension
12720	Pulmonary hypertension, unspecified
12721	Secondary pulmonary arterial hypertension
12722	Pulmonary hypertension due to left heart disease
12723	Pulmonary hypertension Due to Lung Diseases and hypoxia
12724	Chronic thromboembolic pulmonary hypertension
12729	Other secondary pulmonary hypertension
12783	Eisenmenger's syndrome

Diagnosis Restricted Drugs

Effective: 3/1/2024

Smoking Cessation

Products bupropion hcl sr 150 mg tablet (Example brand: ZYBAN) CHANTIX (varenicline tartrate) nicotine gum (Example brand: NICORETTE) nicotine lozenge (Example brand: NICORETTE) nicotine patch (Example brand: CVS NICOTINE) nicotine lozenge (Example brand: NICOTINE) nicotine patch (Example brand: NICOTINE) NICOTROL (nicotine) NICOTROL NS (nicotine) varenicline 0.5 (Example brand: CHANTIX) varenicline tartrate (Example brand: CHANTIX) Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request ICD-10 Description F17200 Nicotine dependence, unspecified, uncomplicated F17201 Nicotine dependence, unspecified, in remission F17203 Nicotine dependence unspecified, with withdrawal F17208 Nicotine dependence, unspecified, with other nicotine-induced disorders F17209 Nicotine dependence, unspecified, with unspecified nicotine-induced disorders F17210 Nicotine dependence, cigarettes, uncomplicated F17211 Nicotine dependence, cigarettes, in remission F17213 Nicotine dependence, cigarettes, with withdrawal F17218 Nicotine dependence, cigarettes, with other nicotine-induced disorders F17219 Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders 17220 Nicotine dependence, chewing tobacco, uncomplicated -17221 Nicotine dependence, chewing tobacco, in remission F17223 Nicotine dependence, chewing tobacco, with withdrawal -17228 Nicotine dependence, chewing tobacco, with other nicotine-induced disorders F17229 Nicotine dependence, chewing tobacco, with unspecified nicotine-induced disorders F17290 Nicotine dependence, other tobacco product, uncomplicated F17291 Nicotine dependence, other tobacco product, in remission F17293 Nicotine dependence, other tobacco product, with withdrawal F17298 Nicotine dependence, other tobacco product, with other nicotine-induced disorders F17299 Nicotine dependence, other tobacco product, with unspecified nicotine-induced disorders Z720 Tobacco use

Stimulants, Desoxyn

Products

DESOXYN (methamphetamine hcl)

Diagnosis Code Must Be Submitted on:

Prior Authorization Request 🖌

ICD-10 Description

F900	Attention-deficit hyperactivity disorder, predominantly inattentive type
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type
F902	Attention-deficit hyperactivity disorder, combined type
F908	Attention-deficit hyperactivity disorder, other type
F909	Attention-deficit hyperactivity disorder, unspecified type

Diagnosis Restricted Drugs

Effective: 3/1/2024

Stimulants, Excluding Desoxyn and Vyvanse

Products

ADDERALL (dextroamphetamine/amphetamine)	ADDERALL XR (dextroamphetamine/amphetamine)
ADHANSIA XR (methylphenidate)	ADZENYS XR-ODT (amphetamine)
APTENSIO XR (methylphenidate hcl)	AZSTARYS (serdexmethylphenidate/dexmethylphenida
CONCERTA (methylphenidate hcl)	COTEMPLA XR-ODT (methylphenidate)
DAYTRANA (methylphenidate hcl)	DEXEDRINE (dextroamphetamine sulfate)
dextroamphetamine sulfate er (Example brand: DEXEDRINE)	DYANAVEL XR (amphetamine)
EVEKEO (amphetamine)	FOCALIN (dexmethylphenidate hcl)
FOCALIN XR (dexmethylphenidate hcl)	JORNAY PM (methylphenidate er)
METHYLIN (methylphenidate hcl)	methylphenidate
methylphenidate er (Example brand: METADATE ER)	methylphenidate er (Example brand: METHYLIN)
methylphenidate hcl (Example brand: METHYLIN CHEW)	methylphenidate hcl cd (Example brand: METADATE C
methylphenidate hcl er (cd) (Example brand: METADATE CD)	methylphenidate la (Example brand: RITALIN LA)
MYDAYIS (dextroamphetamine/amphetamine)	PROCENTRA (dextroamphetamine sulfate)
QUILLICHEW ER (methylphenidate hcl)	QUILLIVANT XR (methylphenidate hcl)
RELEXXII (methylphenidate)	RELEXXII ER (methylphenidate hcl)
RELEXXII ER (methylphenidate)	RELEXXII ER 72 (methylphenidate)
RITALIN (methylphenidate hcl)	RITALIN LA (methylphenidate hcl)
ZENZEDI (dextroamphetamine sulfate)	

Diagnosis Code Must Be Submitted on: Claim 🗸

Prior Authorization Request

Prior Authorization Request

ICD-10 Description

ICD-10	Description
F900	Attention-deficit hyperactivity disorder, predominantly inattentive type
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type
F902	Attention-deficit hyperactivity disorder, combined type
F908	Attention-deficit hyperactivity disorder, other type
F909	Attention-deficit hyperactivity disorder, unspecified type
G47411	Narcolepsy with cataplexy
G47419	Narcolepsy without cataplexy

Stimulants, Vyvanse

Products

VYVANSE (lisdexamfetamine dimesylate)

VYVANSE CHEWABLE (lisdexamfetamine dimesylate)

Diagnosis Code Must Be Submitted on:

ICD-10 Description F5081 Binge Eating Disorder Attention-deficit hyperactivity disorder, predominantly inattentive type F900 F901 Attention-deficit hyperactivity disorder, predominantly hyperactive type F902 Attention-deficit hyperactivity disorder, combined type F908 Attention-deficit hyperactivity disorder, other type F909 Attention-deficit hyperactivity disorder, unspecified type G47411 Narcolepsy with cataplexy G47419 Narcolepsy without cataplexy

Diagnosis Restricted Drugs

Effective: 3/1/2024

Vitamins, Renal

Products DIALYVITE (folic acid combination) DIALYVITE 3000 (folic acid combination) DIALYVITE 800 WITH IRON (fe fumarate combinations) FERROCITE PLUS (iron combinations) FOLBEE PLUS (folic acid combination) FOLBEE PLUS CZ (folic acid combination) TRIPHROCAPS (vitamin b complex) VIRT-CAPS (vitamin b complex) WESCAPS (vitamin b complex) VP-VITE RX (vitamin b complex) Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request ICD-10 Description N181 Chronic kidney disease, Stage 1 N182 Chronic kidney disease, Stage 2 (mild) N1830 Chronic kidney disease, stage 3 unspecified N1831 Chronic kidney disease, stage 3A N1832 Chronic kidney disease, stage 3B N184 Chronic kidney disease, Stage 4 (severe) N185 Chronic kidney disease, Stage 5 N186 End stage renal disease N189 Chronic kidney disease, unspecified N250 Renal osteodystrophy N251 Nephrogenic diabetes insipidus N2581 Secondary hyperparathyroidism of renal origin N2589 Other disorders resulting from impaired renal tubular function N259 Disorder resulting from impaired renal tubular function, unspecified