#### Diagnosis Restricted Drugs

The table below includes a list of drugs that are diagnosis-restricted for pharmacy compound and non-compound claims. This table specifies if the diagnosis must be indicated on the claim, prior authorization (PA) request, or both. See the link below for physician-administered diagnosis restrictions.

If the prescriber writes a prescription with a diagnosis outside the ForwardHealth-allowed diagnoses for a drug, the prescriber is required to submit peer-reviewed medical literature to support the proven efficacy and safety of the requested use of the drug. Documentation of previous treatments and detailed reasons why other covered drug treatments were discontinued or not utilized are required. Medical records should be provided as necessary to support the PA request. This information should be documented on the Prior Authorization/Drug Attachment (PA/DGA), F- 11049 (10/13), in Section V (Clinical Information for Diagnosis-Restricted Drug Requests).

When completing the PA/DGA, prescribers should provide the diagnosis code and description, complete Section V, and use Section VIII (Additional Information), if needed. Prescribers are reminded to provide a handwritten signature and date on the form before submitting it to the pharmacy provider where the prescription will be filled. The pharmacy provider is required to complete a Prior Authorization Request Form (PA/RF), F- 11018 (05/13), before submitting the forms and supporting documentation to ForwardHealth. Prescribers should not submit PA forms to ForwardHealth.

As a reminder, prescribers and pharmacy providers are required to retain a completed copy of the PA form(s).

For additional information about diagnosis-restricted drug policy, providers may refer to the ForwardHealth Online Handbook Topic #4403, #15537, and #15937:

https://www.forwardhealth.wi.gov/wiportal/subsystem/kw/display.aspx

Physician Administered diagnosis restrictions can be found at:

https://www.forwardhealth.wi.gov/WIPortal/cms/public/physician/administered-drug-resources

## Diagnosis Restricted Drugs

Published:3/19/2025

Effective: 3/1/2025

# Alzheimer's Agents

roducts	oducts					
nemantine hcl e	er (Example brand: NAMENDA XR)					
Diagnos	sis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request 🗸					
ICD-10	Description					
F0150	Vascular dementia without behavioral disturbance	Vascular dementia without behavioral disturbance				
F0151	Vascular denentia with behavioral disturbance					
G300	Alzheimer's disease with early onset					
G301	Alzheimer's disease with late onset					
G308	Other alzheimer's disease					
G309	Alzheimer's disease, unspecified					

### Antibiotics, Inhaled

_			
D	ra	М	 cts

ARIKAYCE (amikacin liposomal)

Diagnosis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request 🗸
--------------------------------------	---------	-------------------------------

ICD-10	Description
--------	-------------

A310	Pulmonary mycobacterial infection
A312	Disseminated mycobacterium avium-intracellulare complex (DMAC)

# Diagnosis Restricted Drugs

Published:3/19/2025

Effective: 3/1/2025

### Anticonvulsants

roducts	the sale D			
IACOMIT (st	Inpentor)			
Diagn	osis Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗹			
ICD-1	Description			
G4083	Dravet Syndrome, Intractable, with status Epilepticus			
G4083	4 Dravet Syndrome, Intractable, without status Epilepticus			
roducts				
PIDIOLEX (	annabidiol)			
Diam	asia Cada Muet Pa Submitted on Claim 🗔 Dries Authorization Deguest 🗔			
Diagn	osis Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗸			
ICD-1				
G4081	1 Lennox-Gastaut syndrome, not intractable, with status epilepticus			
G4081	2 Lennox-Gastaut syndrome, not intractable, without status epilepticus			
G4081	3 Lennox-Gastaut syndrome, intractable, with status epilepticus			
G4081	4 Lennox-Gastaut syndrome, intractable, without status epilepticus			
G4083				
G4083	Dravet Syndrome, Intractable, without status Epilepticus			
Q851	Tuberous Sclerosis			
roducts				
ANIZEL (mufin				
ANZEL (rufir	amide)			
Diagn	osis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request 🗸			
ICD-1	Description			
G4081	Lennox-Gastaut syndrome, not intractable, with status epilepticus			
G4081	Lennox-Gastaut syndrome, not intractable, without status epilepticus			
G4081	Lennox-Gastaut syndrome, intractable, with status epilepticus			
G4081	4 Lennox-Gastaut syndrome, intractable, without status epilepticus			
-				
roducts				

ICD-10	Description
	Lennox-Gast
0.400.40	

G40811	Lennox-Gastaut syndrome, not intractable, with status epilepticus
G40812	Lennox-Gastaut syndrome, not intractable, without status epilepticus
G40813	Lennox-Gastaut syndrome, intractable, with status epilepticus
G40814	Lennox-Gastaut syndrome, intractable, without status epilepticus
G40833	Dravet Syndrome, Intractable, with status Epilepticus
G40834	Dravet Syndrome, Intractable, without status Epilepticus

# Diagnosis Restricted Drugs

Published:3/19/2025

Effective: 3/1/2025

## Anticonvulsants

Products						
SYMPAZAN (clobazam)						
Diagnosis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request ✓				
•	Claim	Filor Authorization Request				
ICD-10 Description						
G40811 Lennox-Gastaut syndrome, not int						
G40812 Lennox-Gastaut syndrome, not int						
G40813 Lennox-Gastaut syndrome, intract		· ·				
G40814 Lennox-Gastaut syndrome, intract	able, without sta	tus epilepticus				
Products						
ZTALMY (ganaxolone)						
Diagnosis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request ✓				
-	- ·-····					
<u> </u>	ICD-10 Description					
G4042 Cyclin-Dependent Kinase-Like 5 D	Deliciency Disord	ei				
Products						
ZURZUVAE (zuranolone)						
Diagnosis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request 🗸				
ICD-10 Description						
F530 Postpartum depression						
ntineoplastic and Premalignan	t Lesion A	agent, Topical				
Products						
diclofenac sodium 3% gel (Example brand: SOLARA	ZE)					
Diagnosis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request				
ICD-10 Description						
<u> </u>						
L570 Actinic Keratosis						

# Diagnosis Restricted Drugs

Published:3/19/2025 Effective: 3/1/2025

**Antiviral Agents** 

Products				
LIVTENCITY	(maribavir)			_
Diag	nosis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-	10 Description			
B250	Cytomegaloviral disease pneumon	nitis		
B25 <sup>-</sup>	Cytomegaloviral disease hepatitis			
B252	Cytomegaloviral disease pancreati	itis		
B258	Other cytomegaloviral diseases			
B259	Cytomegaloviral disease, Unspeci	fied		
Central N	ervous System Agents	, Miscella	neous	
RILUTEK (ri	uzole)			
Diag	nosis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-	10 Description			
G12				
Products				
NUEDEXTA	(dextromethorphan hbr/quinidine)			
Diag	nosis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-	10 Description			
F482	Pseudobulbar affect			
F482				
F482 Cystic Fil				
F482  Cystic File  Products  BRONCHITE  Diag	Drosis  DL (mannitol)  nosis Code Must Be Submitted on:	Claim ✓	Prior Authorization Request ☐	
F482  Cystic File  Products  BRONCHITE  Diag	Drosis  DL (mannitol)  nosis Code Must Be Submitted on:		Prior Authorization Request	
Products BRONCHITO Diag	Drosis  DL (mannitol)  nosis Code Must Be Submitted on:  10 Description  Cystic Fibrosis with Pulmonary Ma		Prior Authorization Request	
Products BRONCHITO Diag ICD- E844 E84	Drosis  DL (mannitol)  nosis Code Must Be Submitted on:  Description  Cystic Fibrosis with Pulmonary Ma  1 Meconium Ileus in Cystic Fibrosis	nifestations		
Products BRONCHITO Diag	Drosis  DL (mannitol)  nosis Code Must Be Submitted on:  10 Description  Cystic Fibrosis with Pulmonary Ma  1 Meconium Ileus in Cystic Fibrosis 9 Cystic Fibrosis with Other Intestina	anifestations al Manifestations		
Products BRONCHITO Diag ICD- E844 E84	Drosis  DL (mannitol)  nosis Code Must Be Submitted on:  10 Description  Cystic Fibrosis with Pulmonary Ma  1 Meconium Ileus in Cystic Fibrosis 9 Cystic Fibrosis with Other Intestina	anifestations al Manifestations		

# Diagnosis Restricted Drugs

Published:3/19/2025

Effective: 3/1/2025

Εı	pide	erm	oly	sis	Bul	losa
			,			

Products				
FILSUVEZ (bir	ch bark extract)			
Diagno	sis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-10	Description			
Q810	Epidermollysis Bullosa Simplex			
Q811	Epidermollysis Bullosa Letalis			
Q812	Epidermollysis Bullosa Dystrophica	a		
Q818	Other Epidermollysis Bullosa			
Q819	Epidermollysis Bullosa, unspecifie	d		
Friedreich'	s Ataxia			
Products				
SKYCLARYS (	omaveloxolone)			
		<b>.</b>	B	
Diagno	sis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-10	Description			
G1111	Friedreich Ataxia			
Glucocorti	coids, Oral			
TARPEYO (bu	desonide)			
Diagno	sis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request 🗸	
ICD-10	Description			
N028	RECURRENT AND PERSISTENT	HEMATURIA W	/ITH OTHER MORPHOLOGIC CHANGES	
Products				
EOHILIA (bude	esonide)			
Diagno	sis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request 🗸	
ICD-10	Description			
K200	Eosinophilic Esophagitis			

#### **Diagnosis Restricted Drugs**

Published:3/19/2025

Effective: 3/1/2025

#### Hypoglycemics, GLP1

#### **Products**

BYDUREON BCISE (exenatide microspheres)
MOUNJARO (tirzepatide)
RYBELSUS (semaglutide)
TRULICITY (dulaglutide)
VICTOZA 3-PAK (liraglutide)

BYETTA (exenatide)
OZEMPIC (semaglutide)
SOLIQUA (insulin degludec/liraglutide)
VICTOZA 2-PAK (liraglutide)
XULTOPHY (insulin degludec/liraglutide)

Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request 🗸

#### **ICD-10** Description E1100 Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) E1101 Type 2 diabetes mellitus with hyperosmolarity with coma Type 2 diabetes mellitus with ketoacidosis without coma E1110 E1111 Type 2 diabetes mellitus with ketoacidosis with coma E1121 Type 2 diabetes mellitus with diabetic nephropathy F1122 Type 2 diabetes mellitus with diabetic chronic kidney disease E1129 Type 2 diabetes mellitus with other diabetic kidney complication E11311 Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema E11319 Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular edema E113211 Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, rt eye E113212 Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, It eye E113213 Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, bilat E113219 Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, unsp eye E113291 Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, rt eye E113292 Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, It eye E113293 Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, bilat E113299 Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, unsp eye E113311 Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, rt eye Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, It eye E113312 E113313 Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, bilat E113319 Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, unsp eye E113391 Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, rt eye E113392 Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, It eye E113393 Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, bilat E113399 Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, unsp eye E113411 Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, rt eye E113412 Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, It eye Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, bilat E113419 Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, unspe eye E113491 Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, rt eye E113492 Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, lt eye E113493 Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, bilat E113499 Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, unsp eye E113511 Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, right eye E113512 Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, left eye E113513 Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, bilateral E113519 Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, unspecified eye E113521 Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, rt eye

# Diagnosis Restricted Drugs

Published:3/19/2025 Effective: 3/1/2025

# Hypoglycemics, GLP1

E113522	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, It eye
E113523	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, bilat
E113529	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, unsp eye
E113531	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, rt eye
E113532	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, It eye
E113533	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, bilat
E113539	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, unsp eye
E113541	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, rt ey
E113542	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, lt ey
E113543	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, bilat
E113549	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, unsp
E113551	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye
E113552	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye
E113553	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral
E113559	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye
E113591	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye
E113592	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye
E113593	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral
E113599	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye
E1136	Type 2 diabetes mellitus with diabetic cataract
E1137X1	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye
E1137X2	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye
E1137X3	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral
E1137X9	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye
E1139	Type 2 diabetes mellitus with other diabetic ophthalmic complication
E1140	Type 2 diabetes mellitus with diabetic neuropathy, unspecified
E1141	Type 2 diabetes mellitus with diabetic mononeuropathy
E1142	Type 2 diabetes mellitus with diabetic polyneuropathy
E1143	Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy
E1144	Type 2 diabetes mellitus with diabetic amyotrophy
E1149	Type 2 diabetes mellitus with other diabetic neurological complication
E1151	Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene
E1152	Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene
E1159	Type 2 diabetes mellitus with other circulatory complications
E11610	Type 2 diabetes mellitus with diabetic neuropathic arthropathy
E11618	Type 2 diabetes mellitus with other diabetic arthropathy
E11620	Type 2 diabetes mellitus with diabetic dermatitis
E11621	Type 2 diabetes mellitus with foot ulcer
E11622	Type 2 diabetes mellitus with other skin ulcer
E11628	Type 2 diabetes mellitus with other skin complications
E11630	Type 2 diabetes mellitus with periodontal disease
E11638	Type 2 diabetes mellitus with other oral complications
E11641	Type 2 diabetes mellitus with hypoglycemia with coma
E11649	Type 2 diabetes mellitus with hypoglycemia without coma
E1165	Type 2 diabetes mellitus with hyperglycemia
E1169	Type 2 diabetes mellitus with other specified complication
E118	Type 2 diabetes mellitus with unspecified complications
E119	Type 2 diabetes mellitus without complications

# Diagnosis Restricted Drugs

Published:3/19/2025

Effective: 3/1/2025

Lipdystrophy
--------------

Produ	ıcts			
MYAL	EPT (metr	releptin)		
	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
	ICD-10	Description		_
	E881	Lipodystrophy, not elsewhere class	sified	
Produ	ıcts			
EGRIF	TA SV (te	esamorelin)		
	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
	Both diag	gnosis codes required or see below		
	ICD-10	Description		
	B20	Human immunodeficiency virus [H	IIV] Disease	
	E881	Lipodystrophy, not elsewhere class		
	Or an alt	ernative combination of codes		
	ICD-10	Description		
	B9735	-	ype 2 [HIV 2] as	the cause of diseases classified elsewhere
	E881	Lipodystrophy, not elsewhere class		
Produ	OSES			
CERD	FI GA (eli	glustat tartrate)		YARGESA (miglustat)
	SCA (migl	= :		Trice 2071 (mg. datat)
	( )	,		
	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
	ICD-10	Description		
	E7522	Gaucher disease		
	2.022	Cadoner diodece		
vene	omal	Storage Disorder		
ysus	olliai	Storage Disorder		
Produ	ıcte			
		1		
GALA	FOLD (mi	galastat)		
	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
	ICD-10	Description		
	E7521	Fabry (-Anderson) Disease		
	L			

# Diagnosis Restricted Drugs

Published:3/19/2025

Effective: 3/1/2025

## **Movement Disorders**

Products	s			
AUSTED	OO (deute	etrabenazine)		AUSTEDO XR (deutetrabenazine)
	•	TRATION KT(WK1-4) (deutetraben	azine)	INGREZZA (valbenazine)
		ATION PK(TARDIV) (valbenazine)	,	INGREZZA SPRINKLE (valbenazine)
D	Diagnosi	s Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
10	CD-10	Description		<u>—</u>
G	G10	Huntington's Disease		
G	G2401	Drug Induced Subacute Dyskinesi	а	
G	G2402	Other induced Acute Dystonia		
G	G2409	Other Drug Induced Dystonia		
Products	s			
XENAZIN	NE (tetra	benazine)		
D	Diagnosi	s Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
	00.40	Description		
10	CD-10	Description		
G	G10	HUNTINGTON'S DISEASE erosis Agents, Other		
ultiple	e Scl	HUNTINGTON'S DISEASE		
ultiple Products	e Scl	HUNTINGTON'S DISEASE erosis Agents, Other		
Ultiple Products AMPYRA	e Scl	HUNTINGTON'S DISEASE erosis Agents, Other	Claim ✓	Prior Authorization Request
Ultiple Products AMPYRA	e Scl	HUNTINGTON'S DISEASE erosis Agents, Other		Prior Authorization Request ☐
Ultiple Products AMPYRA	e Scl	HUNTINGTON'S DISEASE erosis Agents, Other apridin) s Code Must Be Submitted on:		Prior Authorization Request
Ultiple Products AMPYRA D	e Sclus A (dalfam Diagnosi CD-10	HUNTINGTON'S DISEASE erosis Agents, Other  pridin) s Code Must Be Submitted on: Description		Prior Authorization Request
Ultiple Products AMPYRA D	e Scloss A (dalfam Diagnosi CD-10 G335	HUNTINGTON'S DISEASE  erosis Agents, Other  pridin)  s Code Must Be Submitted on:  Description  Multiple sclerosis		Prior Authorization Request
Ultiple Products AMPYRA D IG	e Sclos S A (dalfan Diagnosi CD-10 G335	erosis Agents, Other  pridin)  s Code Must Be Submitted on:  Description  Multiple sclerosis  Gravis		Prior Authorization Request
Ultiple Products AMPYRA  D  IG  yasth  Products  ZILBRYS	e Scloss A (dalfam  Diagnosi  CD-10  G335  nenia  SQ (ziluc	erosis Agents, Other  pridin)  s Code Must Be Submitted on:  Description  Multiple sclerosis  Gravis		Prior Authorization Request  Prior Authorization Request
Ultiple Products AMPYRA  D  G  Yasth  Products ZILBRYS	e Scloss A (dalfam  Diagnosi  CD-10  G335  nenia  SQ (ziluc	erosis Agents, Other  pridin)  S Code Must Be Submitted on:  Description  Multiple sclerosis  Gravis	Claim <b>√</b>	
Ultiple Products AMPYRA  D  W  G  Yasth  Products ZILBRYS	e Sclus A (dalfan Diagnosi CD-10 G335 Denia	erosis Agents, Other  pridin)  s Code Must Be Submitted on:  Description  Multiple sclerosis  Gravis  coplan)  s Code Must Be Submitted on:	Claim ✓	

# Diagnosis Restricted Drugs

Published: 3/19/2025 Effective: 3/1/2025

Neuropathic Pain

ISE (gaba <sub>l</sub>	
	pentin)
Diagnos	is Code Must Be Submitted on: Claim ☐ Prior Authorization Request ✔
ICD-10	Description
B0221	Postherpetic geniculate ganglionitis
B0222	Postherpetic trigeminal neuralgia
B0223	Postherpetic polyneuropathy
B0224	Postherpetic myelitis
B0229	Other postherpetic nervous system involvement
ucts	
CA CR (pre	egabalin)
,, , , , , , , , , , , , , , , , , , ,	<del>3</del> ~~~…,
Diagnos	is Code Must Be Submitted on: Claim 🕡 Prior Authorization Request 🕡
ICD-10	Description
B0221	POSTHERPETIC GENICULATE GANGLIONITIS
B0222	POSTHERPETIC TRIGEMINAL NEURALGIA
B0223	POSTHERPETIC POLYNEUROPATHY
B0224	POSTHERPETIC MYELITIS
B0229	OTHER POSTHERPETIC NERVOUS SYSTEM INVOLVEMENT
E1040	TYPE 1 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED
E1041	TYPE 1 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY
E1042	TYPE 1 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY
E1043	TYPE 1 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY
	TYPE 1 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY
E1044	
E1044 E1049	TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION
	TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED
E1049	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED TYPE 2 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY
E1049 E1140	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED  TYPE 2 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY  TYPE 2 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY
E1049 E1140 E1141	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED  TYPE 2 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY  TYPE 2 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY  TYPE 2 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY
E1049 E1140 E1141 E1142	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED  TYPE 2 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY  TYPE 2 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY

#### Diagnosis Restricted Drugs

Published: 3/19/2025

Effective: 3/1/2025

#### Opioid Dependency - Buprenorphine

#### **Products** BRIXADI (buprenorphine) buprenorphine hcl (Example brand: SUBUTEX) buprenorphine-n (Example brand: SUBOXONE) buprenorphine-naloxone (Example brand: SUBOXONE) SUBLOCADE (buprenorphine) SUBOXONE (buprenorphine hcl/naloxone) ZUBSOLV (buprenorphine hcl/naloxone) Diagnosis Code Must Be Submitted on: Prior Authorization Request Claim 🗸 **ICD-10** Description F1120 Opioid dependence, uncomplicated F1120 Opioid dependence, uncomplicated F1121 Opioid dependence, in remission F1124 Opioid dependence with opioid-induced mood disorder F11250 Opioid dependence with opioid-induced psychotic disorder with delusions F11251 Opioid dependence with opioid-induced psychotic disorder with hallucinations F11259 Opioid dependence with opioid-induced psychotic disorder, unspecified F11281 Opioid dependence with opioid-induced sexual dysfunction F11282 Opioid dependence with opioid-induced sleep disorder F11288 Opioid dependence with other opioid-induced disorder F1129 Opioid dependence with unspecified opioid-induced disorder

## Opioid Dependency Agents - Methadone

DISKETS 40 MG	S TABLET DISPR (methadone hcl)	METHADONE INTENSOL 10 MG/ML (methadone hcl)
METHADOSE 10	0 MG/ML ORAL CONC (methadone hcl)	METHADOSE 40 MG TABLET DISPR (methadone hol
Diagnos	is Code Must Be Submitted on: Claim 🗸	Prior Authorization Request
ICD-10	Description	
F1120	Opioid dependence, uncomplicated	
F1121	Opioid dependence, in remission	
F1124	Opioid dependence with opioid-induced mood disc	order
F11250	Opioid dependence with opioid-induced psychotic	disorder with delusions
F11251	Opioid dependence with opioid-induced psychotic	disorder with hallucinations
F11259	Opioid dependence with opioid-induced psychotic	disorder, unspecified
F11281	Opioid dependence with opioid-induced sexual dys	sfunction
F11282	Opioid dependence with opioid-induced sleep disc	order
F11288	Opioid dependence with other opioid-induced diso	order
F1129	Opioid dependence with unspecified opioid-induce	ed disorder

## Diagnosis Restricted Drugs

Published: 3/19/2025

Effective: 3/1/2025

# Opioid Dependency and Alcohol Abuse/Dependency Agents

one hcl (E	one hcl (Example brand: REVIA)		VIVITROL (naltrexone microspheres)
Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
ICD-10	Description		
F1010	Alcohol abuse, uncomplicated		
F1011	Alcohol abuse, uncomplicated		
F1014	Alcohol abuse with alcohol-induced	mood disorder	
F10150	Alcohol abuse with alcohol-induced	psychotic diso	rder with delusions
F10151	Alcohol abuse with alcohol-induced	psychotic diso	rder with hallucinations
F10159	Alcohol abuse with alcohol-induced	psychotic diso	rder, unspecified
F10180	Alcohol abuse with alcohol-induced	anxiety disorde	er
F10181	Alcohol abuse with alcohol-induced	sexual dysfund	etion
F10182	Alcohol abuse with alcohol-induced	sleep disorder	
F10188	Alcohol abuse with other alcohol-in	duced disorder	
F1019	Alcohol abuse with unspecified alco	hol-induced dis	sorder
F1020	Alcohol dependence, uncomplicate	d	
F1021	Alcohol dependence, in remission		
F1024	Alcohol dependence with alcohol-in	duced mood di	sorder
F10250	Alcohol dependence with alcohol-in	. ,	
F10251	Alcohol dependence with alcohol-in		
F10259	Alcohol dependence with alcohol-in	duced psychoti	c disorder, unspecified
F1026	Alcohol dependence with alcohol-in	duced persistin	g amnestic disorder
F1027	Alcohol dependence with alcohol-in		
F10280	Alcohol dependence with alcohol-in		
F10281	Alcohol dependence with alcohol-in		·
F10282	Alcohol dependence with alcohol-in		
F10288	Alcohol dependence with other alco		
F1029	Alcohol dependence with unspecifie		
F1094	Alcohol use, unspecified with alcoh		
F10950	Alcohol use, unspecified with alcoh		
F10951	Alcohol use, unspecified with alcoh		
F10959	Alcohol use, unspecified with alcoh		
F1096	Alcohol use, unspecified with alcoh		
F1097	Alcohol use, unspecified with alcoh		
F10980	Alcohol use, unspecified with alcoh		•
F10981	Alcohol use, unspecified with alcoh		
F10982	Alcohol use, unspecified with alcoh		•
F10988	Alcohol use, unspecified with other		
F1099	Alcohol use, unspecified with unspec		naucea alsoraer
F1120	Opioid dependence, uncomplicated	l	
F1121	Opioid dependence, in remission	lood mood disa	rdor
F1124 F11250	Opioid dependence with opioid-indu  Opioid dependence with opioid-indu		
F11250	Opioid dependence with opioid-indu		
F11251	Opioid dependence with opioid-indu	. ,	
IL 11708	Popiola aeperiaerice with opiola-illat	iceu paychicile	uisoruer, urispeciiieu

Opioid dependence with opioid-induced sexual dysfunction

F11281

### Diagnosis Restricted Drugs

Published:3/19/2025

Effective: 3/1/2025

## Opioid Dependency and Alcohol Abuse/Dependency Agents

I	F11282	Opioid dependence with opioid-induced sleep disorder
Ī	F11288	Opioid dependence with other opioid-induced disorder
Ī	F1129	Opioid dependence with unspecified opioid-induced disorder

# Paroxysmal Nocturnal Hemoglobinuria

EMPAVELI (peg	jcetacoplan)		FABHALTA (iptacopan)
VOYDEYA (dan	icopan)		
Diagnos	sis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request 🗸
	Decembries		
ICD-10	Description		

### Peptic Ulcer

#### **Products**

DARTISLA (glycopyrrolate)

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐

#### ICD-10 Description

K270	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH HEMORRHAGE
K271	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH PERFORATION
K272	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH BOTH HEMORRHAGE AND PERFORATION
K273	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITHOUT HEMORRHAGE OR PERFORATION
K274	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH HEMORRHAGE
K275	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH PERFORATION
K276	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH BOTH HEMORRHAGE AND PE
K277	CHRONIC PEPTIC ULCER, SITE UNSPECIFIED, WITHOUT HEMORRHAGE OR PERFORATION
K279	PEPTIC ULCER, SITE UNSPECIFIED, UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT HEMORRHAG

#### Pompe Disease

Products				
OPFOLDA (migl	ustat)			
Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request 🗸	
ICD-10	Description			
E7402	Pompe disease			

# Diagnosis Restricted Drugs

Published:3/19/2025

Effective: 3/1/2025

Primary	Hyperoxa	Iuria
---------	----------	-------

Products				
RIVFLOZA (nedosiran)				
Diagn	osis Code Must Be Submitted on: Claim 🕡 Prior Authorization Request ☐			
ICD-1				
E7253	Primary Hyperoxaluria			
Progestat	onal Agent			
Products				
CRINONE 8%	GEL (progesterone)			
	(Fr. 3)			
Diagn	osis Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗌			
ICD-1	Description			
00921				
O0921	O09212 Supervision of pregnancy with history of pre-term labor, second trimester			
O0921				
O0921	O09219 Supervision of pregnancy with history of pre-term labor, unspecified trimester			
O0929	O09291 Supervision of pregnancy with other poor reproductive or obstetric history, first trimester			
O0929	O09292 Supervision of pregnancy with other poor reproductive or obstetric history, second trimester			
O0929	Supervision of pregnancy with other poor reproductive or obstetric history, third trimester			
O0929	9 Supervision of pregnancy with other poor reproductive or obstetric history, unspecified trimester			
O2687	<b>0</b> <sup>7</sup>			
O2687	67			
O2687	9 Cervical shortening, unspecified trimester			
Protein Re	eplacement			
Products				
AQNEURSA (	levacetylleucine) MIPLYFFA (arimoclomol)			
Diagn	osis Code Must Be Submitted on: Claim 📝 Prior Authorization Request 🗸			
ICD-1	Description			
E7524				

### Diagnosis Restricted Drugs

Published: 3/19/2025

Effective: 3/1/2025

# Pulmonary Anti-Hypertensive Agents

Products	
----------	--

ADCIRCA (tadalafil) LIQREV (sildenafil citrate) TADLIQ (tadalafil) ALYQ (tadalafil)

REVATIO (sildenafil citrate)

Diagnosis Code Must Be Submitted on:

Claim 🗸

Prior Authorization Request 🗸

ICD-10	Description
--------	-------------

1270	Primary pulmonary hypertension	
12720	Pulmonary hypertension, unspecified	
12721	Secondary pulmonary arterial hypertension	
12722	Pulmonary hypertension due to left heart disease	
12723	Pulmonary hypertension Due to Lung Diseases and hypoxia	
12724	Chronic thromboembolic pulmonary hypertension	
12729	Other secondary pulmonary hypertension	
12783	Eisenmenger's syndrome	

#### Diagnosis Restricted Drugs

Published: 3/19/2025

Effective: 3/1/2025

#### **Smoking Cessation**

#### **Products** bupropion hcl sr 150 mg tablet (Example brand: ZYBAN) CHANTIX (varenicline tartrate) nicotine 4 mg c (Example brand: NICORETTE) nicotine gum (Example brand: NICORETTE) nicotine lozenge (Example brand: NICORETTE) nicotine lozenge (Example brand: NICOTINE) nicotine patch (Example brand: CVS NICOTINE) nicotine patch (Example brand: NICOTINE) NICOTROL (nicotine) NICOTROL NS (nicotine) Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request ICD-10 Description F17200 Nicotine dependence, unspecified, uncomplicated F17201 Nicotine dependence, unspecified, in remission F17203 Nicotine dependence unspecified, with withdrawal F17208 Nicotine dependence, unspecified, with other nicotine-induced disorders F17209 Nicotine dependence, unspecified, with unspecified nicotine-induced disorders F17210 Nicotine dependence, cigarettes, uncomplicated F17211 Nicotine dependence, cigarettes, in remission F17213 Nicotine dependence, cigarettes, with withdrawal F17218 Nicotine dependence, cigarettes, with other nicotine-induced disorders F17219 Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders F17220 Nicotine dependence, chewing tobacco, uncomplicated 17221 Nicotine dependence, chewing tobacco, in remission F17223 Nicotine dependence, chewing tobacco, with withdrawal

#### Stimulants, Desoxyn

F17228

17229

F17290

F17291

F17293

F17298

F17299

Z720

Pro	dur	rte.	

methamphetamine hcl (Example brand: DESOXYN)

Tobacco use

Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request

Nicotine dependence, chewing tobacco, with other nicotine-induced disorders

Nicotine dependence, other tobacco product, uncomplicated

Nicotine dependence, other tobacco product, with withdrawal

Nicotine dependence, other tobacco product, in remission

Nicotine dependence, chewing tobacco, with unspecified nicotine-induced disorders

Nicotine dependence, other tobacco product, with other nicotine-induced disorders

Nicotine dependence, other tobacco product, with unspecified nicotine-induced disorders

#### ICD-10 Description

F900	Attention-deficit hyperactivity disorder, predominantly inattentive type	
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type	
F902	Attention-deficit hyperactivity disorder, combined type	
F908	Attention-deficit hyperactivity disorder, other type	
F909	9 Attention-deficit hyperactivity disorder, unspecified type	

#### Diagnosis Restricted Drugs

Published:3/19/2025

Effective: 3/1/2025

#### Stimulants, Excluding Desoxyn and Vyvanse

#### **Products**

ADDERALL (dextroamphetamine/amphetamine)

ADZENYS XR-ODT (amphetamine)

AZSTARYS (serdexmethylphenidate/dexmethylphenidate)

COTEMPLA XR-ODT (methylphenidate)
DEXEDRINE (dextroamphetamine sulfate)

DYANAVEL XR (amphetamine)
FOCALIN (dexmethylphenidate hcl)
JORNAY PM (methylphenidate er)

methylphenidate er (Example brand: METADATE ER) methylphenidate er (la) (Example brand: RITALIN LA) methylphenidate hcl cd (Example brand: METADATE CD)

methylphenidate la (Example brand: RITALIN LA) PROCENTRA (dextroamphetamine sulfate) QUILLIVANT XR (methylphenidate hcl)

RELEXXII (methylphenidate)
RITALIN LA (methylphenidate hcl)

ADDERALL XR (dextroamphetamine/amphetamine)

APTENSIO XR (methylphenidate hcl)
CONCERTA (methylphenidate hcl)
DAYTRANA (methylphenidate hcl)

dextroamphetamine sulfate er (Example brand: DEXEDF

EVEKEO (amphetamine)

FOCALIN XR (dexmethylphenidate hcl) METHYLIN (methylphenidate hcl)

methylphenidate er (Example brand: METHYLIN)

methylphenidate hcl (Example brand: METHYLIN CHEW methylphenidate hcl er (cd) (Example brand: METADATE

MYDAYIS (dextroamphetamine/amphetamine)
QUILLICHEW ER (methylphenidate hcl)
RELEXXII (methylphenidate hcl)

RITALIN (methylphenidate hcl)

ZENZEDI (dextroamphetamine sulfate)

#### Diagnosis Code Must Be Submitted on:

#### Claim 🗸

#### Prior Authorization Request

#### ICD-10 Description

F900	Attention-deficit hyperactivity disorder, predominantly inattentive type	
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type	
F902	Attention-deficit hyperactivity disorder, combined type	
F908	Attention-deficit hyperactivity disorder, other type	
F909	Attention-deficit hyperactivity disorder, unspecified type	
G47411	Narcolepsy with cataplexy	
G47419	Narcolepsy without cataplexy	

# Diagnosis Restricted Drugs

Published: 3/19/2025 Effective: 3/1/2025

Stimulants, Vyvanse

Products			
VYVA	NSE (lisde:	xamfetamine dimesylate) VYVANSE CHEWABLE (lisdexamfetamine dimesylate	
	Diagnosi	is Code Must Be Submitted on: Claim ✔ Prior Authorization Request ☐	
	ICD-10	Description	
	F5081	Binge Eating Disorder	
	F50810	Binge Eating Disorder, Mild	
	F50811	Binge Eating Disorder, Moderate	
	F50812	Binge Eating Disorder, Severe	
	F50813	Binge Eating Disorder, Extreme	
	F50814	Binge Eating Disorder, In Remission	
	F50819	Binge Eating Disorder, Unspecified	
	F900 Attention-deficit hyperactivity disorder, predominantly inattentive type		
	F901 Attention-deficit hyperactivity disorder, predominantly hyperactive type		
	F902 Attention-deficit hyperactivity disorder, combined type		
	F908 Attention-deficit hyperactivity disorder, other type		
	F909 Attention-deficit hyperactivity disorder, unspecified type		
	G47411 Narcolepsy with cataplexy		
	G47419	19 Narcolepsy without cataplexy	
opical Anticholinergic Hyperhidrosis Treatment Agents			
Produ	ıcts		
SOFD	RA (sofpire	onium)	
	Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐		
	ICD-10	Description	
	I 74510	Primary Focal Hyperhdrosis Axilla	

## Diagnosis Restricted Drugs

Published:3/19/2025

Effective: 3/1/2025

# Vitamins, Renal

N2589

N259

Produ	Products		
DIALY	VITE (folic	acid combination)	DIALYVITE 3000 (folic acid combination)
DIALY	VITE 800 \	WITH IRON (fe fumarate combinations)	FERROCITE PLUS (iron combinations)
FOLBE	E PLUS (1	folic acid combination)	FOLBEE PLUS CZ (folic acid combination)
TRIPH	ROCAPS	(vitamin b complex)	VIRT-CAPS (vitamin b complex)
WESC	APS (vitar	nin b complex)	
	Diagnosi	s Code Must Be Submitted on: Claim ✔	Prior Authorization Request
	ICD-10 Description		
	N181	Chronic kidney disease, Stage 1	
	N182	Chronic kidney disease, Stage 2 (mild)	
	N1830 Chronic kidney disease, stage 3 unspecified		
	N1831	Chronic kidney disease, stage 3A	
	N1832	Chronic kidney disease, stage 3B	
	N184	Chronic kidney disease, Stage 4 (severe)	
	N185	Chronic kidney disease, Stage 5	
	N186	End stage renal disease	
	N189	Chronic kidney disease, unspecified	
	N250	Renal osteodystrophy	
	N251	Nephrogenic diabetes insipidus	
	N2581	Secondary hyperparathyroidism of renal origin	

Other disorders resulting from impaired renal tubular function

Disorder resulting from impaired renal tubular function, unspecified