Diagnosis Restricted Drugs

The table below includes a list of drugs that are diagnosis-restricted for pharmacy compound and non-compound claims. This table specifies if the diagnosis must be indicated on the claim, prior authorization (PA) request, or both. See the link below for physician-administered diagnosis restrictions.

If the prescriber writes a prescription with a diagnosis outside the ForwardHealth-allowed diagnoses for a drug, the prescriber is required to submit peer-reviewed medical literature to support the proven efficacy and safety of the requested use of the drug. Documentation of previous treatments and detailed reasons why other covered drug treatments were discontinued or not utilized are required. Medical records should be provided as necessary to support the PA request. This information should be documented on the Prior Authorization/Drug Attachment (PA/DGA), F- 11049 (10/13), in Section V (Clinical Information for Diagnosis-Restricted Drug Requests).

When completing the PA/DGA, prescribers should provide the diagnosis code and description, complete Section V, and use Section VIII (Additional Information), if needed. Prescribers are reminded to provide a handwritten signature and date on the form before submitting it to the pharmacy provider where the prescription will be filled. The pharmacy provider is required to complete a Prior Authorization Request Form (PA/RF), F- 11018 (05/13), before submitting the forms and supporting documentation to ForwardHealth. Prescribers should not submit PA forms to ForwardHealth.

As a reminder, prescribers and pharmacy providers are required to retain a completed copy of the PA form(s).

For additional information about diagnosis-restricted drug policy, providers may refer to the ForwardHealth Online Handbook Topic #4403, #15537, and #15937: https://www.forwardhealth.wi.gov/wiportal/subsystem/kw/display.aspx

Physician Administered diagnosis restrictions can be found at: https://www.forwardhealth.wi.gov/WIPortal/cms/public/physician/administered-drug-resources

Diagnosis Restricted Drugs

Effective: 5/1/2025

Alzheimer's Agents

Products

memantine hcl er (Example brand: NAMENDA XR)

Diagnosis Code Must Be Submitted on: Claim 🖌 Prior Authorization Request 🖌

ICD-10 Description

| F0150 | Vascular dementia without behavioral disturbance |
|-------|--|
| F0151 | Vascular denentia with behavioral disturbance |
| G300 | Alzheimer's disease with early onset |
| G301 | Alzheimer's disease with late onset |
| G308 | Other alzheimer's disease |
| G309 | Alzheimer's disease, unspecified |

Antibiotics, Inhaled

Products

ARIKAYCE (amikacin liposomal)

| Diagnosis Code Must Be Submitted on: |
|--------------------------------------|
|--------------------------------------|

Prior Authorization Request 🖌

| ICD-10 | Description |
|--------|--|
| A310 | Pulmonary mycobacterial infection |
| A312 | Disseminated mycobacterium avium-intracellulare complex (DMAC) |

Diagnosis Restricted Drugs

Effective: 5/1/2025

Anticonvulsants

| COMIT (stirip | entol) |
|---|---|
| Diagnosi | s Code Must Be Submitted on: Claim 🖌 Prior Authorization Request 🖌 |
| ICD-10 | Description |
| G40833 | Dravet Syndrome, Intractable, with status Epilepticus |
| G40834 | Dravet Syndrome, Intractable, without status Epilepticus |
| ducts | |
| | |
| DIOLEX (can | nabidiol) |
| | nabidiol) |
| DIOLEX (can | nabidiol) s Code Must Be Submitted on: Claim ✔ Prior Authorization Request ✔ |
| DIOLEX (can | |
| DIOLEX (can Diagnosi | s Code Must Be Submitted on: Claim 🖌 Prior Authorization Request 🖌 |
| DIOLEX (can Diagnosi ICD-10 | s Code Must Be Submitted on: Claim 🖌 Prior Authorization Request 🖌 |
| DIOLEX (can Diagnosi ICD-10 G40811 | s Code Must Be Submitted on: Claim V Prior Authorization Request V Description Lennox-Gastaut syndrome, not intractable, with status epilepticus |
| DIOLEX (can Diagnosi ICD-10 G40811 G40812 | s Code Must Be Submitted on: Claim Prior Authorization Request Description Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus |
| DIOLEX (can Diagnosi ICD-10 G40811 G40812 G40813 | s Code Must Be Submitted on: Claim |
| DIOLEX (can Diagnosi ICD-10 G40811 G40812 G40813 G40814 | s Code Must Be Submitted on: Claim regimer Prior Authorization Request regimer Description Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus |
| DIOLEX (can Diagnosi ICD-10 G40811 G40812 G40813 G40814 G40833 | s Code Must Be Submitted on: Claim Reveal Prior Authorization Request Description Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus Dravet Syndrome, Intractable, with status Epilepticus |

Diagnosis Code Must Be Submitted on: Claim 🔽 Prior Authorization Request 🔽

| ICD-10 | Description |
|--------|--|
| G40811 | Lennox-Gastaut syndrome, not intractable, with status epilepticus |
| G40812 | Lennox-Gastaut syndrome, not intractable, without status epilepticus |
| G40813 | Lennox-Gastaut syndrome, intractable, with status epilepticus |
| G40814 | Lennox-Gastaut syndrome, intractable, without status epilepticus |

Products

FINTEPLA (fenfluramine)

Diagnosis Code Must Be Submitted on:

Prior Authorization Request 🗸

ICD-10 Description

| G40811 | Lennox-Gastaut syndrome, not intractable, with status epilepticus |
|--------|--|
| G40812 | Lennox-Gastaut syndrome, not intractable, without status epilepticus |
| G40813 | Lennox-Gastaut syndrome, intractable, with status epilepticus |
| G40814 | Lennox-Gastaut syndrome, intractable, without status epilepticus |
| G40833 | Dravet Syndrome, Intractable, with status Epilepticus |
| G40834 | Dravet Syndrome, Intractable, without status Epilepticus |

Diagnosis Restricted Drugs

Effective: 5/1/2025

Anticonvulsants

Actinic Keratosis

L570

| SYMPAZAN (cloba | azam) | | | |
|--|--|---|-------------------------------|--|
| Diagnosis | Code Must Be Submitted on: | Claim 🖌 | Prior Authorization Request 🖌 | |
| ICD-10 | Description | | | |
| G40811 | Lennox-Gastaut syndrome, not int | ractable, with sta | tus epilepticus | |
| G40812 | Lennox-Gastaut syndrome, not int | ractable, without | status epilepticus | |
| G40813 | Lennox-Gastaut syndrome, intract | able, with status | epilepticus | |
| G40814 | Lennox-Gastaut syndrome, intract | able, without stat | us epilepticus | |
| Products | | | | |
| ZTALMY (ganaxolo | one) | | | |
| Diagnosis | Code Must Be Submitted on: | Claim 🖌 | Prior Authorization Request 🖌 | |
| ICD-10 | Description | | | |
| | Description | | | |
| G4042 | Cyclin-Dependent Kinase-Like 5 E | Deficiency Disord | er | |
| | Cyclin-Dependent Kinase-Like 5 E | Deficiency Disord | er | |
| G4042 | Cyclin-Dependent Kinase-Like 5 E | Deficiency Disord | er | |
| G4042 Intidepressa Products ZURZUVAE (zurar | Cyclin-Dependent Kinase-Like 5 E | Deficiency Disord | Prior Authorization Request v | |
| G4042 Antidepressa Products ZURZUVAE (zurar Diagnosis | Cyclin-Dependent Kinase-Like 5 E ants, Other | | | |
| G4042 Antidepressa Products ZURZUVAE (zurar Diagnosis ICD-10 | Cyclin-Dependent Kinase-Like 5 E ants, Other nolone) Code Must Be Submitted on: | | | |
| G4042 Antidepressa Products ZURZUVAE (zurar Diagnosis ICD-10 F530 Antineoplast | Cyclin-Dependent Kinase-Like 5 E ants, Other nolone) Code Must Be Submitted on: Description | Claim ✔ | Prior Authorization Request | |
| G4042 Antidepressa Products ZURZUVAE (zurar Diagnosis ICD-10 F530 Antineoplast Products | Cyclin-Dependent Kinase-Like 5 D ants, Other nolone) Code Must Be Submitted on: Description Postpartum depression ic and Premalignan | ^{Claim} ⊽ t Lesion A | Prior Authorization Request | |
| G4042 Antidepressa Products ZURZUVAE (zurar Diagnosis ICD-10 F530 Antineoplast Products | Cyclin-Dependent Kinase-Like 5 E ants, Other nolone) Code Must Be Submitted on: Description Postpartum depression | ^{Claim} ⊽ t Lesion A | Prior Authorization Request | |
| G4042 Antidepressa Products ZURZUVAE (zurar Diagnosis ICD-10 F530 Antineoplast Products diclofenac sodium | Cyclin-Dependent Kinase-Like 5 D ants, Other nolone) Code Must Be Submitted on: Description Postpartum depression ic and Premalignan | ^{Claim} ⊽ t Lesion A | Prior Authorization Request | |

Diagnosis Restricted Drugs

Effective: 5/1/2025

Antiviral Agents

Products LIVTENCITY (maribavir) Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request ICD-10 Description B250 Cytomegaloviral disease pneumonitis B251 Cytomegaloviral disease hepatitis B252 Cytomegaloviral disease pancreatitis B258 Other cytomegaloviral diseases B259 Cytomegaloviral disease, Unspecified Central Nervous System Agents, Miscellaneous Products RILUTEK (riluzole) Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request ICD-10 Description G1221 Amyotrophic lateral sclerosis Products NUEDEXTA (dextromethorphan hbr/quinidine) Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request **ICD-10** Description F482 Pseudobulbar affect **Compliment Inhibitors** Products ZILBRYSQ (zilucoplan) Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request ICD-10 Description G7000 Myasthenia Gravis without (Acute) Exacerbation G7001 Myastenia Gravis with (Acute) Exacerbation

Diagnosis Restricted Drugs

Effective: 5/1/2025

Cystic Fibrosis

Products

BRONCHITOL (mannitol)

Diagnosis Code Must Be Submitted on: Claim ✔ Prior Authorization Request

| ICD-10 | Description |
|--------|-------------|
| | |

| E840 | Cystic Fibrosis with Pulmonary Manifestations |
|-------|--|
| E8411 | Meconium lleus in Cystic Fibrosis |
| E8419 | Cystic Fibrosis with Other Intestinal Manifestations |
| E848 | Cystic Fibrosis with Other Manifestations |
| E849 | Cystic Fibrosis, Unspecified |

Epidermolysis Bullosa

Products

FILSUVEZ (birch bark extract)

Diagnosis Code Must Be Submitted on:

Prior Authorization Request

| ICD-10 | Description |
|--------|-------------------------------------|
| Q810 | Epidermollysis Bullosa Simplex |
| Q811 | Epidermollysis Bullosa Letalis |
| Q812 | Epidermollysis Bullosa Dystrophica |
| Q818 | Other Epidermollysis Bullosa |
| Q819 | Epidermollysis Bullosa, unspecified |

Claim 🗸

Friedreich's Ataxia

Products

SKYCLARYS (omaveloxolone)

| Diagnosi | s Code Must Be Submitted on: | Claim 🖌 | Prior Authorization Request |
|----------|------------------------------|---------|-----------------------------|
| ICD-10 | Description | | |
| G1111 | Friedreich Ataxia | | |

Diagnosis Restricted Drugs

Effective: 5/1/2025

Glucocorticoids, Oral

| roducts ARPEYO (I | udesonide) | | | |
|----------------------|----------------------------------|----------------|-------------------------------|--|
| Diag | nosis Code Must Be Submitted on: | Claim 🖌 | Prior Authorization Request 🖌 | |
| ICD- | 0 Description | | | |
| N028 | RECURRENT AND PERSISTEN | IT HEMATURIA W | ITH OTHER MORPHOLOGIC CHANGES | |
| roducts | | | | |
| OHILIA (bu | desonide) | | | |
| | | Claim 🗸 | Prior Authorization Request 🔽 | |
| Diag | nosis Code Must Be Submitted on: | | | |
| Diag ICD- | | | | |

Diagnosis Restricted Drugs

Effective: 5/1/2025

Hypoglycemics, GLP1

| Products | | |
|---|--|--|
| BYDUREON BCI | ISE (exenatide microspheres) BYETTA (exenatide) | |
| MOUNJARO (tirz | | |
| RYBELSUS () | RYBELSUS (semaglutide) | |
| SOLIQUA 100-33 | 3 (insulin degludec/liraglutide) TRULICITY (dulaglutide) | |
| VICTOZA 2-PAK (liraglutide) VICTOZA 3-PAK (liraglutide) | | |
| XULTOPHY 100- | -3.6 (insulin degludec/liraglutide) | |
| | | |
| Diagnosi | is Code Must Be Submitted on: Claim 🖌 Prior Authorization Request 🖌 | |
| ICD-10 | Description | |
| E1100 | Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) | |
| E1101 | Type 2 diabetes mellitus with hyperosmolarity with coma | |
| E1110 | Type 2 diabetes mellitus with ketoacidosis without coma | |
| E1111 | Type 2 diabetes mellitus with ketoacidosis with coma | |
| E1121 | Type 2 diabetes mellitus with diabetic nephropathy | |
| E1122 | Type 2 diabetes mellitus with diabetic chronic kidney disease | |
| E1129 | Type 2 diabetes mellitus with other diabetic kidney complication | |
| E11311 | Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema | |
| E11319 | Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular edema | |
| E113211 | Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, rt eye | |
| E113212 | | |
| E113213 | | |
| E113219 | | |
| E113291 | | |
| E113292 | | |
| E113293 | | |
| E113299 | | |
| E113311 | | |
| E113312 | | |
| E113313 | | |
| E113319 | | |
| E113391 | | |
| E113392 | | |
| E113393 | | |
| E113399 | | |
| E113411 | | |
| E113412 | | |
| E113413 | | |
| E113419 | | |
| E113491 | | |
| E113492 | | |
| E113493 | | |
| E113499 | | |
| E113511 | | |
| E113512 | | |
| E113513 | | |
| E113519 | Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, unspecified eye | |

Diagnosis Restricted Drugs

Effective: 5/1/2025

Hypoglycemics, GLP1

| E113521 | Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, rt eye |
|------------------|---|
| E113522 | Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, It eye |
| E113523 | Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, bilat |
| E113529 | Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, unsp eye |
| E113531 | Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, rt eye |
| E113532 | Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, It eye |
| E113533 | Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, bilat |
| E113539 | Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, unsp eye |
| E113541 | Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, rt ey |
| E113542 | Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, It ey |
| E113543 | Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, bilat |
| E113549 | Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, unsp |
| E113551 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye |
| E113552 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye |
| E113553 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral |
| E113559 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye |
| E113591 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye |
| E113592 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye |
| E113593 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral |
| E113599 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye |
| E1136 | Type 2 diabetes mellitus with diabetic cataract |
| E1137X1 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye |
| E1137X2 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye |
| E1137X3 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral |
| E1137X9 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye |
| E1139 | Type 2 diabetes mellitus with other diabetic ophthalmic complication |
| E1140 | Type 2 diabetes mellitus with diabetic neuropathy, unspecified |
| E1141 | Type 2 diabetes mellitus with diabetic mononeuropathy |
| E1142 | Type 2 diabetes mellitus with diabetic polyneuropathy |
| E1143 | Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy |
| E1144 | Type 2 diabetes mellitus with diabetic amyotrophy |
| E1149 | Type 2 diabetes mellitus with other diabetic neurological complication |
| E1151 | Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene |
| E1152 | Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene |
| E1159 | Type 2 diabetes mellitus with other circulatory complications |
| E11610 | Type 2 diabetes mellitus with diabetic neuropathic arthropathy |
| E11618 | Type 2 diabetes mellitus with other diabetic arthropathy |
| E11620 | Type 2 diabetes mellitus with diabetic dermatitis Type 2 diabetes mellitus with foot ulcer |
| E11621 | |
| E11622 E11628 | Type 2 diabetes mellitus with other skin ulcer Type 2 diabetes mellitus with other skin complications |
| E11628 E11630 | Type 2 diabetes mellitus with other skin complications |
| E11630 E11638 | Type 2 diabetes mellitus with periodonal disease |
| E11641 | Type 2 diabetes mellitus with bypoglycemia with coma |
| E11649 | Type 2 diabetes mellitus with hypoglycemia without coma |
| E1165 | Type 2 diabetes mellitus with hyperglycemia |
| E1169 | Type 2 diabetes mellitus with other specified complication |
| E118 | Type 2 diabetes mellitus with unspecified complications |
| | |

Diagnosis Restricted Drugs

Effective: 5/1/2025

Hypoglycemics, GLP1

E119 Type 2 diabetes mellitus without complications

Lipdystrophy

| PT (metr | eleptin) | | MYALEPT 11.3 MG (metreleptin) |
|---|--|------------------------|-------------------------------|
| Diagnos | is Code Must Be Submitted on: | Claim 🖌 | Prior Authorization Request |
| ICD-10 | Description | | |
| E881 | Lipodystrophy, not elsewhere clas | sified | |
| A SV (te | samorelin) | | |
| Diagnos | samorelin) is Code Must Be Submitted on: gnosis codes required or see below | Claim 🗸 | Prior Authorization Request |
| Diagnos Both diag | is Code Must Be Submitted on: | Claim 🖌 | Prior Authorization Request |
| Diagnos Both diag ICD-10 | is Code Must Be Submitted on: gnosis codes required or see below | | Prior Authorization Request |
| Diagnos | is Code Must Be Submitted on: gnosis codes required or see below Description | HIV] Disease | Prior Authorization Request |
| Diagnos Both diag ICD-10 B20 E881 | is Code Must Be Submitted on: gnosis codes required or see below Description Human immunodeficiency virus [F | HIV] Disease | Prior Authorization Request |
| Diagnos Both diag ICD-10 B20 E881 Or an alte | is Code Must Be Submitted on: gnosis codes required or see below Description Human immunodeficiency virus [ł Lipodystrophy, not elsewhere clas | HIV] Disease | Prior Authorization Request |
| Diagnos Both diag ICD-10 B20 E881 | is Code Must Be Submitted on: gnosis codes required or see below Description Human immunodeficiency virus [I Lipodystrophy, not elsewhere clas ernative combination of codes Description | HIV] Disease sified | Prior Authorization Request |

Lipodoses

Products CERDELGA (eliglustat tartrate) YARGESA (miglustat) ZAVESCA (miglustat) Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request □ ICD-10 Description

E7522 Gaucher disease

Lysosomal Storage Disorder

| Products | | | | |
|---------------|-------------------------------|---------|-----------------------------|--|
| GALAFOLD (mig | galastat) | | | |
| Diagnos | is Code Must Be Submitted on: | Claim 🗸 | Prior Authorization Request | |
| ICD-10 | Description | | | |
| E7521 | Fabry (-Anderson) Disease | | | |

Diagnosis Restricted Drugs

Effective: 5/1/2025

Movement Disorders

| USTEDO (deu | tetrabenazine) | | AUSTEDO XR (deutetrabenazine) |
|--|--|---------|---------------------------------|
| USTEDO XR 1 | TITRATION KT(WK1-4) (deutetraben | azine) | INGREZZA (valbenazine) |
| NGREZZA INIT | TATION PK(TARDIV) (valbenazine) | | INGREZZA SPRINKLE (valbenazine) |
| Diagnos | sis Code Must Be Submitted on: | Claim 🖌 | Prior Authorization Request |
| ICD-10 | Description | | |
| G10 | Huntington's Disease | | |
| G2401 | Drug Induced Subacute Dyskinesi | а | |
| G2402 | Other induced Acute Dystonia | | |
| G2409 | Other Drug Induced Dystonia | | |
| ENAZINE (tetr | abenazine) | | |
| ENAZINE (tetr Diagnos ICD-10 | sis Code Must Be Submitted on: Description | Claim ✔ | Prior Authorization Request |
| ENAZINE (tetr Diagnos | sis Code Must Be Submitted on: | Claim ✔ | Prior Authorization Request |
| ENAZINE (tetr Diagnos ICD-10 G10 | sis Code Must Be Submitted on: Description | | Prior Authorization Request |
| ENAZINE (tetr Diagnos ICD-10 G10 Iltiple Sc | sis Code Must Be Submitted on: Description HUNTINGTON'S DISEASE lerosis Agents, Other | | Prior Authorization Request |
| ENAZINE (tetr Diagnos ICD-10 G10 Iltiple Sc roducts MPYRA (dalfa | sis Code Must Be Submitted on: Description HUNTINGTON'S DISEASE lerosis Agents, Other | | Prior Authorization Request |
| ENAZINE (tetr Diagnos ICD-10 G10 Iltiple Sc roducts MPYRA (dalfa | sis Code Must Be Submitted on: Description HUNTINGTON'S DISEASE Ierosis Agents, Other mpridin) | | |

Diagnosis Restricted Drugs

Effective: 5/1/2025

Neuropathic Pain

Products

GRALISE (gabapentin)

Diagnosis Code Must Be Submitted on: Claim

Prior Authorization Request

| ICD-10 | Description |
|--------|---|
| B0221 | Postherpetic geniculate ganglionitis |
| B0222 | Postherpetic trigeminal neuralgia |
| B0223 | Postherpetic polyneuropathy |
| B0224 | Postherpetic myelitis |
| B0229 | Other postherpetic nervous system involvement |

Products

LYRICA CR (pregabalin)

Diagnosis Code Must Be Submitted on: Claim 🗸

Prior Authorization Request

| ICD-10 | Description |
|--------|--|
| B0221 | POSTHERPETIC GENICULATE GANGLIONITIS |
| B0222 | POSTHERPETIC TRIGEMINAL NEURALGIA |
| B0223 | POSTHERPETIC POLYNEUROPATHY |
| B0224 | POSTHERPETIC MYELITIS |
| B0229 | OTHER POSTHERPETIC NERVOUS SYSTEM INVOLVEMENT |
| E1040 | TYPE 1 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED |
| E1041 | TYPE 1 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY |
| E1042 | TYPE 1 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY |
| E1043 | TYPE 1 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY |
| E1044 | TYPE 1 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY |
| E1049 | TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION |
| E1140 | TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED |
| E1141 | TYPE 2 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY |
| E1142 | TYPE 2 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY |
| E1143 | TYPE 2 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY |
| E1144 | TYPE 2 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY |
| E1149 | TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION |

Ophthalmics, Presbyopia

| uucis | | | | |
|---------------|-------------------------------|---------|-----------------------------|--|
| TY (pilocarpi | ine) | | | |
| | | | | |
| Diagnos | is Code Must Be Submitted on: | Claim 🗸 | Prior Authorization Request | |
| ICD-10 | Description | | | |
| H524 | Presbyopia | | | |

Diagnosis Restricted Drugs

Effective: 5/1/2025

Opioid Dependency - Buprenorphine

| | acrahina) | huproparabing bal (Example brand: SLIDLITEX) |
|----------------|---|--|
| RIXADI (buprei | . , | buprenorphine hcl (Example brand: SUBUTEX) |
| • • | aloxone (Example brand: SUBOXONE) | SUBLOCADE (buprenorphine) |
| UBOXONE (bu | prenorphine hcl/naloxone) | ZUBSOLV (buprenorphine hcl/naloxone) |
| Diagnos | is Code Must Be Submitted on: Claim 🖌 | Prior Authorization Request 🖌 |
| ICD-10 | Description | |
| F1120 | Opioid dependence, uncomplicated | |
| F1120 | Opioid dependence, uncomplicated | |
| F1121 | Opioid dependence, in remission | |
| F1124 | Opioid dependence with opioid-induced mood di | sorder |
| F11250 | Opioid dependence with opioid-induced psychot | c disorder with delusions |
| F11251 | Opioid dependence with opioid-induced psychot | c disorder with hallucinations |
| F11259 | Opioid dependence with opioid-induced psychot | c disorder, unspecified |
| F11281 | Opioid dependence with opioid-induced sexual of | lysfunction |
| F11282 | Opioid dependence with opioid-induced sleep di | sorder |
| F11288 | Opioid dependence with other opioid-induced dis | sorder |

Opioid Dependency Agents - Methadone

Opioid dependence with unspecified opioid-induced disorder

Products

F1129

DISKETS 40 MG TABLET DISPR (methadone hcl) METHADOSE 10 MG/ML ORAL CONC (methadone hcl) METHADONE INTENSOL 10 MG/ML (methadone hcl) METHADOSE 40 MG TABLET DISPR (methadone hcl)

Diagnosis Code Must Be Submitted on:

Prior Authorization Request

| ICD-10 | Description |
|--------|--|
| F1120 | Opioid dependence, uncomplicated |
| F1121 | Opioid dependence, in remission |
| F1124 | Opioid dependence with opioid-induced mood disorder |
| F11250 | Opioid dependence with opioid-induced psychotic disorder with delusions |
| F11251 | Opioid dependence with opioid-induced psychotic disorder with hallucinations |
| F11259 | Opioid dependence with opioid-induced psychotic disorder, unspecified |
| F11281 | Opioid dependence with opioid-induced sexual dysfunction |
| F11282 | Opioid dependence with opioid-induced sleep disorder |
| F11288 | Opioid dependence with other opioid-induced disorder |
| F1129 | Opioid dependence with unspecified opioid-induced disorder |

Diagnosis Restricted Drugs

Effective: 5/1/2025

Opioid Dependency and Alcohol Abuse/Dependency Agents

Products

naltrexone hcl (Example brand: REVIA)

VIVITROL (naltrexone microspheres)

Prior Authorization Request

Diagnosis Code Must Be Submitted on: Claim 🔽

| ICD-10 | Description |
|--------|--|
| F1010 | Alcohol abuse, uncomplicated |
| F1011 | Alcohol abuse, uncomplicated |
| F1014 | Alcohol abuse with alcohol-induced mood disorder |
| F10150 | Alcohol abuse with alcohol-induced psychotic disorder with delusions |
| F10151 | Alcohol abuse with alcohol-induced psychotic disorder with hallucinations |
| F10159 | Alcohol abuse with alcohol-induced psychotic disorder, unspecified |
| F10180 | Alcohol abuse with alcohol-induced anxiety disorder |
| F10181 | Alcohol abuse with alcohol-induced sexual dysfunction |
| F10182 | Alcohol abuse with alcohol-induced sleep disorder |
| F10188 | Alcohol abuse with other alcohol-induced disorder |
| F1019 | Alcohol abuse with unspecified alcohol-induced disorder |
| F1020 | Alcohol dependence, uncomplicated |
| F1021 | Alcohol dependence, in remission |
| F1024 | Alcohol dependence with alcohol-induced mood disorder |
| F10250 | Alcohol dependence with alcohol-induced psychotic disorder with delusions |
| F10251 | Alcohol dependence with alcohol-induced psychotic disorder with hallucinations |
| F10259 | Alcohol dependence with alcohol-induced psychotic disorder, unspecified |
| F1026 | Alcohol dependence with alcohol-induced persisting amnestic disorder |
| F1027 | Alcohol dependence with alcohol-induced persisting dementia |
| F10280 | Alcohol dependence with alcohol-induced anxiety disorder |
| F10281 | Alcohol dependence with alcohol-induced sexual dysfunction |
| F10282 | Alcohol dependence with alcohol-induced sleep disorder |
| F10288 | Alcohol dependence with other alcohol-induced disorder |
| F1029 | Alcohol dependence with unspecified alcohol-induced disorder |
| F1094 | Alcohol use, unspecified with alcohol-induced mood disorder |
| F10950 | Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions |
| F10951 | Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations |
| F10959 | Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified |
| F1096 | Alcohol use, unspecified with alcohol-induced persisting amnestic disorder |
| F1097 | Alcohol use, unspecified with alcohol-induced persisting dementia |
| F10980 | Alcohol use, unspecified with alcohol-induced anxiety disorder |
| F10981 | Alcohol use, unspecified with alcohol-induced sexual dysfunction |
| F10982 | Alcohol use, unspecified with alcohol-induced sleep disorder |
| F10988 | Alcohol use, unspecified with other alcohol-induced disorder |
| F1099 | Alcohol use, unspecified with unspecified alcohol-induced disorder |
| F1120 | Opioid dependence, uncomplicated |
| F1121 | Opioid dependence, in remission |
| F1124 | Opioid dependence with opioid-induced mood disorder |
| F11250 | Opioid dependence with opioid-induced psychotic disorder with delusions |
| F11251 | Opioid dependence with opioid-induced psychotic disorder with hallucinations |
| F11259 | Opioid dependence with opioid-induced psychotic disorder, unspecified |
| F11281 | Opioid dependence with opioid-induced sexual dysfunction |

Diagnosis Restricted Drugs

Effective: 5/1/2025

Opioid Dependency and Alcohol Abuse/Dependency Agents

| F11282 | Opioid dependence with opioid-induced sleep disorder |
|--------|--|
| F11288 | Opioid dependence with other opioid-induced disorder |
| F1129 | Opioid dependence with unspecified opioid-induced disorder |

Peptic Ulcer

Products

DARTISLA (glycopyrrolate)

Diagnosis Code Must Be Submitted on: Claim 🗸

Prior Authorization Request

ICD-10 Description

| K270 | ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH HEMORRHAGE |
|------|--|
| K271 | ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH PERFORATION |
| K272 | ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH BOTH HEMORRHAGE AND PERFORATION |
| K273 | ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITHOUT HEMORRHAGE OR PERFORATION |
| K274 | CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH HEMORRHAGE |
| K275 | CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH PERFORATION |
| K276 | CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH BOTH HEMORRHAGE AND PE |
| K277 | CHRONIC PEPTIC ULCER, SITE UNSPECIFIED, WITHOUT HEMORRHAGE OR PERFORATION |
| K279 | PEPTIC ULCER, SITE UNSPECIFIED, UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT HEMORRHAG |
| | |

Pompe Disease

| Products OPFOLDA (migl | ustat) | | | |
|---------------------------|-------------------------------|---------|-------------------------------|--|
| Diagnos | is Code Must Be Submitted on: | Claim 🖌 | Prior Authorization Request 🖌 | |
| ICD-10 | Description | | | |
| E7402 | Pompe disease | | | |
| rimary Hy | peroxaluria | | | |
| rimary Hy Products | peroxaluria | | | |
| | | | | |
| Products RIVFLOZA (ned | | Claim ✔ | Prior Authorization Request | |
| Products RIVFLOZA (ned | osiran) | Claim ✔ | Prior Authorization Request | |

Diagnosis Restricted Drugs

Effective: 5/1/2025

Progestational Agent

Products

CRINONE 8% GEL (progesterone)

| Diagnosi | s Code Must Be Submitted on: Claim 🖌 Prior Authorization Request 🗌 |
|----------|---|
| ICD-10 | Description |
| O09211 | Supervision of pregnancy with history of pre-term labor, first trimester |
| O09212 | Supervision of pregnancy with history of pre-term labor, second trimester |
| O09213 | Supervision of pregnancy with history of pre-term labor, third trimester |
| O09219 | Supervision of pregnancy with history of pre-term labor, unspecified trimester |
| O09291 | Supervision of pregnancy with other poor reproductive or obstetric history, first trimester |
| O09292 | Supervision of pregnancy with other poor reproductive or obstetric history, second trimester |
| O09293 | Supervision of pregnancy with other poor reproductive or obstetric history, third trimester |
| O09299 | Supervision of pregnancy with other poor reproductive or obstetric history, unspecified trimester |
| O26872 | Cervical shortening, second trimester |
| O26873 | Cervical shortening, third trimester |
| O26879 | Cervical shortening, unspecified trimester |

Protein Replacement

Products

| AQNE | QNEURSA (levacetylleucine) | | | MIPLYFFA (arimoclomol) | |
|------|----------------------------|-------------------------------|---------|-------------------------------|--|
| | Diagnos | is Code Must Be Submitted on: | Claim 🖌 | Prior Authorization Request 🖌 | |
| | ICD-10 | Description | | | |
| | E75242 | Niemann-Pick Disease Type C | | | |

Pulmonary Anti-Hypertensive Agents

Products

ADCIRCA (tadalafil) LIQREV (sildenafil citrate) TADLIQ (tadalafil)

ICD-10 Description

ALYQ (tadalafil) REVATIO (sildenafil citrate)

Prior Authorization Request 🗸

Diagnosis Code Must Be Submitted on:

| 1270 | Primary pulmonary hypertension |
|-------|---|
| 12720 | Pulmonary hypertension, unspecified |
| 12721 | Secondary pulmonary arterial hypertension |
| 12722 | Pulmonary hypertension due to left heart disease |
| 12723 | Pulmonary hypertension Due to Lung Diseases and hypoxia |
| 12724 | Chronic thromboembolic pulmonary hypertension |
| 12729 | Other secondary pulmonary hypertension |
| 12783 | Eisenmenger's syndrome |

Diagnosis Restricted Drugs

Effective: 5/1/2025

Smoking Cessation

| propion hcl sr ´ | 50 mg tablet (Example brand: ZYBAN) | CHANTIX (varenicline tartrate) | | | |
|------------------|---|---|--|--|--|
| otine gum (Exa | ample brand: NICORETTE) | nicotine lozenge (Example brand: NICORETTE) | | | |
| otine lozenge | Example brand: NICOTINE) | nicotine patch (Example brand: CVS NICOTINE) | | | |
| otine patch (Ex | ample brand: NICOTINE) | NICOTROL (nicotine) | | | |
| COTROL NS (r | nicotine) | | | | |
| Diagnosi | s Code Must Be Submitted on: Claim | ✓ Prior Authorization Request | | | |
| ICD-10 | Description | | | | |
| F17200 | Nicotine dependence, unspecified, uncomp | licated | | | |
| F17201 | Nicotine dependence, unspecified, in remise | sion | | | |
| F17203 | Nicotine dependence unspecified, with with | drawal | | | |
| F17208 | Nicotine dependence, unspecified, with othe | er nicotine-induced disorders | | | |
| F17209 | Nicotine dependence, unspecified, with unspecified nicotine-induced disorders | | | | |
| F17210 | Nicotine dependence, cigarettes, uncomplic | cated | | | |
| F17211 | Nicotine dependence, cigarettes, in remissi | on | | | |
| F17213 | Nicotine dependence, cigarettes, with withd | rawal | | | |
| F17218 | Nicotine dependence, cigarettes, with other | | | | |
| F17219 | Nicotine dependence, cigarettes, with unsp | ecified nicotine-induced disorders | | | |
| F17220 | Nicotine dependence, chewing tobacco, un | complicated | | | |
| F17221 | Nicotine dependence, chewing tobacco, in | remission | | | |
| F17223 | Nicotine dependence, chewing tobacco, wit | | | | |
| F17228 | Nicotine dependence, chewing tobacco, wit | | | | |
| F17229 | Nicotine dependence, chewing tobacco, wit | h unspecified nicotine-induced disorders | | | |
| F17290 | Nicotine dependence, other tobacco produc | | | | |
| F17291 | Nicotine dependence, other tobacco produc | st, in remission | | | |
| F17293 | Nicotine dependence, other tobacco produc | | | | |
| F17298 | Nicotine dependence, other tobacco produc | ct, with other nicotine-induced disorders | | | |
| | | ct, with unspecified nicotine-induced disorders | | | |

Stimulants, Desoxyn

Z720

Products

methamphetamine hcl (Example brand: DESOXYN)

Tobacco use

Diagnosis Code Must Be Submitted on:

Prior Authorization Request

ICD-10 Description

| F900 | Attention-deficit hyperactivity disorder, predominantly inattentive type |
|------|--|
| F901 | Attention-deficit hyperactivity disorder, predominantly hyperactive type |
| F902 | Attention-deficit hyperactivity disorder, combined type |
| F908 | Attention-deficit hyperactivity disorder, other type |
| F909 | Attention-deficit hyperactivity disorder, unspecified type |

Diagnosis Restricted Drugs

Effective: 5/1/2025

Stimulants, Excluding Desoxyn and Vyvanse

Products

| ADDERALL (dextroamphetamine/amphetamine) | ADDERALL XR (dextroamphetamine/amphetamine) |
|---|--|
| ADZENYS XR-ODT (amphetamine) | APTENSIO XR (methylphenidate hcl) |
| AZSTARYS (serdexmethylphenidate/dexmethylphenidate) | CONCERTA (methylphenidate hcl) |
| COTEMPLA XR-ODT (methylphenidate) | DAYTRANA (methylphenidate hcl) |
| DEXEDRINE (dextroamphetamine sulfate) | dextroamphetamine sulfate er (Example brand: DEXEDR |
| DYANAVEL XR (amphetamine) | EVEKEO (amphetamine) |
| FOCALIN (dexmethylphenidate hcl) | FOCALIN XR (dexmethylphenidate hcl) |
| JORNAY PM (methylphenidate er) | METHYLIN (methylphenidate hcl) |
| methylphenidate er (Example brand: METADATE ER) | methylphenidate er (Example brand: METHYLIN) |
| methylphenidate er (la) (Example brand: RITALIN LA) | methylphenidate hcl (Example brand: METHYLIN CHEW |
| methylphenidate hcl cd (Example brand: METADATE CD) | methylphenidate hcl er (cd) (Example brand: METADATE |
| MYDAYIS (dextroamphetamine/amphetamine) | PROCENTRA (dextroamphetamine sulfate) |
| QUILLICHEW ER (methylphenidate hcl) | QUILLIVANT XR (methylphenidate hcl) |
| RELEXXII (methylphenidate hcl) | RELEXXII (methylphenidate) |
| RITALIN (methylphenidate hcl) | RITALIN LA (methylphenidate hcl) |
| ZENZEDI (dextroamphetamine sulfate) | |
| | |

Diagnosis Code Must Be Submitted on:

Prior Authorization Request 🖌

| ICD-10 | Description |
|--------|--|
| F900 | Attention-deficit hyperactivity disorder, predominantly inattentive type |
| F901 | Attention-deficit hyperactivity disorder, predominantly hyperactive type |
| F902 | Attention-deficit hyperactivity disorder, combined type |
| F908 | Attention-deficit hyperactivity disorder, other type |
| F909 | Attention-deficit hyperactivity disorder, unspecified type |
| G47411 | Narcolepsy with cataplexy |
| G47419 | Narcolepsy without cataplexy |

Diagnosis Restricted Drugs

Effective: 5/1/2025

Stimulants, Vyvanse

Products

VYVANSE (lisdexamfetamine dimesylate)

VYVANSE CHEWABLE (lisdexamfetamine dimesylate)

Diagnosis Code Must Be Submitted on: Claim ✔ Prior Authorization Request □

| ICD-10 | Description |
|--------|--|
| F5081 | Binge Eating Disorder |
| F50810 | Binge Eating Disorder, Mild |
| F50811 | Binge Eating Disorder, Moderate |
| F50812 | Binge Eating Disorder, Severe |
| F50813 | Binge Eating Disorder, Extreme |
| F50814 | Binge Eating Disorder, In Remission |
| F50819 | Binge Eating Disorder, Unspecified |
| F900 | Attention-deficit hyperactivity disorder, predominantly inattentive type |
| F901 | Attention-deficit hyperactivity disorder, predominantly hyperactive type |
| F902 | Attention-deficit hyperactivity disorder, combined type |
| F908 | Attention-deficit hyperactivity disorder, other type |
| F909 | Attention-deficit hyperactivity disorder, unspecified type |
| G47411 | Narcolepsy with cataplexy |
| G47419 | Narcolepsy without cataplexy |

Topical Anticholinergic Hyperhidrosis Treatment Agents

| Products | | | | |
|----------------|------------------------------------|---------|-----------------------------|--|
| SOFDRA (sofpir | onium) | | | |
| Diagnos | is Code Must Be Submitted on: | Claim 🖌 | Prior Authorization Request | |
| ICD-10 | Description | | | |
| L74510 | Primary Focal Hyperhdrosis, Axilla | l | | |

Diagnosis Restricted Drugs

Effective: 5/1/2025

Vitamins, Renal

Products DIALYVITE (folic acid combination) DIALYVITE 3000 (folic acid combination) DIALYVITE 800 WITH IRON (fe fumarate combinations) FERROCITE PLUS (iron combinations) FOLBEE PLUS (folic acid combination) FOLBEE PLUS CZ (folic acid combination) TRIPHROCAPS (vitamin b complex) VIRT-CAPS (vitamin b complex) WESCAPS (vitamin b complex) Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request ICD-10 Description N181 Chronic kidney disease, Stage 1 N182 Chronic kidney disease, Stage 2 (mild) N1830 Chronic kidney disease, stage 3 unspecified N1831 Chronic kidney disease, stage 3A N1832 Chronic kidney disease, stage 3B N184 Chronic kidney disease, Stage 4 (severe) N185 Chronic kidney disease, Stage 5 N186 End stage renal disease N189 Chronic kidney disease, unspecified N250 Renal osteodystrophy N251 Nephrogenic diabetes insipidus N2581 Secondary hyperparathyroidism of renal origin N2589 Other disorders resulting from impaired renal tubular function N259

Disorder resulting from impaired renal tubular function, unspecified