

# BadgerCare Plus Basic Plan

## Product List-Sorted by Generic Ingredient

The information provided below does not guarantee Wisconsin BadgerCare Plus Basic Plan coverage or payment. Real-time claim submission provides the most accurate member enrollment, drug coverage, and reimbursement determination. Please reference the date below when contacting Provider Services with questions about information received through this page. Providers may want to keep a copy of the page for their records.

|                      |                   |          |     | Basic Effective: October 1, 2012 |                   |          |     |
|----------------------|-------------------|----------|-----|----------------------------------|-------------------|----------|-----|
| N/D                  | STRGTH            | Start    | End | N/D                              | STRGTH            | Start    | End |
| <b>ACARBOSE</b>      |                   |          |     | <b>ACETAMINOPHEN</b>             |                   |          |     |
| <b>Oral</b>          |                   |          |     | <b>Oral</b>                      |                   |          |     |
|                      | <b>Tablet</b>     |          |     |                                  | <b>Suspension</b> |          |     |
|                      | 25 mg             | 7/1/2010 |     |                                  | 650 mg/20.3 ml    | 1/1/2011 |     |
|                      | 50 mg             | 7/1/2010 |     |                                  | <b>Tablet</b>     |          |     |
|                      | 100 mg            | 7/1/2010 |     |                                  | 325 mg            | 7/1/2010 |     |
|                      |                   |          |     |                                  | 500 mg            | 7/1/2010 |     |
|                      |                   |          |     |                                  | 650 mg            | 6/1/2011 |     |
| <b>ACEBUTOLOL</b>    |                   |          |     | <b>Tablet ER</b>                 |                   |          |     |
| <b>Oral</b>          |                   |          |     | 650 mg                           |                   |          |     |
|                      | <b>Capsule</b>    |          |     |                                  |                   | 8/2/2010 |     |
|                      | 200 mg            | 7/1/2010 |     | <b>Rectal</b>                    |                   |          |     |
|                      | 400 mg            | 7/1/2010 |     | <b>Suppository</b>               |                   |          |     |
| <b>ACETAMINOPHEN</b> |                   |          |     | 80 mg                            |                   |          |     |
| <b>Oral</b>          |                   |          |     | 120 mg                           |                   |          |     |
|                      | <b>Capsule</b>    |          |     | 325 mg                           |                   |          |     |
|                      | 500 mg            | 7/1/2010 |     | 650 mg                           |                   |          |     |
|                      |                   |          |     | <b>ACETAMINOPHEN and CODEINE</b> |                   |          |     |
|                      |                   |          |     | <b>Oral</b>                      |                   |          |     |
|                      | <b>Drops</b>      |          |     | <b>Elixir</b>                    |                   |          |     |
|                      | 80 mg/0.8 ml      | 1/1/2011 |     | 120 mg-12 mg/5 ml                |                   |          |     |
|                      | 100 mg/ml         | 7/1/2010 |     | <b>Tablet</b>                    |                   |          |     |
|                      | <b>Elixir</b>     |          |     | 300 mg-15 mg                     |                   |          |     |
|                      | 160 mg/5 ml       | 7/1/2010 |     | 300 mg-30 mg                     |                   |          |     |
|                      |                   |          |     | 300 mg-60 mg                     |                   |          |     |
|                      | <b>Liquid</b>     |          |     | <b>ACETAZOLAMIDE</b>             |                   |          |     |
|                      | 160 mg/5 ml       | 7/1/2010 |     | <b>Oral</b>                      |                   |          |     |
|                      | 500 mg/15 ml      | 7/1/2010 |     | <b>Capsule ER</b>                |                   |          |     |
|                      | 500 mg/5 ml       | 1/1/2011 |     | 500 mg                           |                   |          |     |
|                      |                   |          |     | <b>Tablet</b>                    |                   |          |     |
|                      | <b>Solution</b>   |          |     | 250 mg                           |                   |          |     |
|                      | 160 mg/5 ml       | 7/1/2010 |     | <b>ACETIC ACID</b>               |                   |          |     |
|                      | 325 mg/10.15 ml   | 7/1/2010 |     | <b>Otic</b>                      |                   |          |     |
|                      | 650 mg/20.3 ml    | 7/1/2010 |     |                                  |                   |          |     |
|                      | <b>Suspension</b> |          |     |                                  |                   |          |     |
|                      | 80 mg/0.8 ml      | 7/1/2010 |     |                                  |                   |          |     |
|                      | 100 mg/ml         | 7/1/2010 |     |                                  |                   |          |     |
|                      | 160 mg/5 ml       | 7/1/2010 |     |                                  |                   |          |     |
|                      | 320 mg/10 ml      | 1/1/2011 |     |                                  |                   |          |     |
|                      | 325 mg/10.15 ml   | 7/1/2010 |     |                                  |                   |          |     |
|                      | 640 mg/20 ml      | 1/1/2011 |     |                                  |                   |          |     |

N/D; N=New, D=Delete

| N/D                                   | STRGTH                | Start    | End | N/D   | STRGTH                   | Start    | End |
|---------------------------------------|-----------------------|----------|-----|---|--------------------------|----------|-----|
| <b>ACETIC ACID</b>                    |                       |          |     | <b>ALBUTEROL</b>                              |                          |          |     |
|                                       | <b>Otic</b>           |          |     |   | <b>Oral</b>              |          |     |
|                                       | <b>Solution</b>       |          |     |   | <b>Tablet</b>            |          |     |
|                                       | 2 %                   | 7/1/2010 |     |   | 4 mg                     | 7/1/2010 |     |
| <b>ACETIC ACID and ALUMINUM</b>       |                       |          |     |   | <b>Tablet (12hr)</b>     |          |     |
|                                       | <b>Otic</b>           |          |     |   | 4 mg                     | 7/1/2010 |     |
|                                       | <b>Drops</b>          |          |     |   | 8 mg                     | 7/1/2010 |     |
|                                       | 2 %                   | 7/1/2010 |     | <b>ALENDRONATE</b>                            |                          |          |     |
| <b>ACETIC ACID and HYDROCORTISONE</b> |                       |          |     |   | <b>Oral</b>              |          |     |
|                                       | <b>Otic</b>           |          |     |   | <b>Tablet</b>            |          |     |
|                                       | <b>Drops</b>          |          |     |   | 5 mg                     | 7/1/2010 |     |
|                                       | 2 %-1 %               | 1/1/2012 |     |   | 10 mg                    | 7/1/2010 |     |
| <b>ACETYLCYSTEINE</b>                 |                       |          |     |   | 35 mg                    | 7/1/2010 |     |
|                                       | <b>Miscell</b>        |          |     |   | 40 mg                    | 7/1/2010 |     |
|                                       | <b>Vial</b>           |          |     |   | 70 mg                    | 7/1/2010 |     |
|                                       | 10 % (100 mg/ml)      | 7/1/2010 |     | <b>ALLOPURINOL</b>                            |                          |          |     |
|                                       | 20 % (200 mg/ml)      | 7/1/2010 |     |   | <b>Oral</b>              |          |     |
| <b>ACYCLOVIR</b>                      |                       |          |     |   | <b>Tablet</b>            |          |     |
|                                       | <b>Oral</b>           |          |     |   | 100 mg                   | 7/1/2010 |     |
|                                       | <b>Capsule</b>        |          |     |   | 300 mg                   | 7/1/2010 |     |
|                                       | 200 mg                | 7/1/2010 |     | <b>ALPRAZOLAM</b>                             |                          |          |     |
|                                       | <b>Suspension</b>     |          |     |   | <b>Oral</b>              |          |     |
|                                       | 200 mg/5 ml           | 7/1/2010 |     |   | <b>Concentrate</b>       |          |     |
|                                       | <b>Tablet</b>         |          |     |   | 1 mg/ml                  | 7/1/2010 |     |
|                                       | 400 mg                | 7/1/2010 |     |   | <b>Tablet</b>            |          |     |
|                                       | 800 mg                | 7/1/2010 |     |   | 0.25 mg                  | 7/1/2010 |     |
| <b>ALBUTEROL</b>                      |                       |          |     |   | 0.5 mg                   | 7/1/2010 |     |
|                                       | <b>Inhalation</b>     |          |     |   | 1 mg                     | 7/1/2010 |     |
|                                       | <b>Solution</b>       |          |     |   | 2 mg                     | 7/1/2010 |     |
|                                       | 5 mg/m;               | 7/1/2010 |     |   | 3 mg                     | 7/1/2010 |     |
|                                       | <b>Vial-Neb</b>       |          |     | <b>ALUMINUM and MAGNESIUM and SIMETHICONE</b> |                          |          |     |
|                                       | 2.5 mg/0.5 ml         | 7/1/2010 |     |   | <b>Oral</b>              |          |     |
|                                       | 2.5 mg/3 ml (0.083 %) | 7/1/2010 |     |   | <b>Suspension</b>        |          |     |
|                                       | <b>Oral</b>           |          |     |   | 200 mg-200 mg-20 mg/5 ml | 7/1/2011 |     |
|                                       | <b>Syrup</b>          |          |     | <b>N/D; N=New, D=Delete</b>                   |                          |          |     |
|                                       | 2 mg/5 ml             | 7/1/2010 |     |   |                          |          |     |
|                                       | <b>Tablet</b>         |          |     |   |                          |          |     |
|                                       | 2 mg                  | 7/1/2010 |     |   |                          |          |     |

| N/D | STRGTH | Start | End | N/D | STRGTH | Start | End |
|-----|--------|-------|-----|-----|--------|-------|-----|
|-----|--------|-------|-----|-----|--------|-------|-----|

**ALUMINUM and MAGNESIUM and SIMETHICONE**

Oral

**Suspension**  
400 mg-400 mg-40 mg/5 ml      7/1/2011

**ALUMINUM HYDROXIDE**

Oral

**Suspension**  
320 mg/5 ml      7/1/2010  
600 mg/5 ml      7/1/2010

**AMANTADINE**

Oral

**Capsule**  
100 mg      7/1/2010  
**Syrup**  
50 mg/5 ml      7/1/2010  
**Tablet**  
100 mg      7/1/2010

**AMILORIDE**

Oral

**Tablet**  
5 mg      7/1/2010

**AMILORIDE and HYDROCHLOROTHIAZIDE**

Oral

**Tablet**  
5 mg-50 mg      7/1/2010

**AMINOCAPROIC ACID**

Oral

**Solution**  
250 mg/ml      7/1/2010  
**Tablet**  
500 mg      7/1/2010

**AMINOPHYLLINE**

Oral

**Tablet**

**AMINOPHYLLINE**

Oral

**Tablet**  
100 mg      7/1/2010  
200 mg      7/1/2010

**AMIODARONE**

Oral

**Tablet**  
100 mg      7/1/2010  
200 mg      7/1/2010  
400 mg      7/1/2010

**AMITRIPTYLINE**

Oral

**Tablet**  
10 mg      7/1/2010  
25 mg      7/1/2010  
50 mg      7/1/2010  
75 mg      7/1/2010  
100 mg      7/1/2010  
150 mg      7/1/2010

**AMLODIPINE**

Oral

**Tablet**  
2.5 mg      7/1/2010  
5 mg      7/1/2010  
10 mg      7/1/2010

**AMOX TR-POTASSIUM CLAVULANATE**

Oral

**Suspension Recon**  
200 mg-28.5 mg/5 ml      7/1/2010  
250 mg-62.5 mg/5 ml      10/1/2010  
400 mg-57 mg/5 ml      7/1/2010  
600 mg-42.9 mg/5 ml      7/1/2010  
**Tablet**  
250 mg-125 mg      7/1/2010  
500 mg-125 mg      7/1/2010  
875 mg-125 mg      7/1/2010  
**Tablet Chewable**  
200 mg-28.5 mg      7/1/2010  
400 mg-57 mg      7/1/2010

N/D; N=New, D=Delete

| N/D | STRGTH | Start | End | N/D | STRGTH | Start | End |
|-----|--------|-------|-----|-----|--------|-------|-----|
|-----|--------|-------|-----|-----|--------|-------|-----|

**AMOXICILLIN****Oral****Capsule**

|        |          |
|--------|----------|
| 250 mg | 7/1/2010 |
| 500 mg | 7/1/2010 |

**Suspension Recon**

|             |          |
|-------------|----------|
| 125 mg/5 ml | 7/1/2010 |
| 200 mg/5 ml | 7/1/2010 |
| 250 mg/5 ml | 7/1/2010 |
| 400 mg/5 ml | 7/1/2010 |

**Tablet**

|        |          |
|--------|----------|
| 500 mg | 7/1/2010 |
| 875 mg | 7/1/2010 |

**Tablet Chewable**

|        |          |
|--------|----------|
| 125 mg | 7/1/2010 |
| 200 mg | 7/1/2010 |
| 250 mg | 7/1/2010 |
| 400 mg | 7/1/2010 |

**AMPHETAMINE SALTS****Oral****Capsule (24hr)**

|       |           |
|-------|-----------|
| 5 mg  | 10/1/2010 |
| 10 mg | 10/1/2010 |
| 15 mg | 10/1/2010 |
| 20 mg | 10/1/2010 |
| 25 mg | 10/1/2010 |
| 30 mg | 10/1/2010 |

**Tablet**

|         |          |
|---------|----------|
| 5 mg    | 7/1/2010 |
| 7.5 mg  | 7/1/2010 |
| 10 mg   | 7/1/2010 |
| 12.5 mg | 7/1/2010 |
| 15 mg   | 7/1/2010 |
| 20 mg   | 7/1/2010 |
| 30 mg   | 7/1/2010 |

**AMPICILLIN****Oral****Capsule**

|        |          |
|--------|----------|
| 250 mg | 7/1/2010 |
| 500 mg | 7/1/2010 |

**Suspension Recon**

|             |          |
|-------------|----------|
| 125 mg/5 ml | 7/1/2010 |
| 250 mg/5 ml | 7/1/2010 |

N/D; N=New, D=Delete

**ANAGRELIDE****Oral****Capsule**

|        |          |
|--------|----------|
| 0.5 mg | 7/1/2010 |
| 1 mg   | 7/1/2010 |

**ANASTROZOLE****Oral****Tablet**

|      |           |
|------|-----------|
| 1 mg | 10/1/2010 |
|------|-----------|

**ANTIPYRINE and BENZOCAINE and GLYCERIN****Otic****Drops**

|             |          |
|-------------|----------|
| 5.4 %-1.4 % | 7/1/2010 |
|-------------|----------|

**ASPIRIN****Oral****Tablet**

|        |          |
|--------|----------|
| 325 mg | 7/1/2010 |
|--------|----------|

**Tablet Chewable**

|       |          |
|-------|----------|
| 81 mg | 7/1/2010 |
|-------|----------|

**Tablet DR**

|        |          |
|--------|----------|
| 81 mg  | 7/1/2010 |
| 325 mg | 7/1/2010 |
| 500 mg | 7/1/2010 |

**Tablet ER**

|        |          |
|--------|----------|
| 800 mg | 7/1/2010 |
|--------|----------|

**Rectal****Suppository**

|        |          |
|--------|----------|
| 600 mg | 1/1/2011 |
|--------|----------|

**ATENOLOL****Oral****Tablet**

|        |          |
|--------|----------|
| 25 mg  | 7/1/2010 |
| 50 mg  | 7/1/2010 |
| 100 mg | 7/1/2010 |

**ATENOLOL and CHLORTHALIDONE****Oral****Tablet**

|             |          |
|-------------|----------|
| 50 mg-25 mg | 7/1/2010 |
|-------------|----------|

| N/D                                | STRGTH                  | Start    | End | N/D                                       | STRGTH                    | Start    | End |
|------------------------------------|-------------------------|----------|-----|---|---------------------------|----------|-----|
| <b>ATENOLOL and CHLORTHALIDONE</b> |                         |          |     | <b>BACITRACIN and POLYMYXIN</b>           |                           |          |     |
| <b>Oral</b>                        |                         |          |     | <b>Topical</b>                            |                           |          |     |
|                                    | <b>Tablet</b>           |          |     |   | <b>Ointment</b>           |          |     |
|                                    | 100 mg-25 mg            | 7/1/2010 |     |   | 500 unit-10,000 unit/gram | 7/1/2010 |     |
| <b>ATORVASTATIN CALCIUM</b>        |                         |          |     | <b>BACITRACIN ZINC</b>                    |                           |          |     |
| <b>Oral</b>                        |                         |          |     | <b>Topical</b>                            |                           |          |     |
|                                    | <b>Tablet</b>           |          |     |   | <b>Ointment</b>           |          |     |
|                                    | 10 mg                   | 8/1/2012 |     |   | 500 unit/gram             | 7/1/2010 |     |
|                                    | 20 mg                   | 8/1/2012 |     | <b>BACITRACIN ZINC and POLYMYX B</b>      |                           |          |     |
|                                    | 40 mg                   | 8/1/2012 |     | <b>Topical</b>                            |                           |          |     |
|                                    | 80 mg                   | 8/1/2012 |     |   | <b>Ointment</b>           |          |     |
| <b>ATROPINE</b>                    |                         |          |     |   | 500 and 10k/gram          | 7/1/2012 |     |
| <b>Ophthalmic</b>                  |                         |          |     | <b>BACLOFEN</b>                           |                           |          |     |
|                                    | <b>Drops</b>            |          |     | <b>Oral</b>                               |                           |          |     |
|                                    | 1 %                     | 7/1/2010 |     |   | <b>Tablet</b>             |          |     |
|                                    | <b>Ointment</b>         |          |     |   | 10 mg                     | 7/1/2010 |     |
|                                    | 1 %                     | 7/1/2010 |     |   | 20 mg                     | 7/1/2010 |     |
| <b>Oral</b>                        |                         |          |     | <b>BALSALAZIDE</b>                        |                           |          |     |
|                                    | <b>Tablet</b>           |          |     | <b>Oral</b>                               |                           |          |     |
|                                    | 0.4 mg                  | 7/1/2010 |     |   | <b>Capsule</b>            |          |     |
| <b>AZATHIOPRINE</b>                |                         |          |     |   | 750 mg                    | 7/1/2010 |     |
| <b>Oral</b>                        |                         |          |     | <b>BENAZEPRIL</b>                         |                           |          |     |
|                                    | <b>Tablet</b>           |          |     | <b>Oral</b>                               |                           |          |     |
|                                    | 50 mg                   | 7/1/2010 |     |   | <b>Tablet</b>             |          |     |
| <b>AZITHROMYCIN</b>                |                         |          |     |   | 5 mg                      | 7/1/2010 |     |
| <b>Oral</b>                        |                         |          |     |   | 10 mg                     | 7/1/2010 |     |
|                                    | <b>Packet</b>           |          |     |   | 20 mg                     | 7/1/2010 |     |
|                                    | 1 gram                  | 7/1/2010 |     |   | 40 mg                     | 7/1/2010 |     |
|                                    | <b>Suspension Recon</b> |          |     | <b>BENAZEPRIL and HYDROCHLOROTHIAZIDE</b> |                           |          |     |
|                                    | 100 mg/5 ml             | 7/1/2010 |     | <b>Oral</b>                               |                           |          |     |
|                                    | 200 mg/5 ml             | 7/1/2010 |     |   | <b>Tablet</b>             |          |     |
|                                    | <b>Tablet</b>           |          |     |   | 5 mg-6.25 mg              | 7/1/2010 |     |
|                                    | 250 mg                  | 7/1/2010 |     |   | 10 mg-12.5 mg             | 7/1/2010 |     |
|                                    | 500 mg                  | 7/1/2010 |     |   | 20 mg-12.5 mg             | 7/1/2010 |     |
|                                    | 600 mg                  | 7/1/2010 |     |   | 20 mg-25 mg               | 7/1/2010 |     |
| <b>BACITRACIN</b>                  |                         |          |     | <b>BENAZEPRIL and HYDROCHLOROTHIAZIDE</b> |                           |          |     |
| <b>Topical</b>                     |                         |          |     | <b>Oral</b>                               |                           |          |     |
|                                    | <b>Ointment</b>         |          |     |   | <b>Tablet</b>             |          |     |
|                                    | 500 unit/gram           | 7/1/2010 |     |   | 5 mg-6.25 mg              | 7/1/2010 |     |
| <b>N/D; N=New, D=Delete</b>        |                         |          |     |   | 10 mg-12.5 mg             | 7/1/2010 |     |
|                                    |                         |          |     |   | 20 mg-12.5 mg             | 7/1/2010 |     |
|                                    |                         |          |     |   | 20 mg-25 mg               | 7/1/2010 |     |

| N/D                               | STRGTH          | Start    | End | N/D                      | STRGTH               | Start     | End |
|-----------------------------------|-----------------|----------|-----|--------------------------|----------------------|-----------|-----|
| <b>BENZOYL PEROXIDE</b>           |                 |          |     | <b>BRIMONIDINE</b>       |                      |           |     |
| <b>Topical</b>                    |                 |          |     | <b>Ophthalmic</b>        |                      |           |     |
|                                   | <b>Cleanser</b> |          |     |                          | <b>Drops</b>         |           |     |
|                                   | 2.5 %           | 7/1/2012 |     |                          | 0.15 %               | 10/1/2010 |     |
|                                   | 5 %             | 7/1/2012 |     |                          | 0.2 %                | 7/1/2010  |     |
|                                   | 10 %            | 7/1/2012 |     | <b>BROMOCRIPTINE</b>     |                      |           |     |
|                                   | <b>Gel</b>      |          |     | <b>Oral</b>              |                      |           |     |
|                                   | 2.5 %           | 7/1/2012 |     |                          | <b>Capsule</b>       |           |     |
|                                   | 5 %             | 7/1/2010 |     |                          | 5 mg                 | 7/1/2010  |     |
|                                   | 10 %            | 7/1/2010 |     |                          | <b>Tablet</b>        |           |     |
| <b>BENZTROPINE</b>                |                 |          |     |                          | 2.5 mg               | 7/1/2010  |     |
| <b>Oral</b>                       |                 |          |     | <b>BUMETANIDE</b>        |                      |           |     |
|                                   | <b>Tablet</b>   |          |     | <b>Oral</b>              |                      |           |     |
|                                   | 0.5 mg          | 7/1/2010 |     |                          | <b>Tablet</b>        |           |     |
|                                   | 1 mg            | 7/1/2010 |     |                          | 0.5 mg               | 7/1/2010  |     |
|                                   | 2 mg            | 7/1/2010 |     |                          | 1 mg                 | 7/1/2010  |     |
| <b>BETAMETHASONE DIPROPIONATE</b> |                 |          |     |                          | 2 mg                 | 7/1/2010  |     |
| <b>Topical</b>                    |                 |          |     | <b>BUPROPION</b>         |                      |           |     |
|                                   | <b>Cream</b>    |          |     | <b>Oral</b>              |                      |           |     |
|                                   | 0.05 %          | 7/1/2010 |     |                          | <b>Tablet</b>        |           |     |
|                                   | <b>Lotion</b>   |          |     |                          | 75 mg                | 7/1/2010  |     |
|                                   | 0.05 %          | 7/1/2010 |     |                          | 100 mg               | 7/1/2010  |     |
|                                   | <b>Ointment</b> |          |     |                          | <b>Tablet (24hr)</b> |           |     |
|                                   | 0.05 %          | 7/1/2010 |     |                          | 150 mg               | 11/1/2010 |     |
| <b>BETAMETHASONE VALERATE</b>     |                 |          |     |                          | 300 mg               | 7/1/2010  |     |
| <b>Topical</b>                    |                 |          |     |                          | <b>Tablet ER</b>     |           |     |
|                                   | <b>Cream</b>    |          |     |                          | 100 mg               | 7/1/2010  |     |
|                                   | 0.1 %           | 7/1/2010 |     |                          | 150 mg               | 7/1/2010  |     |
|                                   | <b>Lotion</b>   |          |     |                          | 150 mg               | 7/1/2010  |     |
|                                   | 0.1 %           | 7/1/2010 |     |                          | 200 mg               | 7/1/2010  |     |
|                                   | <b>Ointment</b> |          |     | <b>BUSPIRONE</b>         |                      |           |     |
|                                   | 0.1 %           | 7/1/2010 |     | <b>Oral</b>              |                      |           |     |
| <b>BICALUTAMIDE</b>               |                 |          |     |                          | <b>Tablet</b>        |           |     |
| <b>Oral</b>                       |                 |          |     |                          | 5 mg                 | 7/1/2010  |     |
|                                   | <b>Tablet</b>   |          |     |                          | 7.5 mg               | 7/1/2010  |     |
|                                   | 50 mg           | 7/1/2010 |     |                          | 10 mg                | 7/1/2010  |     |
| <b>BRIMONIDINE</b>                |                 |          |     |                          | 15 mg                | 7/1/2010  |     |
| <b>Ophthalmic</b>                 |                 |          |     |                          | 30 mg                | 7/1/2010  |     |
| <b>Drops</b>                      |                 |          |     | <b>CALCITONIN-SALMON</b> |                      |           |     |
| <b>N/D; N=New, D=Delete</b>       |                 |          |     |                          |                      |           |     |

| N/D  | STRGTH                 | Start     | End | N/D                                      | STRGTH                 | Start    | End |
|--|------------------------|-----------|-----|--|------------------------|----------|-----|
| <b>CALCITONIN-SALMON</b>                         |                        |           |     | <b>CAPTOPRIL</b>                         |                        |          |     |
| <b>Nasal</b>                                     |                        |           |     | <b>Oral</b>                              |                        |          |     |
|  | <b>Spray</b>           |           |     |  | <b>Tablet</b>          |          |     |
|  | 200 unit/dose          | 7/1/2010  |     |  | 12.5 mg                | 7/1/2010 |     |
|  |                        |           |     |  | 25 mg                  | 7/1/2010 |     |
|  |                        |           |     |  | 50 mg                  | 7/1/2010 |     |
|  |                        |           |     |  | 100 mg                 | 7/1/2010 |     |
| <b>CALCITRIOL</b>                                |                        |           |     | <b>CAPTOPRIL and HYDROCHLOROTHIAZIDE</b> |                        |          |     |
| <b>Oral</b>                                      |                        |           |     | <b>Oral</b>                              |                        |          |     |
|  | <b>Capsule</b>         |           |     |  | <b>Tablet</b>          |          |     |
|  | 0.25 mcg               | 7/1/2010  |     |  | 25 mg-15 mg            | 7/1/2010 |     |
|  | 0.5 mcg                | 7/1/2010  |     |  | 25 mg-25 mg            | 7/1/2010 |     |
|  |                        |           |     |  | 50 mg-15 mg            | 7/1/2010 |     |
|  |                        |           |     |  | 50 mg-25 mg            | 7/1/2010 |     |
| <b>CALCIUM ACETATE</b>                           |                        |           |     | <b>CARBAMAZEPINE</b>                     |                        |          |     |
| <b>Oral</b>                                      |                        |           |     | <b>Oral</b>                              |                        |          |     |
|  | <b>Capsule</b>         |           |     |  | <b>Suspension</b>      |          |     |
|  | 667 mg                 | 7/1/2010  |     |  | 100 mg/5 ml            | 7/1/2010 |     |
|  |                        |           |     |  | 200 mg/10 ml           | 7/1/2010 |     |
|  |                        |           |     |  | <b>Tablet</b>          |          |     |
|  |                        |           |     |  | 200 mg                 | 7/1/2010 |     |
|  |                        |           |     |  | <b>Tablet Chewable</b> |          |     |
|  |                        |           |     |  | 100 mg                 | 7/1/2010 |     |
| <b>CALCIUM CARBONATE</b>                         |                        |           |     | <b>CARBIDOPA and LEVODOPA</b>            |                        |          |     |
| <b>Oral</b>                                      |                        |           |     | <b>Oral</b>                              |                        |          |     |
|  | <b>Tablet Chewable</b> |           |     |  | <b>Tablet</b>          |          |     |
|  | 320 mg (750 mg)        | 1/1/2011  |     |  | 10 mg-100 mg           | 7/1/2010 |     |
|  | 400 mg                 | 1/1/2011  |     |  | 25 mg-100 mg           | 7/1/2010 |     |
|  | 400 mg (1,000 mg)      | 1/1/2011  |     |  | 25 mg-250 mg           | 7/1/2010 |     |
|  | 500 mg                 | 7/1/2012  |     |  | <b>Tablet ER</b>       |          |     |
|  | 600 mg (1.5 gram)      | 1/1/2011  |     |  | 25 mg-100 mg           | 7/1/2010 |     |
|  |                        |           |     |  | 50 mg-200 mg           | 7/1/2010 |     |
| <b>CALCIUM CARBONATE and MAGNESIUM HYDROXIDE</b> |                        |           |     | <b>Tablet Rapdis</b>                     |                        |          |     |
| <b>Oral</b>                                      |                        |           |     | 10 mg-100 mg                             |                        |          |     |
|  | <b>Suspension</b>      |           |     |  | 25 mg-100 mg           | 7/1/2010 |     |
|  | 400 mg-135 mg/5 ml     | 1/1/2011  |     |  | 25 mg-250 mg           | 7/1/2010 |     |
|  | <b>Tablet Chewable</b> |           |     |  |                        |          |     |
|  | 700 mg-300 mg          | 1/1/2011  |     |  |                        |          |     |
| <b>CAPSAICIN</b>                                 |                        |           |     | <b>CARBOXYMETHYLCELLULOSE</b>            |                        |          |     |
| <b>Topical</b>                                   |                        |           |     | <b>Ophthalmic</b>                        |                        |          |     |
|  | <b>Cream</b>           |           |     |  | <b>Droperette</b>      |          |     |
|  | 0.025 %                | 7/1/2010  |     |  | 0.5 %                  | 1/1/2011 |     |
|  | 0.075 %                | 7/1/2010  |     |  |                        |          |     |
|  | 0.1 %                  | 10/1/2010 |     |  |                        |          |     |
| <b>CAPTOPRIL</b>                                 |                        |           |     |  |                        |          |     |
| <b>Oral</b>                                      |                        |           |     |  |                        |          |     |
|  | <b>Tablet</b>          |           |     |  |                        |          |     |

N/D; N=New, D=Delete

| N/D                           | STRGTH                  | Start    | End | N/D                     | STRGTH                  | Start     | End |
|-------------------------------|-------------------------|----------|-----|-------------------------|-------------------------|-----------|-----|
| <b>CARBOXYMETHYLCELLULOSE</b> |                         |          |     | <b>CEFDINIR</b>         |                         |           |     |
| <b>Ophthalmic</b>             |                         |          |     | <b>Oral</b>             |                         |           |     |
|                               | <b>Droperette</b>       |          |     |                         | <b>Capsule</b>          |           |     |
|                               | 1 %                     | 1/1/2011 |     |                         | 300 mg                  | 7/1/2010  |     |
|                               | <b>Drops</b>            |          |     |                         | <b>Suspension Recon</b> |           |     |
|                               | 0.5 %                   | 1/1/2011 |     |                         | 250 mg/5 ml             | 7/1/2010  |     |
|                               | 1 %                     | 1/1/2011 |     | <b>CEFPROZIL</b>        |                         |           |     |
| <b>CARTEOLOL</b>              |                         |          |     | <b>Oral</b>             |                         |           |     |
| <b>Ophthalmic</b>             |                         |          |     | <b>Suspension Recon</b> |                         |           |     |
|                               | <b>Drops</b>            |          |     |                         | 125 mg/5 ml             | 7/1/2010  |     |
|                               | 1 %                     | 7/1/2010 |     |                         | 250 mg/5 ml             | 7/1/2010  |     |
| <b>CARVEDILOL</b>             |                         |          |     | <b>Tablet</b>           |                         |           |     |
| <b>Oral</b>                   |                         |          |     |                         | 250 mg                  | 7/1/2010  |     |
|                               | <b>Tablet</b>           |          |     |                         | 500 mg                  | 7/1/2010  |     |
|                               | 3.125 mg                | 7/1/2010 |     | <b>CEFUROXIME</b>       |                         |           |     |
|                               | 6.25 mg                 | 7/1/2010 |     | <b>Oral</b>             |                         |           |     |
|                               | 12.5 mg                 | 7/1/2010 |     | <b>Suspension Recon</b> |                         |           |     |
|                               | 25 mg                   | 7/1/2010 |     |                         | 125 mg/5 ml             | 10/1/2010 |     |
| <b>CEFACLOR</b>               |                         |          |     |                         | 250 mg/5 ml             | 7/1/2010  |     |
| <b>Oral</b>                   |                         |          |     |                         | <b>Tablet</b>           |           |     |
|                               | <b>Capsule</b>          |          |     |                         | 250 mg                  | 7/1/2010  |     |
|                               | 250 mg                  | 7/1/2010 |     |                         | 500 mg                  | 7/1/2010  |     |
|                               | 500 mg                  | 7/1/2010 |     | <b>CEPHALEXIN</b>       |                         |           |     |
|                               | <b>Suspension Recon</b> |          |     | <b>Oral</b>             |                         |           |     |
|                               | 125 mg/5 ml             | 7/1/2010 |     | <b>Capsule</b>          |                         |           |     |
|                               | 250 mg/5 ml             | 7/1/2010 |     |                         | 250 mg                  | 7/1/2010  |     |
|                               | 375 mg/5 ml             | 7/1/2010 |     |                         | 500 mg                  | 7/1/2010  |     |
| <b>CEFADROXIL</b>             |                         |          |     | <b>Suspension Recon</b> |                         |           |     |
| <b>Oral</b>                   |                         |          |     |                         | 125 mg/5 ml             | 7/1/2010  |     |
|                               | <b>Capsule</b>          |          |     |                         | 250 mg/5 ml             | 7/1/2010  |     |
|                               | 500 mg                  | 7/1/2010 |     |                         | <b>Tablet</b>           |           |     |
|                               | <b>Suspension Recon</b> |          |     |                         | 500 mg                  | 7/1/2010  |     |
|                               | 250 mg/5 ml             | 7/1/2010 |     | <b>CETIRIZINE</b>       |                         |           |     |
|                               | 500 mg/5 ml             | 7/1/2010 |     | <b>Oral</b>             |                         |           |     |
|                               | <b>Tablet</b>           |          |     | <b>Solution</b>         |                         |           |     |
|                               | 1 gram                  | 7/1/2010 |     |                         | 1 mg/ml                 | 7/1/2010  |     |
| <b>CEFDINIR</b>               |                         |          |     | <b>Tablet</b>           |                         |           |     |
| <b>Oral</b>                   |                         |          |     |                         | 5 mg                    | 7/1/2010  |     |
|                               | <b>Capsule</b>          |          |     |                         | 10 mg                   | 7/1/2010  |     |
| <b>CHLORAL HYDRATE</b>        |                         |          |     |                         |                         |           |     |

N/D; N=New, D=Delete



| N/D | STRGTH | Start | End | N/D | STRGTH | Start | End |
|-----|--------|-------|-----|-----|--------|-------|-----|
|-----|--------|-------|-----|-----|--------|-------|-----|

**CHLORAL HYDRATE**

Oral

**Syrup**  
500 mg/5 ml      7/1/2010

**CHLORDIAZEPOXIDE**

Oral

**Capsule**  
5 mg      7/1/2010  
10 mg      7/1/2010  
25 mg      7/1/2010

**CHLORHEXIDINE**

Mucous Membrane

**Mouthwash**  
0.12 %      7/1/2010

**CHLOROTHIAZIDE**

Oral

**Tablet**  
250 mg      7/1/2010  
500 mg      7/1/2010

**CHLORPROMAZINE**

Oral

**Tablet**  
10 mg      7/1/2010  
25 mg      7/1/2010  
50 mg      7/1/2010  
100 mg      7/1/2010  
200 mg      7/1/2010

**CHLORPROPAMIDE**

Oral

**Tablet**  
100 mg      7/1/2010  
250 mg      7/1/2010

**CHLORTHALIDONE**

Oral

**Tablet**  
15 mg      7/1/2010  
25 mg      7/1/2010

**CHLORTHALIDONE**

Oral

**Tablet**  
50 mg      7/1/2010

**CHLORZOAZONE**

Oral

**Tablet**  
500 mg      7/1/2010

**CHOLESTYRAMINE and ASPARTAME**

Oral

**Packet**  
4 gram      7/1/2010  
**Powder**  
4 gram      7/1/2010

**CHOLESTYRAMINE and SUCROSE**

Oral

**Packet**  
4 gram      7/1/2010  
**Powder**  
4 gram      7/1/2010

**CHOLINE and MAGNESIUM SALICYLATE**

Oral

**Liquid**  
500 mg/5 ml      7/1/2010  
**Tablet**  
500 mg      7/1/2010  
750 mg      7/1/2010  
1,000 mg      7/1/2010

**CILOSTAZOL**

Oral

**Tablet**  
50 mg      7/1/2010  
100 mg      7/1/2010

**CIMETIDINE**

Oral

N/D; N=New, D=Delete

| N/D | STRGTH | Start | End | N/D | STRGTH | Start | End |
|-----|--------|-------|-----|-----|--------|-------|-----|
|-----|--------|-------|-----|-----|--------|-------|-----|

**CIMETIDINE****Oral**

|                 |  |          |
|-----------------|--|----------|
| <b>Solution</b> |  |          |
| 300 mg/5 ml     |  | 7/1/2010 |
| <b>Tablet</b>   |  |          |
| 200 mg          |  | 7/1/2010 |
| 300 mg          |  | 7/1/2010 |
| 400 mg          |  | 7/1/2010 |
| 800 mg          |  | 7/1/2010 |

**CIPROFLOXACIN****Oral**

|               |  |          |
|---------------|--|----------|
| <b>Tablet</b> |  |          |
| 100 mg        |  | 7/1/2010 |
| 250 mg        |  | 7/1/2010 |
| 500 mg        |  | 7/1/2010 |
| 750 mg        |  | 7/1/2010 |

**CITALOPRAM****Oral**

|                 |  |          |
|-----------------|--|----------|
| <b>Solution</b> |  |          |
| 10 mg/5 ml      |  | 7/1/2010 |
| <b>Tablet</b>   |  |          |
| 10 mg           |  | 7/1/2010 |
| 20 mg           |  | 7/1/2010 |
| 40 mg           |  | 7/1/2010 |

**CITRIC ACID and SODIUM CITRATE****Oral**

|                    |  |          |
|--------------------|--|----------|
| <b>Solution</b>    |  |          |
| 334 mg-500 mg/5 ml |  | 7/1/2010 |

**CLARITHROMYCIN****Oral**

|                         |  |          |
|-------------------------|--|----------|
| <b>Suspension Recon</b> |  |          |
| 125 mg/5 ml             |  | 7/1/2010 |
| 250 mg/5 ml             |  | 7/1/2010 |

**CLEMASTINE****Oral**

|               |  |          |
|---------------|--|----------|
| <b>Syrup</b>  |  |          |
| 0.67 mg/5 ml  |  | 7/1/2010 |
| <b>Tablet</b> |  |          |
| 2.68 mg       |  | 7/1/2010 |

N/D; N=New, D=Delete

**CLINDAMYCIN****Oral**

|                |  |          |
|----------------|--|----------|
| <b>Capsule</b> |  |          |
| 150 mg         |  | 7/1/2010 |
| 300 mg         |  | 7/1/2010 |

**CLINDAMYCIN PALMITATE****Oral**

|                       |  |           |
|-----------------------|--|-----------|
| <b>Solution Recon</b> |  |           |
| 75 mg/5 ml            |  | 10/1/2010 |

**CLINDAMYCIN PHOSPHATE****Topical**

|                 |  |          |
|-----------------|--|----------|
| <b>Gel</b>      |  |          |
| 1 %             |  | 7/1/2010 |
| <b>Lotion</b>   |  |          |
| 1 %             |  | 7/1/2010 |
| <b>Solution</b> |  |          |
| 1 %             |  | 7/1/2010 |

**CLOBETASOL****Topical**

|                 |  |          |
|-----------------|--|----------|
| <b>Cream</b>    |  |          |
| 0.05 %          |  | 7/1/2010 |
| 0.05 %          |  | 7/1/2010 |
| <b>Gel</b>      |  |          |
| 0.05 %          |  | 7/1/2010 |
| <b>Oinment</b>  |  |          |
| 0.05 %          |  | 7/1/2010 |
| <b>Solution</b> |  |          |
| 0.05 %          |  | 7/1/2010 |

**CLOMIPRAMINE****Oral**

|                |  |          |
|----------------|--|----------|
| <b>Capsule</b> |  |          |
| 25 mg          |  | 7/1/2010 |
| 50 mg          |  | 7/1/2010 |
| 75 mg          |  | 7/1/2010 |

**CLONAZEPAM****Oral**

|               |  |          |
|---------------|--|----------|
| <b>Tablet</b> |  |          |
| 0.5 mg        |  | 7/1/2010 |
| 1 mg          |  | 7/1/2010 |

| N/D                                    | STRGTH     | Start    | End | N/D                             | STRGTH             | Start    | End |
|--|------------|----------|-----|---------------------------------|--------------------|----------|-----|
| <b>CLONAZEPAM</b>                      |            |          |     | <b>CLOZAPINE</b>                |                    |          |     |
| Oral                                   |            |          |     | Oral                            |                    |          |     |
|  | Tablet     |          |     |                                 | Tablet             |          |     |
|  | 2 mg       | 7/1/2010 |     |                                 | 12.5 mg            | 7/1/2010 |     |
| <b>CLONIDINE</b>                       |            |          |     |                                 | 25 mg              | 7/1/2010 |     |
| Oral                                   |            |          |     |                                 | 50 mg              | 7/1/2010 |     |
|  | Tablet     |          |     |                                 | 100 mg             | 7/1/2010 |     |
|  | 0.1 mg     | 7/1/2010 |     |                                 | 200 mg             | 8/1/2010 |     |
|  | 0.2 mg     | 7/1/2010 |     | <b>CODEINE</b>                  |                    |          |     |
|  | 0.3 mg     | 7/1/2010 |     | Oral                            |                    |          |     |
| <b>CLOPIDOGREL</b>                     |            |          |     |                                 | Tablet             |          |     |
| Oral                                   |            |          |     |                                 | 15 mg              | 7/1/2010 |     |
|  | Tablet     |          |     |                                 | 30 mg              | 7/1/2010 |     |
|  | 75 mg      | 6/1/2012 |     |                                 | 60 mg              | 7/1/2010 |     |
| <b>CLORAZEPATE</b>                     |            |          |     | <b>CODEINE and PROMETHAZINE</b> |                    |          |     |
| Oral                                   |            |          |     | Oral                            |                    |          |     |
|  | Tablet     |          |     |                                 | Syrup              |          |     |
|  | 3.75 mg    | 7/1/2010 |     |                                 | 10 mg-6.25 mg/5 ml | 7/1/2010 |     |
|  | 7.5 mg     | 7/1/2010 |     | <b>CROMOLYN SODIUM</b>          |                    |          |     |
|  | 15 mg      | 7/1/2010 |     | Inhalation                      |                    |          |     |
| <b>CLOTTRIMAZOLE</b>                   |            |          |     |                                 | Ampul-Neb          |          |     |
| Topical                                |            |          |     |                                 | 20 mg/2 ml         | 7/1/2010 |     |
|  | Cream      |          |     | <b>Ophthalmic</b>               |                    |          |     |
|  | 1 %        | 7/1/2010 |     |                                 | Drops              |          |     |
|  | Solution   |          |     |                                 | 4 %                | 7/1/2010 |     |
|  | 1 %        | 7/1/2010 |     | <b>CYCLOBENZAPRINE</b>          |                    |          |     |
| Vaginal                                |            |          |     | Oral                            |                    |          |     |
|  | Cream      |          |     |                                 | Tablet             |          |     |
|  | 1 %        | 7/1/2010 |     |                                 | 5 mg               | 7/1/2010 |     |
|  | 2 %        | 7/1/2010 |     |                                 | 10 mg              | 7/1/2010 |     |
|  | Tablet     |          |     | <b>CYCLOPENTOLATE</b>           |                    |          |     |
|  | 100 mg     | 7/1/2010 |     | Ophthalmic                      |                    |          |     |
| <b>CLOTTRIMAZOLE and BETAMETHASONE</b> |            |          |     |                                 | Drops              |          |     |
| Topical                                |            |          |     |                                 | 1 %                | 7/1/2010 |     |
|  | Cream      |          |     | <b>CYCLOPHOSPHAMIDE</b>         |                    |          |     |
|  | 1 %-0.05 % | 7/1/2010 |     | Oral                            |                    |          |     |
|  | Lotion     |          |     |                                 | Tablet             |          |     |
|  | 1 %-0.05 % | 7/1/2010 |     |                                 |                    |          |     |

N/D; N=New, D=Delete

| N/D | STRGTH | Start | End | N/D | STRGTH | Start | End |
|-----|--------|-------|-----|-----|--------|-------|-----|
|-----|--------|-------|-----|-----|--------|-------|-----|

**CYCLOPHOSPHAMIDE**

Oral

**Tablet**

|       |          |
|-------|----------|
| 25 mg | 7/1/2010 |
| 50 mg | 7/1/2010 |

**CYCLOSPORINE**

Oral

**Capsule**

|        |          |
|--------|----------|
| 100 mg | 7/1/2010 |
| 25 mg  | 7/1/2010 |

**Solution**

|           |          |
|-----------|----------|
| 100 mg/ml | 7/1/2010 |
|-----------|----------|

**CYCLOSPORINE, MODIFIED**

Oral

**Capsule**

|        |          |
|--------|----------|
| 25 mg  | 7/1/2010 |
| 50 mg  | 7/1/2010 |
| 100 mg | 7/1/2010 |

**Solution**

|           |          |
|-----------|----------|
| 100 mg/ml | 7/1/2010 |
|-----------|----------|

**CYPROHEPTADINE**

Oral

**Syrup**

|           |          |
|-----------|----------|
| 2 mg/5 ml | 7/1/2010 |
|-----------|----------|

**Tablet**

|      |          |
|------|----------|
| 4 mg | 7/1/2010 |
|------|----------|

**DANTROLENE**

Oral

**Capsule**

|        |          |
|--------|----------|
| 25 mg  | 7/1/2010 |
| 50 mg  | 7/1/2010 |
| 100 mg | 7/1/2010 |

**DESIPRAMINE**

Oral

**Tablet**

|       |          |
|-------|----------|
| 10 mg | 7/1/2010 |
| 25 mg | 7/1/2010 |
| 50 mg | 7/1/2010 |
| 75 mg | 7/1/2010 |

**DESIPRAMINE**

Oral

**Tablet**

|        |          |
|--------|----------|
| 100 mg | 7/1/2010 |
| 150 mg | 7/1/2010 |

**DESMOPRESSIN**

Nasal

**Spray**

|                       |          |
|-----------------------|----------|
| 10 mcg/spray (0.1 ml) | 7/1/2010 |
|-----------------------|----------|

**Nasal (non-refrig.)**

**Spray/Pump**

|                       |          |
|-----------------------|----------|
| 10 mcg/spray (0.1 ml) | 7/1/2010 |
|-----------------------|----------|

Oral

**Tablet**

|        |          |
|--------|----------|
| 0.1 mg | 7/1/2010 |
| 0.2 mg | 7/1/2010 |

**DESONIDE**

Topical

**Cream**

|        |          |
|--------|----------|
| 0.05 % | 7/1/2010 |
|--------|----------|

**Oinment**

|        |          |
|--------|----------|
| 0.05 % | 7/1/2010 |
|--------|----------|

**DEXAMETHASONE**

Ophthalmic

**Drops**

|       |          |
|-------|----------|
| 0.1 % | 7/1/2010 |
|-------|----------|

Oral

**Drops**

|               |          |
|---------------|----------|
| 0.5 mg/0.5 ml | 7/1/2010 |
|---------------|----------|

**Elixir**

|             |          |
|-------------|----------|
| 0.5 mg/5 ml | 7/1/2010 |
|-------------|----------|

**Solution**

|             |          |
|-------------|----------|
| 0.5 mg/5 ml | 7/1/2010 |
|-------------|----------|

**Tablet**

|         |          |
|---------|----------|
| 0.5 mg  | 7/1/2010 |
| 0.75 mg | 7/1/2010 |
| 1 mg    | 7/1/2010 |
| 1.5 mg  | 7/1/2010 |
| 2 mg    | 7/1/2010 |
| 4 mg    | 7/1/2010 |
| 6 mg    | 7/1/2010 |

N/D; N=New, D=Delete

| N/D  | STRGTH                  | Start    | End | N/D                         | STRGTH             | Start    | End |
|--|-------------------------|----------|-----|-----------------------------|--------------------|----------|-----|
| <b>DEXMETHYLPHENIDATE</b>  |                         |          |     | <b>DIAZEPAM</b>             |                    |          |     |
| <b>ORAL</b>  |                         |          |     | <b>Oral</b>                 |                    |          |     |
|  | <b>Tablet</b>           |          |     |                             | <b>Concentrate</b> |          |     |
|  | 10 mg                   | 8/1/2011 |     |                             | 5 mg/ml            | 7/1/2010 |     |
|  | 2.5 mg                  | 8/1/2011 |     |                             | <b>Solution</b>    |          |     |
|  | 5 mg                    | 8/1/2011 |     |                             | 5 mg/5 ml          | 7/1/2010 |     |
| <b>DEXTROAMPHETAMINE</b>   |                         |          |     | <b>Tablet</b>               |                    |          |     |
| <b>Oral</b>  |                         |          |     | 2 mg                        |                    |          |     |
|  | <b>Capsule ER</b>       |          |     | 5 mg                        |                    |          |     |
|  | 5 mg                    | 3/1/2011 |     | 10 mg                       |                    |          |     |
|  | 10 mg                   | 3/1/2011 |     | 10 mg                       |                    |          |     |
|  | 15 mg                   | 3/1/2011 |     | <b>Tablet</b>               |                    |          |     |
|  | <b>Tablet</b>           |          |     | 2 mg                        |                    |          |     |
|  | 10 mg                   | 4/1/2012 |     | 5 mg                        |                    |          |     |
|  | 5 mg                    | 4/1/2012 |     | 10 mg                       |                    |          |     |
| <b>DEXTROMETHORPHAN</b>  |                         |          |     | <b>DICLOFENAC POTASSIUM</b> |                    |          |     |
| <b>Oral</b>  |                         |          |     | <b>Oral</b>                 |                    |          |     |
|  | <b>Liquid</b>           |          |     | <b>Tablet</b>               |                    |          |     |
|  | 15 mg/5 ml              | 1/1/2011 |     | 50 mg                       |                    |          |     |
|  | <b>Syrup</b>            |          |     |                             |                    |          |     |
|  | 5 mg/5 ml               | 1/1/2011 |     |                             |                    |          |     |
|  | 7.5 mg/5 ml             | 1/1/2011 |     |                             |                    |          |     |
|  | 10 mg/5 ml              | 1/1/2011 |     |                             |                    |          |     |
|  | 15 mg/5 ml              | 1/1/2011 |     |                             |                    |          |     |
| <b>DEXTROMETHORPHAN TAN and PSEUDOEPHENDRINE TAN and DEXCHLORPHENIRAMINE</b> |                         |          |     | <b>DICLOFENAC SODIUM</b>    |                    |          |     |
| <b>Oral</b>  |                         |          |     | <b>Oral</b>                 |                    |          |     |
|  | <b>Suspension</b>       |          |     | <b>Tablet (24hr)</b>        |                    |          |     |
|  | 25 mg-75 mg-2.5 mg/5 ml | 7/1/2010 |     | 100 mg                      |                    |          |     |
| <b>DEXTROMETHORPHAN and PROMETHAZINE</b>                                     |                         |          |     | <b>Tablet DR</b>            |                    |          |     |
| <b>Oral</b>  |                         |          |     | 25 mg                       |                    |          |     |
|  | <b>Syrup</b>            |          |     | 50 mg                       |                    |          |     |
|  | 15 mg-6.25 mg/5 ml      | 7/1/2010 |     | 75 mg                       |                    |          |     |
| <b>DIAZEPAM</b>  |                         |          |     | <b>DICLOXACILLIN</b>        |                    |          |     |
| <b>Oral</b>  |                         |          |     | <b>Oral</b>                 |                    |          |     |
|  | <b>Concentrate</b>      |          |     | <b>Capsule</b>              |                    |          |     |
|  |                         |          |     | 250 mg                      |                    |          |     |
|  |                         |          |     | 500 mg                      |                    |          |     |
| <b>N/D; N=New, D=Delete</b>  |                         |          |     | <b>DICYCLOMINE</b>          |                    |          |     |
|  |                         |          |     | <b>Oral</b>                 |                    |          |     |
|  |                         |          |     | <b>Capsule</b>              |                    |          |     |
|  |                         |          |     | 10 mg                       |                    |          |     |
|  |                         |          |     | <b>Syrup</b>                |                    |          |     |
|  |                         |          |     | 10 mg/5 ml                  |                    |          |     |
|  |                         |          |     | <b>Tablet</b>               |                    |          |     |
|  |                         |          |     | 20 mg                       |                    |          |     |
|  |                         |          |     | <b>DIGOXIN</b>              |                    |          |     |
|  |                         |          |     | <b>Oral</b>                 |                    |          |     |
|  |                         |          |     | <b>Solution</b>             |                    |          |     |
|  |                         |          |     | 50 mcg/ml                   |                    |          |     |

| N/D                    | STRGTH                  | Start    | End | N/D                               | STRGTH                  | Start    | End |
|------------------------|-------------------------|----------|-----|-----------------------------------|-------------------------|----------|-----|
| <b>DIGOXIN</b>         |                         |          |     | <b>DIPHENHYDRAMINE</b>            |                         |          |     |
| <b>Oral</b>            |                         |          |     | <b>Oral</b>                       |                         |          |     |
|                        | <b>Tablet</b>           |          |     |                                   | <b>Syrup</b>            |          |     |
|                        | 125 mcg                 | 7/1/2010 |     |                                   | 12.5 mg/5 ml            | 7/1/2010 |     |
|                        | 250 mcg                 | 7/1/2010 |     |                                   |                         |          |     |
| <b>DILTIAZEM</b>       |                         |          |     | <b>DIPHENOXYLATE and ATROPINE</b> |                         |          |     |
| <b>Oral</b>            |                         |          |     | <b>Oral</b>                       |                         |          |     |
|                        | <b>Capsule (12hr)</b>   |          |     |                                   | <b>Liquid</b>           |          |     |
|                        | 60 mg                   | 7/1/2010 |     |                                   | 2.5 mg-0.025 mg/5 ml    | 7/1/2010 |     |
|                        | 90 mg                   | 7/1/2010 |     |                                   | <b>Tablet</b>           |          |     |
|                        | 120 mg                  | 7/1/2010 |     |                                   | 2.5 mg-0.025 mg         | 7/1/2010 |     |
|                        | <b>Capsule (24hr)</b>   |          |     |                                   |                         |          |     |
|                        | 120 mg                  | 7/1/2010 |     |                                   |                         |          |     |
|                        | 180 mg                  | 7/1/2010 |     |                                   |                         |          |     |
|                        | 240 mg                  | 7/1/2010 |     |                                   |                         |          |     |
|                        | 300 mg                  | 7/1/2010 |     |                                   |                         |          |     |
|                        | <b>Capsule ER</b>       |          |     |                                   |                         |          |     |
|                        | 120 mg                  | 7/1/2010 |     |                                   |                         |          |     |
|                        | 180 mg                  | 7/1/2010 |     |                                   |                         |          |     |
|                        | 240 mg                  | 7/1/2010 |     |                                   |                         |          |     |
|                        | 300 mg                  | 7/1/2010 |     |                                   |                         |          |     |
|                        | 360 mg                  | 7/1/2010 |     |                                   |                         |          |     |
|                        | 420 mg                  | 7/1/2010 |     |                                   |                         |          |     |
|                        | <b>Capsule ER DEG</b>   |          |     |                                   |                         |          |     |
|                        | 120 mg                  | 7/1/2010 |     |                                   |                         |          |     |
|                        | 180 mg                  | 7/1/2010 |     |                                   |                         |          |     |
|                        | 240 mg                  | 7/1/2010 |     |                                   |                         |          |     |
|                        | <b>Tablet</b>           |          |     |                                   |                         |          |     |
|                        | 30 mg                   | 7/1/2010 |     |                                   |                         |          |     |
|                        | 60 mg                   | 7/1/2010 |     |                                   |                         |          |     |
|                        | 90 mg                   | 7/1/2010 |     |                                   |                         |          |     |
|                        | 120 mg                  | 7/1/2010 |     |                                   |                         |          |     |
| <b>DIMENHYDRINATE</b>  |                         |          |     | <b>DIPYRIDAMOLE</b>               |                         |          |     |
| <b>Oral</b>            |                         |          |     | <b>Oral</b>                       |                         |          |     |
|                        | <b>Tablet</b>           |          |     |                                   | <b>Tablet</b>           |          |     |
|                        | 50 mg                   | 7/1/2012 |     |                                   | 25 mg                   | 7/1/2010 |     |
| <b>DIPHENHYDRAMINE</b> |                         |          |     |                                   | 50 mg                   | 7/1/2010 |     |
| <b>Oral</b>            |                         |          |     |                                   | 75 mg                   | 7/1/2010 |     |
|                        | <b>Capsule</b>          |          |     |                                   |                         |          |     |
|                        | 25 mg                   | 7/1/2010 |     |                                   |                         |          |     |
|                        | 50 mg                   | 7/1/2010 |     |                                   |                         |          |     |
|                        | <b>Liquid</b>           |          |     |                                   |                         |          |     |
|                        | 12.5 mg/5 ml            | 7/1/2010 |     |                                   |                         |          |     |
| <b>DIPHENHYDRAMINE</b> |                         |          |     | <b>DISOPYRAMIDE</b>               |                         |          |     |
| <b>Oral</b>            |                         |          |     | <b>Oral</b>                       |                         |          |     |
|                        | <b>Capsule Sprinkle</b> |          |     |                                   | <b>Capsule</b>          |          |     |
|                        | 125 mg                  | 7/1/2010 |     |                                   | 100 mg                  | 7/1/2010 |     |
|                        | <b>Tablet (24hr)</b>    |          |     |                                   | 150 mg                  | 7/1/2010 |     |
|                        | 250 mg                  | 7/1/2010 |     |                                   | <b>Capsule ER</b>       |          |     |
|                        | 500 mg                  | 7/1/2010 |     |                                   | 150 mg                  | 7/1/2010 |     |
|                        | <b>Tablet DR</b>        |          |     |                                   |                         |          |     |
|                        | 125 mg                  | 7/1/2010 |     |                                   |                         |          |     |
|                        | 250 mg                  | 7/1/2010 |     |                                   |                         |          |     |
|                        | 500 mg                  | 7/1/2010 |     |                                   |                         |          |     |
| <b>DIPHENHYDRAMINE</b> |                         |          |     | <b>DISULFIRAM</b>                 |                         |          |     |
| <b>Oral</b>            |                         |          |     | <b>Oral</b>                       |                         |          |     |
|                        | <b>Tablet</b>           |          |     |                                   | <b>Tablet</b>           |          |     |
|                        | 250 mg                  | 7/1/2011 |     |                                   | 250 mg                  | 7/1/2011 |     |
| <b>DIPHENHYDRAMINE</b> |                         |          |     | <b>DIVALPROEX</b>                 |                         |          |     |
| <b>Oral</b>            |                         |          |     | <b>Oral</b>                       |                         |          |     |
|                        | <b>Capsule Sprinkle</b> |          |     |                                   | <b>Capsule Sprinkle</b> |          |     |
|                        | 125 mg                  | 7/1/2010 |     |                                   | 125 mg                  | 7/1/2010 |     |
|                        | <b>Tablet (24hr)</b>    |          |     |                                   | <b>Tablet (24hr)</b>    |          |     |
|                        | 250 mg                  | 7/1/2010 |     |                                   | 250 mg                  | 7/1/2010 |     |
|                        | 500 mg                  | 7/1/2010 |     |                                   | 500 mg                  | 7/1/2010 |     |
|                        | <b>Tablet DR</b>        |          |     |                                   | <b>Tablet DR</b>        |          |     |
|                        | 125 mg                  | 7/1/2010 |     |                                   | 125 mg                  | 7/1/2010 |     |
|                        | 250 mg                  | 7/1/2010 |     |                                   | 250 mg                  | 7/1/2010 |     |
|                        | 500 mg                  | 7/1/2010 |     |                                   | 500 mg                  | 7/1/2010 |     |

N/D; N=New, D=Delete

| N/D                | STRGTH             | Start    | End | N/D  | STRGTH              | Start     | End |
|--------------------|--------------------|----------|-----|--|---------------------|-----------|-----|
| <b>DONEPEZIL</b>   |                    |          |     | <b>ENALAPRIL</b>   |                     |           |     |
| <b>Oral</b>        |                    |          |     | <b>Oral</b>  |                     |           |     |
|                    | <b>Tablet</b>      |          |     |  | <b>Tablet</b>       |           |     |
|                    | 5 mg               | 2/1/2011 |     |  | 10 mg               | 7/1/2010  |     |
|                    | 10 mg              | 2/1/2011 |     |  | 20 mg               | 7/1/2010  |     |
| <b>DORZOLAMIDE</b> |                    |          |     | <b>ENALAPRIL and HYDROCHLOROTHIAZIDE</b>                 |                     |           |     |
| <b>Ophthalmic</b>  |                    |          |     | <b>Oral</b>  |                     |           |     |
|                    | <b>Drops</b>       |          |     |  | <b>Tablet</b>       |           |     |
|                    | 2 %                | 7/1/2010 |     |  | 10 mg-25 mg         | 7/1/2010  |     |
| <b>DOXAZOSIN</b>   |                    |          |     |  | 5 mg-12.5 mg        | 7/1/2010  |     |
| <b>Oral</b>        |                    |          |     | <b>ENOXAPARIN</b>  |                     |           |     |
|                    | <b>Tablet</b>      |          |     | <b>Sub-Q</b>   |                     |           |     |
|                    | 1 mg               | 7/1/2010 |     |  | <b>Syringe</b>      |           |     |
|                    | 2 mg               | 7/1/2010 |     |  | 30 mg/0.3 ml        | 12/1/2010 |     |
|                    | 4 mg               | 7/1/2010 |     |  | 40 mg/0.4 ml        | 12/1/2010 |     |
|                    | 8 mg               | 7/1/2010 |     |  | 60 mg/0.6 ml        | 2/1/2010  |     |
| <b>DOXEPIN</b>     |                    |          |     |  | 80 mg/0.8 ml        | 2/1/2010  |     |
| <b>Oral</b>        |                    |          |     |  | 100 mg/ml           | 2/1/2010  |     |
|                    | <b>Capsule</b>     |          |     |  | 120 mg/0.8 ml       | 12/1/2010 |     |
|                    | 10 mg              | 7/1/2010 |     |  | 150 mg/ml           | 12/1/2010 |     |
|                    | 25 mg              | 7/1/2010 |     | <b>EPINEPHRINE (If generic available in marketplace)</b> |                     |           |     |
|                    | 50 mg              | 7/1/2010 |     | <b>Intramuscular</b>                                     |                     |           |     |
|                    | 75 mg              | 7/1/2010 |     |  | <b>Pen Injector</b> |           |     |
|                    | 100 mg             | 7/1/2010 |     |  | 0.3 mg/0.3 ml       | 10/1/2010 |     |
|                    | 150 mg             | 7/1/2010 |     |  | (1:1,000)           |           |     |
|                    | <b>Concentrate</b> |          |     | <b>ERYTHROMYCIN</b>                                      |                     |           |     |
|                    | 10 mg/ml           | 7/1/2010 |     | <b>Ophthalmic</b>  |                     |           |     |
| <b>DOXYCYCLINE</b> |                    |          |     | <b>Oral</b>  |                     |           |     |
|                    | <b>Capsule</b>     |          |     |  | <b>Ointment</b>     |           |     |
|                    | 50 mg              | 7/1/2010 |     |  | 5 mg/gram (0.5 %)   | 7/1/2010  |     |
|                    | 100 mg             | 7/1/2010 |     | <b>Oral</b>  |                     |           |     |
|                    | <b>Tablet</b>      |          |     |  | <b>Capsule DR</b>   |           |     |
|                    | 100 mg             | 7/1/2010 |     |  | 250 mg              | 7/1/2010  |     |
| <b>ENALAPRIL</b>   |                    |          |     |  | <b>Tablet</b>       |           |     |
| <b>Oral</b>        |                    |          |     |  | 250 mg              | 7/1/2010  |     |
|                    | <b>Tablet</b>      |          |     |  | 500 mg              | 7/1/2010  |     |
|                    | 2.5 mg             | 7/1/2010 |     |  | <b>Tablet DR</b>    |           |     |
|                    | 5 mg               | 7/1/2010 |     |  | 250 mg              | 7/1/2010  |     |
|                    |                    |          |     |  | 333 mg              | 7/1/2010  |     |
|                    |                    |          |     |  | 500 mg              | 7/1/2010  |     |

N/D; N=New, D=Delete

| N/D                                   | STRGTH                  | Start     | End | N/D  | STRGTH            | Start     | End |
|---------------------------------------|-------------------------|-----------|-----|--|-------------------|-----------|-----|
| <b>ERYTHROMYCIN</b>                   |                         |           |     | <b>ESTRADIOL</b>                           |                   |           |     |
| <b>Topical</b>                        |                         |           |     | <b>Transderm</b>                           |                   |           |     |
|                                       | <b>Gel</b>              |           |     |  | <b>Patch TDWK</b> |           |     |
|                                       | 2 %                     | 7/1/2010  |     |  | 0.06 mg/24 hour   | 7/1/2010  |     |
|                                       | <b>Solution</b>         |           |     |  | 0.075 mg/24 hour  | 7/1/2010  |     |
| <b>N</b>                              | 2 %                     | 10/1/2012 |     |  | 0.1 mg/24 hour    | 7/1/2010  |     |
| <b>ERYTHROMYCIN and SULFISOXAZOLE</b> |                         |           |     | <b>ESTRADIOL and NORETHINDRONE ACETATE</b> |                   |           |     |
| <b>Oral</b>                           |                         |           |     | <b>Oral</b>                                |                   |           |     |
|                                       | <b>Suspension Recon</b> |           |     |  | <b>Tablet</b>     |           |     |
|                                       | 200 mg-600 mg/5 ml      | 7/1/2010  |     |  | 0.5-0.1 mg        | 10/1/2011 |     |
|                                       |                         |           |     |  | 1 mg-0.5 mg       | 7/1/2010  |     |
| <b>ERYTHROMYCIN ETHYLSUCCINATE</b>    |                         |           |     | <b>ESTROPIPATE</b>                         |                   |           |     |
| <b>Oral</b>                           |                         |           |     | <b>Oral</b>                                |                   |           |     |
|                                       | <b>Suspension Recon</b> |           |     |  | <b>Tablet</b>     |           |     |
|                                       | 200 mg/5 ml             | 7/1/2010  |     |  | 0.75 mg           | 7/1/2010  |     |
|                                       | 400 mg/5 ml             | 7/1/2010  |     |  | 1.5 mg            | 7/1/2010  |     |
|                                       | <b>Tablet</b>           |           |     |  | 3 mg              | 7/1/2010  |     |
|                                       | 400 mg                  | 7/1/2010  |     |  |                   |           |     |
| <b>ERYTHROMYCIN STEARATE</b>          |                         |           |     | <b>ETHAMBUTOL</b>                          |                   |           |     |
| <b>Oral</b>                           |                         |           |     | <b>Oral</b>                                |                   |           |     |
|                                       | <b>Tablet</b>           |           |     |  | <b>Tablet</b>     |           |     |
|                                       | 250 mg                  | 7/1/2010  |     |  | 400 mg            | 7/1/2010  |     |
|                                       | 500 mg                  | 7/1/2010  |     |  |                   |           |     |
| <b>ESTAZOLAM</b>                      |                         |           |     | <b>ETHOSUXIMIDE</b>                        |                   |           |     |
| <b>Oral</b>                           |                         |           |     | <b>Oral</b>                                |                   |           |     |
|                                       | <b>Tablet</b>           |           |     |  | <b>Capsule</b>    |           |     |
|                                       | 1 mg                    | 7/1/2010  |     |  | 250 mg            | 7/1/2010  |     |
|                                       | 2 mg                    | 7/1/2010  |     |  | <b>Syrup</b>      |           |     |
|                                       |                         |           |     |  | 250 mg/5 ml       | 7/1/2010  |     |
| <b>ESTRADIOL</b>                      |                         |           |     | <b>ETODOLAC</b>                            |                   |           |     |
| <b>Oral</b>                           |                         |           |     | <b>Oral</b>                                |                   |           |     |
|                                       | <b>Tablet</b>           |           |     |  | <b>Capsule</b>    |           |     |
|                                       | 0.5 mg                  | 7/1/2010  |     |  | 200 mg            | 1/1/2012  |     |
|                                       | 1 mg                    | 7/1/2010  |     |  | 300 mg            | 1/1/2012  |     |
|                                       | 2 mg                    | 7/1/2010  |     |  | <b>Tablet</b>     |           |     |
|                                       | <b>Transderm</b>        |           |     |  | 400 mg            | 1/1/2012  |     |
|                                       | <b>Patch TDWK</b>       |           |     |  | 500 mg            | 1/1/2012  |     |
|                                       | 0.025 mg/24 hour        | 7/1/2010  |     |  |                   |           |     |
|                                       | 0.0375 mg/24 hour       | 7/1/2010  |     |  |                   |           |     |
|                                       | 0.05 mg/24 hour         | 7/1/2010  |     |  |                   |           |     |
| <b>N/D; N=New, D=Delete</b>           |                         |           |     | <b>ETOPOSIDE</b>                           |                   |           |     |



| N/D                      | STRGTH              | Start    | End | N/D                     | STRGTH    | Start | End |
|--------------------------|---------------------|----------|-----|-------------------------|-----------|-------|-----|
| <b>ETOPOSIDE</b>         |                     |          |     | <b>FERROUS SULFATE</b>  |           |       |     |
| <b>Oral</b>              |                     |          |     | <b>(Age 0-60)</b>       |           |       |     |
|                          | <b>Capsule</b>      |          |     | <b>Oral</b>             |           |       |     |
|                          | 50 mg               | 7/1/2010 |     | <b>Tablet</b>           |           |       |     |
|                          |                     |          |     | 134 mg                  | 7/1/2010  |       |     |
|                          |                     |          |     | 325 mg                  | 7/1/2010  |       |     |
| <b>FAMOTIDINE</b>        |                     |          |     | <b>Tablet DR</b>        |           |       |     |
|                          | <b>Oral</b>         |          |     | 324 mg                  | 7/1/2010  |       |     |
|                          | <b>Tablet</b>       |          |     | 325 mg                  | 7/1/2010  |       |     |
|                          | 20 mg               | 7/1/2010 |     | <b>Tablet ER</b>        |           |       |     |
|                          | 40 mg               | 7/1/2010 |     | 140 mg                  | 10/1/2011 |       |     |
| <b>FENOFIBRATE</b>       |                     |          |     | 160 mg                  |           |       |     |
|                          | <b>Oral</b>         |          |     |                         | 7/1/2010  |       |     |
|                          | <b>Tablet</b>       |          |     | <b>FINASTERIDE</b>      |           |       |     |
|                          | 54 mg               | 7/1/2010 |     | <b>Oral</b>             |           |       |     |
|                          | 160 mg              | 7/1/2010 |     | <b>Tablet</b>           |           |       |     |
| <b>FENOFIBRIC ACID</b>   |                     |          |     | 5 mg                    |           |       |     |
|                          | <b>Oral</b>         |          |     |                         | 7/1/2010  |       |     |
|                          | <b>Tablet</b>       |          |     | <b>FLECAINIDE</b>       |           |       |     |
|                          | 105 mg              | 7/1/2012 |     | <b>Oral</b>             |           |       |     |
|                          | 35 mg               | 7/1/2012 |     | <b>Tablet</b>           |           |       |     |
| <b>FENTANYL</b>          |                     |          |     | 50 mg                   |           |       |     |
|                          | <b>Transderm</b>    |          |     | 100 mg                  | 7/1/2010  |       |     |
|                          | <b>Patch (72hr)</b> |          |     | <b>FLUCONAZOLE</b>      |           |       |     |
|                          | 12 mcg/hour         | 7/1/2010 |     | <b>Oral</b>             |           |       |     |
|                          | 25 mcg/hour         | 7/1/2010 |     | <b>Suspension Recon</b> |           |       |     |
|                          | 50 mcg/hour         | 7/1/2010 |     | 10 mg/ml                | 7/1/2010  |       |     |
|                          | 75 mcg/hour         | 7/1/2010 |     | 40 mg/ml                | 7/1/2010  |       |     |
|                          | 100 mcg/hour        | 7/1/2010 |     | <b>Tablet</b>           |           |       |     |
| <b>FERROUS GLUCONATE</b> |                     |          |     | 50 mg                   |           |       |     |
| <b>(Age 0-60)</b>        |                     |          |     | 100 mg                  |           |       |     |
|                          | <b>Oral</b>         |          |     | 150 mg                  | 7/1/2010  |       |     |
|                          | <b>Tablet</b>       |          |     | 200 mg                  | 7/1/2010  |       |     |
|                          | 236 mg              | 7/1/2011 |     | <b>FLUDROCORTISONE</b>  |           |       |     |
|                          | 240(27) mg          | 7/1/2010 |     | <b>Oral</b>             |           |       |     |
|                          | 246 mg (27 mg iron) | 7/1/2010 |     | <b>Tablet</b>           |           |       |     |
|                          | 246(28) mg          | 7/1/2010 |     | 0.1 mg                  | 7/1/2010  |       |     |
|                          | 300 mg (35 mg iron) | 7/1/2010 |     | <b>FLUNISOLIDE</b>      |           |       |     |
|                          | 324 mg              | 7/1/2010 |     | <b>Nasal</b>            |           |       |     |
|                          | 325 mg              | 7/1/2010 |     | <b>Spray</b>            |           |       |     |
|                          | 325 mg              | 7/1/2010 |     |                         |           |       |     |

N/D; N=New, D=Delete

| N/D | STRGTH | Start | End | N/D | STRGTH | Start | End |
|-----|--------|-------|-----|-----|--------|-------|-----|
|-----|--------|-------|-----|-----|--------|-------|-----|

**FLUNISOLIDE**

**Nasal**

|              |  |          |  |
|--------------|--|----------|--|
| <b>Spray</b> |  |          |  |
| 25 mcg       |  | 7/1/2010 |  |
| 29 mcg       |  | 1/1/2012 |  |

**FLUOCINOLONE**

**Topical**

|                 |  |          |  |
|-----------------|--|----------|--|
| <b>Cream</b>    |  |          |  |
| 0.01 %          |  | 7/1/2010 |  |
| 0.025 %         |  | 7/1/2010 |  |
| <b>Oinment</b>  |  |          |  |
| 0.025 %         |  | 7/1/2010 |  |
| <b>Solution</b> |  |          |  |
| 0.01 %          |  | 7/1/2010 |  |

**FLUOCINONIDE**

**Topical**

|                 |  |          |  |
|-----------------|--|----------|--|
| <b>Cream</b>    |  |          |  |
| 0.05 %          |  | 7/1/2010 |  |
| <b>Gel</b>      |  |          |  |
| 0.05 %          |  | 7/1/2010 |  |
| <b>Oinment</b>  |  |          |  |
| 0.05 %          |  | 7/1/2010 |  |
| <b>Solution</b> |  |          |  |
| 0.05 %          |  | 7/1/2010 |  |

**FLUOCINONIDE EMOLLIENT**

**Topical**

|              |  |          |  |
|--------------|--|----------|--|
| <b>Cream</b> |  |          |  |
| 0.05 %       |  | 7/1/2010 |  |

**FLUOROMETHOLONE**

**Ophthalmic**

|                         |  |          |  |
|-------------------------|--|----------|--|
| <b>Drops Suspension</b> |  |          |  |
| 0.1 %                   |  | 7/1/2010 |  |

**FLUOROURACIL**

**Topical**

|                 |  |          |  |
|-----------------|--|----------|--|
| <b>Cream</b>    |  |          |  |
| 5 %             |  | 7/1/2010 |  |
| <b>Solution</b> |  |          |  |
| 2 %             |  | 7/1/2010 |  |
| 5 %             |  | 7/1/2010 |  |

**FLUOXETINE**

**Oral**

|                 |  |          |  |
|-----------------|--|----------|--|
| <b>Capsule</b>  |  |          |  |
| 10 mg           |  | 7/1/2010 |  |
| 20 mg           |  | 7/1/2010 |  |
| 40 mg           |  | 7/1/2010 |  |
| <b>Solution</b> |  |          |  |
| 20 mg/5 ml      |  | 7/1/2010 |  |
| <b>Tablet</b>   |  |          |  |
| 10 mg           |  | 7/1/2010 |  |
| 20 mg           |  | 7/1/2010 |  |

**FLUPHENAZINE**

**Oral**

|                    |  |          |  |
|--------------------|--|----------|--|
| <b>Concentrate</b> |  |          |  |
| 5 mg/ml            |  | 7/1/2010 |  |
| <b>Elixir</b>      |  |          |  |
| 2.5 mg/5 ml        |  | 7/1/2010 |  |
| <b>Tablet</b>      |  |          |  |
| 1 mg               |  | 7/1/2010 |  |
| 2.5 mg             |  | 7/1/2010 |  |
| 5 mg               |  | 7/1/2010 |  |
| 10 mg              |  | 7/1/2010 |  |

**FLURBIPROFEN**

**Oral**

|               |  |          |  |
|---------------|--|----------|--|
| <b>Tablet</b> |  |          |  |
| 50 mg         |  | 7/1/2010 |  |
| 100 mg        |  | 7/1/2010 |  |

**FLUTAMIDE**

**Oral**

|                |  |          |  |
|----------------|--|----------|--|
| <b>Capsule</b> |  |          |  |
| 125 mg         |  | 7/1/2010 |  |

**FLUTICASONE**

**Nasal**

|                   |  |          |  |
|-------------------|--|----------|--|
| <b>Spray Susp</b> |  |          |  |
| 50 mcg            |  | 7/1/2010 |  |

**Topical**

|                |  |          |  |
|----------------|--|----------|--|
| <b>Cream</b>   |  |          |  |
| 0.05 %         |  | 7/1/2010 |  |
| <b>Oinment</b> |  |          |  |
| 0.005 %        |  | 7/1/2010 |  |

N/D; N=New, D=Delete

| N/D                | STRGTH                | Start     | End | N/D                            | STRGTH               | Start    | End |
|--------------------|-----------------------|-----------|-----|--------------------------------|----------------------|----------|-----|
| <b>FLUVOXAMINE</b> |                       |           |     | <b>GALANTAMINE</b>             |                      |          |     |
| <b>Oral</b>        |                       |           |     | <b>Oral</b>                    |                      |          |     |
|                    | <b>Tablet</b>         |           |     |                                | <b>Tablet</b>        |          |     |
|                    | 25 mg                 | 7/1/2010  |     |                                | 12 mg                | 7/1/2010 |     |
|                    | 50 mg                 | 7/1/2010  |     |                                |                      |          |     |
|                    | 100 mg                | 7/1/2010  |     |                                |                      |          |     |
| <b>FOLIC ACID</b>  |                       |           |     | <b>GEMFIBROZIL</b>             |                      |          |     |
| <b>Oral</b>        |                       |           |     | <b>Oral</b>                    |                      |          |     |
|                    | <b>Tablet</b>         |           |     |                                | <b>Tablet</b>        |          |     |
|                    | 1 mg                  | 7/1/2010  |     |                                | 600 mg               | 7/1/2010 |     |
| <b>FUROSEMIDE</b>  |                       |           |     | <b>GENTAMICIN</b>              |                      |          |     |
| <b>Oral</b>        |                       |           |     | <b>Ophthalmic</b>              |                      |          |     |
|                    | <b>Solution</b>       |           |     |                                | <b>Drops</b>         |          |     |
|                    | 10 mg/ml              | 7/1/2010  |     |                                | 0.3 %                | 7/1/2010 |     |
|                    | 40 mg/5 ml            | 7/1/2010  |     |                                | <b>Oinment</b>       |          |     |
|                    | <b>Tablet</b>         |           |     |                                | 0.3 %                | 7/1/2010 |     |
|                    | 20 mg                 | 7/1/2010  |     |                                | <b>Topical</b>       |          |     |
|                    | 40 mg                 | 7/1/2010  |     |                                | <b>Cream</b>         |          |     |
|                    | 80 mg                 | 7/1/2010  |     |                                | 0.1 %                | 7/1/2010 |     |
| <b>GABAPENTIN</b>  |                       |           |     | <b>Oinment</b>                 |                      |          |     |
|                    |                       |           |     |                                | 0.1 %                | 7/1/2010 |     |
| <b>Oral</b>        |                       |           |     | <b>GLIMEPIRIDE</b>             |                      |          |     |
|                    | <b>Capsule</b>        |           |     | <b>Oral</b>                    |                      |          |     |
|                    | 100 mg                | 7/1/2010  |     |                                | <b>Tablet</b>        |          |     |
|                    | 300 mg                | 7/1/2010  |     |                                | 1 mg                 | 7/1/2010 |     |
|                    | 400 mg                | 7/1/2010  |     |                                | 2 mg                 | 7/1/2010 |     |
|                    | <b>Solution</b>       |           |     |                                | 4 mg                 | 7/1/2010 |     |
|                    | 250 mg/5 ml           | 10/1/2011 |     | <b>GLIPIZIDE</b>               |                      |          |     |
|                    | <b>Tablet</b>         |           |     | <b>Oral</b>                    |                      |          |     |
|                    | 600 mg                | 7/1/2010  |     |                                | <b>Tablet</b>        |          |     |
|                    | 800 mg                | 7/1/2010  |     |                                | 5 mg                 | 7/1/2010 |     |
| <b>GALANTAMINE</b> |                       |           |     |                                | 10 mg                | 7/1/2010 |     |
| <b>Oral</b>        |                       |           |     |                                | <b>Tablet (24hr)</b> |          |     |
|                    | <b>Capsule (24hr)</b> |           |     |                                | 2.5 mg               | 7/1/2010 |     |
|                    | 8 mg                  | 1/1/2012  |     |                                | 5 mg                 | 7/1/2010 |     |
|                    | 16 mg                 | 1/1/2012  |     |                                | 10 mg                | 7/1/2010 |     |
|                    | 24 mg                 | 1/1/2012  |     | <b>GLIPIZIDE and METFORMIN</b> |                      |          |     |
|                    | <b>Solution</b>       |           |     | <b>Oral</b>                    |                      |          |     |
|                    | 4 mg/ml               | 1/1/2012  |     |                                | <b>Tablet</b>        |          |     |
|                    | <b>Tablet</b>         |           |     |                                | 2.5 mg-250 mg        | 7/1/2010 |     |
|                    | 4 mg                  | 7/1/2010  |     |                                | 2.5 mg-500 mg        | 7/1/2010 |     |
|                    | 8 mg                  | 7/1/2010  |     |                                |                      |          |     |

N/D; N=New, D=Delete

| N/D                             | STRGTH            | Start    | End | N/D  | STRGTH                 | Start    | End |
|---------------------------------|-------------------|----------|-----|--|------------------------|----------|-----|
| <b>GLIPIZIDE and METFORMIN</b>  |                   |          |     | <b>GUAIFENESIN and CODEINE</b>                             |                        |          |     |
| Oral                            |                   |          |     | Oral   |                        |          |     |
|                                 | <b>Tablet</b>     |          |     |  | <b>Liquid</b>          |          |     |
|                                 | 5 mg-500 mg       | 7/1/2010 |     |  | 100 mg-10 mg/5 ml      | 7/1/2010 |     |
| <b>GLYBURIDE</b>                |                   |          |     | <b>GUAIFENESIN and DEXTROMETHORPHAN</b>                    |                        |          |     |
| Oral                            |                   |          |     | Oral   |                        |          |     |
|                                 | <b>Tablet</b>     |          |     |  | <b>Elixir</b>          |          |     |
|                                 | 1.25 mg           | 7/1/2010 |     |  | 200 mg-20 mg/5 ml      | 7/1/2010 |     |
|                                 | 2.5 mg            | 7/1/2010 |     |  | <b>Liquid</b>          |          |     |
|                                 | 5 mg              | 7/1/2010 |     |  | 100 mg-10 mg/5 ml      | 7/1/2010 |     |
| <b>GLYBURIDE and METFORMIN</b>  |                   |          |     | <b>GUAIFENESIN and DEXTROMETHORPHAN and PSEUDOEPHEDRIN</b> |                        |          |     |
| Oral                            |                   |          |     | Oral   |                        |          |     |
|                                 | <b>Tablet</b>     |          |     |  | <b>Elixir</b>          |          |     |
|                                 | 1.25 mg-250 mg    | 7/1/2010 |     |  | 200 mg-20 mg/5 ml      | 7/1/2010 |     |
|                                 | 2.5 mg-500 mg     | 7/1/2010 |     |  | <b>Liquid</b>          |          |     |
|                                 | 5 mg-500 mg       | 7/1/2010 |     |  | 100 mg-5 mg/5 ml       | 1/1/2011 |     |
| <b>GLYBURIDE, MICRONIZED</b>    |                   |          |     | <b>Solution</b>  |                        |          |     |
| Oral                            |                   |          |     | 225 mg-25 mg/5 ml  |                        |          |     |
|                                 | <b>Tablet</b>     |          |     |  | 300 mg-20 mg/5 ml      | 1/1/2011 |     |
|                                 | 1.5 mg            | 7/1/2010 |     |  | <b>Syrup</b>           |          |     |
|                                 | 3 mg              | 7/1/2010 |     |  | 100 mg-10 mg/5 ml      | 7/1/2010 |     |
|                                 | 6 mg              | 7/1/2010 |     |  | <b>Tablet (12hr)</b>   |          |     |
| <b>GRISEOFULVIN, MICRONIZED</b> |                   |          |     | 1,200 mg-60 mg   |                        |          |     |
| Oral                            |                   |          |     | 7/1/2010   |                        |          |     |
|                                 | <b>Suspension</b> |          |     | <b>GUAIFENESIN and PHENYLEPHRINE</b>                       |                        |          |     |
|                                 | 125 mg/5 ml       | 7/1/2010 |     | Oral   |                        |          |     |
| <b>GUAIFENESIN</b>              |                   |          |     | <b>Tablet (12hr)</b>                                       |                        |          |     |
| Oral                            |                   |          |     | 800 mg-60 mg-90 mg   |                        |          |     |
|                                 | <b>Liquid</b>     |          |     | <b>GUAIFENESIN and PHENYLEPHRINE and PYRIL</b>             |                        |          |     |
|                                 | 50 mg/5 ml        | 1/1/2011 |     | Oral   |                        |          |     |
|                                 | 100 mg/5 ml       | 7/1/2010 |     |  | <b>Tablet</b>          |          |     |
|                                 | 200 mg/5 ml       | 1/1/2011 |     |  | 200 mg-25 mg           | 7/1/2010 |     |
|                                 | <b>Syrup</b>      |          |     | <b>Suspension</b>  |                        |          |     |
|                                 | 100 mg/5 ml       | 7/1/2010 |     |  | 100 mg-5 mg-30 mg/5 ml | 7/1/2010 |     |
| <b>GUAIFENESIN and CODEINE</b>  |                   |          |     | <b>Tablet</b>  |                        |          |     |
| Oral                            |                   |          |     | 200 mg-25 mg-60 mg   |                        |          |     |
|                                 | <b>Liquid</b>     |          |     | 7/1/2010   |                        |          |     |

N/D; N=New, D=Delete

| N/D | STRGTH | Start | End | N/D | STRGTH | Start | End |
|-----|--------|-------|-----|-----|--------|-------|-----|
|-----|--------|-------|-----|-----|--------|-------|-----|

**GUAIFENESIN and PSEUDOEPHEDRINE**

Oral

|  |          |
|--|----------|
| <b>Capsule (12hr)</b><br>400 mg-120 mg | 7/1/2010 |
| <b>Tablet (12hr)</b><br>800 mg-90 mg   | 7/1/2010 |

**GUANFACINE**

Oral

|                       |          |
|-----------------------|----------|
| <b>Tablet</b><br>1 mg | 7/1/2010 |
| 2 mg                  | 7/1/2010 |

**HALOBETASOL**

Topical

|                          |          |
|--------------------------|----------|
| <b>Cream</b><br>0.05 %   | 7/1/2010 |
| <b>Oinment</b><br>0.05 % | 7/1/2010 |

**HALOPERIDOL**

Oral

|                               |          |
|-------------------------------|----------|
| <b>Concentrate</b><br>2 mg/ml | 7/1/2010 |
| <b>Tablet</b><br>0.5 mg       | 7/1/2010 |
| 1 mg                          | 7/1/2010 |
| 2 mg                          | 7/1/2010 |
| 5 mg                          | 7/1/2010 |
| 10 mg                         | 7/1/2010 |
| 20 mg                         | 7/1/2010 |

**HYDRALAZINE**

Oral

|                        |          |
|------------------------|----------|
| <b>Tablet</b><br>10 mg | 7/1/2010 |
| 25 mg                  | 7/1/2010 |
| 50 mg                  | 7/1/2010 |
| 100 mg                 | 7/1/2010 |

**HYDROCHLOROTHIAZIDE**

Oral

**Capsule**

**HYDROCHLOROTHIAZIDE**

Oral

|                           |          |
|---------------------------|----------|
| <b>Capsule</b><br>12.5 mg | 7/1/2010 |
| <b>Tablet</b><br>25 mg    | 7/1/2010 |
| 50 mg                     | 7/1/2010 |

**HYDROCODONE and ACETAMINOPHEN**

Oral

|                                       |          |
|---------------------------------------|----------|
| <b>Capsule</b><br>5 mg-500 mg         | 7/1/2010 |
| <b>Solution</b><br>2.5 mg-167 mg/5 ml | 7/1/2010 |
| 5 mg-334 mg/10 ml                     | 7/1/2010 |
| 7.5 mg-500 mg/15 ml                   | 7/1/2010 |
| 7.5 mg-500 mg/15 ml (15 ml)           | 7/1/2010 |
| <b>Tablet</b><br>2.5 mg-500 mg        | 7/1/2010 |
| 5 mg-325 mg                           | 7/1/2010 |
| 5 mg-500 mg                           | 7/1/2010 |
| 7.5 mg-325 mg                         | 7/1/2010 |
| 7.5 mg-500 mg                         | 7/1/2010 |
| 7.5 mg-650 mg                         | 7/1/2010 |
| 7.5 mg-750 mg                         | 7/1/2010 |
| 10 mg-325 mg                          | 7/1/2010 |
| 10 mg-500 mg                          | 7/1/2010 |
| 10 mg-650 mg                          | 7/1/2010 |
| 10 mg-660 mg                          | 7/1/2010 |
| 10 mg-750 mg                          | 7/1/2010 |

**HYDROCORTISONE**

Oral

|                       |          |
|-----------------------|----------|
| <b>Tablet</b><br>5 mg | 7/1/2010 |
| 10 mg                 | 7/1/2010 |
| 20 mg                 | 7/1/2010 |

Topical

|                       |          |
|-----------------------|----------|
| <b>Cream</b><br>0.5 % | 7/1/2010 |
| 1 %                   | 7/1/2010 |
| 2.5 %                 | 7/1/2010 |
| <b>Lotion</b><br>1 %  | 7/1/2010 |
| 2.5 %                 | 7/1/2010 |

N/D; N=New, D=Delete

| N/D | STRGTH | Start | End | N/D | STRGTH | Start | End |
|-----|--------|-------|-----|-----|--------|-------|-----|
|-----|--------|-------|-----|-----|--------|-------|-----|

**HYDROCORTISONE****Topical****Oinment**

|       |          |
|-------|----------|
| 0.5 % | 7/1/2010 |
| 1 %   | 7/1/2010 |
| 2.5 % | 7/1/2010 |

**HYDROCORTISONE ACETATE****Topical****Cream**

|       |          |
|-------|----------|
| 0.5 % | 7/1/2010 |
| 1 %   | 7/1/2010 |

**Oinment**

|     |          |
|-----|----------|
| 1 % | 7/1/2010 |
|-----|----------|

**HYDROCORTISONE VALERATE****Topical****Cream**

|       |          |
|-------|----------|
| 0.2 % | 7/1/2010 |
|-------|----------|

**HYDROMORPHONE****Oral****Tablet**

|      |          |
|------|----------|
| 2 mg | 7/1/2010 |
| 4 mg | 7/1/2010 |
| 8 mg | 7/1/2010 |

**HYDROXYCHLOROQUINE****Oral****Tablet**

|        |          |
|--------|----------|
| 200 mg | 7/1/2010 |
|--------|----------|

**HYDROXYUREA****Oral****Capsule**

|        |          |
|--------|----------|
| 500 mg | 7/1/2010 |
|--------|----------|

**HYDROXYZINE****Oral****Capsule**

|        |          |
|--------|----------|
| 25 mg  | 7/1/2010 |
| 50 mg  | 7/1/2010 |
| 100 mg | 7/1/2010 |

N/D; N=New, D=Delete

**HYDROXYZINE****Oral****Syrup**

|            |          |
|------------|----------|
| 10 mg/5 ml | 7/1/2010 |
|------------|----------|

**Tablet**

|       |          |
|-------|----------|
| 10 mg | 7/1/2010 |
| 25 mg | 7/1/2010 |
| 50 mg | 7/1/2010 |

**HYOSCYAMINE****Oral****Drops**

|             |          |
|-------------|----------|
| 0.125 mg/ml | 7/1/2010 |
|-------------|----------|

**Elixir**

|              |          |
|--------------|----------|
| 125 mcg/5 ml | 7/1/2010 |
|--------------|----------|

**Tablet**

|          |          |
|----------|----------|
| 0.125 mg | 7/1/2010 |
|----------|----------|

**Tablet Rapdis**

|          |          |
|----------|----------|
| 0.125 mg | 7/1/2010 |
|----------|----------|

**Tablet Sublingual**

|          |          |
|----------|----------|
| 0.125 mg | 7/1/2010 |
|----------|----------|

**HYPROMELLOSE****Ophthalmic****Drops**

|       |          |
|-------|----------|
| 0.3 % | 1/1/2011 |
|-------|----------|

|       |          |
|-------|----------|
| 0.4 % | 1/1/2011 |
|-------|----------|

**Gel**

|       |          |
|-------|----------|
| 0.3 % | 1/1/2011 |
|-------|----------|

**Ointment**

|      |          |
|------|----------|
| 0.3% | 1/1/2011 |
|------|----------|

**IBUPROFEN****Oral****Suspension**

|             |          |
|-------------|----------|
| 100 mg/5 ml | 7/1/2010 |
|-------------|----------|

**Tablet**

|        |           |
|--------|-----------|
| 100 mg | 11/1/2011 |
|--------|-----------|

|        |          |
|--------|----------|
| 200 mg | 7/1/2010 |
|--------|----------|

|        |          |
|--------|----------|
| 400 mg | 7/1/2010 |
|--------|----------|

|        |          |
|--------|----------|
| 600 mg | 7/1/2010 |
|--------|----------|

|        |          |
|--------|----------|
| 800 mg | 7/1/2010 |
|--------|----------|

**IMIPRAMINE****Oral**

| N/D | STRGTH | Start | End | N/D | STRGTH | Start | End |
|-----|--------|-------|-----|-----|--------|-------|-----|
|-----|--------|-------|-----|-----|--------|-------|-----|

**IMIPRAMINE**

**Oral**

**Tablet**

|       |          |
|-------|----------|
| 10 mg | 7/1/2010 |
| 25 mg | 7/1/2010 |
| 50 mg | 7/1/2010 |

**IMIQUIMOD**

**Topical**

**Cream**

|     |           |
|-----|-----------|
| 5 % | 10/1/2010 |
|-----|-----------|

**INDAPAMIDE**

**Oral**

**Tablet**

|         |          |
|---------|----------|
| 1.25 mg | 7/1/2010 |
| 2.5 mg  | 7/1/2010 |

**INDOMETHACIN**

**Oral**

**Capsule**

|       |          |
|-------|----------|
| 25 mg | 7/1/2010 |
| 50 mg | 7/1/2010 |

**Capsule ER**

|       |          |
|-------|----------|
| 75 mg | 7/1/2010 |
|-------|----------|

**INSULIN - HUMALOG**

**Sub-Q**

**Cartridge**

|             |          |
|-------------|----------|
| 100 unit/mL | 7/1/2010 |
|-------------|----------|

**Insulin Pen**

|             |          |
|-------------|----------|
| 100 unit/mL | 7/1/2010 |
|-------------|----------|

**Vial**

|             |          |
|-------------|----------|
| 100 unit/mL | 7/1/2010 |
|-------------|----------|

**INSULIN - HUMALOG MIX**

**Sub-Q**

**Insulin Pen**

|                     |          |
|---------------------|----------|
| 100 unit/mL (50-50) | 7/1/2010 |
| 100 unit/mL (75-25) | 7/1/2010 |

**Vial**

|                     |          |
|---------------------|----------|
| 100 unit/mL (50-50) | 7/1/2010 |
| 100 unit/mL (75-25) | 7/1/2010 |

**INSULIN - HUMULIN 70/30**

**Sub-Q**

**Insulin Pen**

|                     |          |
|---------------------|----------|
| 100 unit/ml (70-30) | 7/1/2010 |
|---------------------|----------|

**Vial**

|                     |          |
|---------------------|----------|
| 100 unit/ml (70-30) | 7/1/2010 |
|---------------------|----------|

**INSULIN - HUMULIN N**

**Sub-Q**

**Insulin Pen**

|                    |          |
|--------------------|----------|
| 100 unit/ml (3 ml) | 7/1/2010 |
|--------------------|----------|

**Vial**

|             |          |
|-------------|----------|
| 100 unit/ml | 7/1/2010 |
|-------------|----------|

**INSULIN - HUMULIN R**

**Injection**

**Vial**

|                            |          |
|----------------------------|----------|
| 100 unit/ml                | 7/1/2010 |
| 500 unit/mL (Concentrated) | 7/1/2010 |

**INSULIN - LANTUS**

**Sub-Q**

**Cartridge**

|             |          |
|-------------|----------|
| 100 unit/mL | 7/1/2010 |
|-------------|----------|

**Insulin Pen**

|                    |          |
|--------------------|----------|
| 100 unit/mL (3 mL) | 7/1/2010 |
|--------------------|----------|

**Vial**

|             |          |
|-------------|----------|
| 100 unit/mL | 7/1/2010 |
|-------------|----------|

**IPRATROPIUM**

**Inhalation**

**Solution**

|                    |          |
|--------------------|----------|
| 0.2 mg/ml (0.02 %) | 7/1/2010 |
|--------------------|----------|

**Nasal**

**Spray**

|        |          |
|--------|----------|
| 21 mcg | 7/1/2010 |
| 42 mcg | 7/1/2010 |

**IPRATROPIUM and ALBUTEROL**

**Inhalation**

**Ampul-Neb**

|                                |           |
|--------------------------------|-----------|
| 0.5 mg-3 mg (2.5 mg base)/3 ml | 10/1/2010 |
|--------------------------------|-----------|

N/D; N=New, D=Delete

| N/D | STRGTH | Start | End | N/D | STRGTH | Start | End |
|-----|--------|-------|-----|-----|--------|-------|-----|
|-----|--------|-------|-----|-----|--------|-------|-----|

**ISONIAZID**

**Oral**

|               |  |          |
|---------------|--|----------|
| <b>Syrup</b>  |  |          |
| 50 mg/5 ml    |  | 7/1/2010 |
| <b>Tablet</b> |  |          |
| 100 mg        |  | 7/1/2010 |
| 300 mg        |  | 7/1/2010 |

**ISOSORBIDE DINITRATE**

**Oral**

|                  |  |          |
|------------------|--|----------|
| <b>Tablet</b>    |  |          |
| 5 mg             |  | 7/1/2010 |
| 10 mg            |  | 7/1/2010 |
| 20 mg            |  | 7/1/2010 |
| 30 mg            |  | 7/1/2010 |
| <b>Tablet ER</b> |  |          |
| 40 mg            |  | 7/1/2010 |

**Sublingual**

|                          |  |          |
|--------------------------|--|----------|
| <b>Sublingual Tablet</b> |  |          |
| 2.5 mg                   |  | 7/1/2010 |
| 5 mg                     |  | 7/1/2010 |

**ISOSORBIDE MONONITRATE**

**Oral**

|                      |  |          |
|----------------------|--|----------|
| <b>Tablet</b>        |  |          |
| 10 mg                |  | 7/1/2010 |
| 20 mg                |  | 7/1/2010 |
| <b>Tablet (24hr)</b> |  |          |
| 30 mg                |  | 7/1/2010 |
| 60 mg                |  | 7/1/2010 |
| 120 mg               |  | 7/1/2010 |

**ISOTRETINOIN**

**Oral**

|                |  |          |
|----------------|--|----------|
| <b>Capsule</b> |  |          |
| 10 mg          |  | 1/1/2012 |
| 20 mg          |  | 1/1/2012 |
| 30 mg          |  | 1/1/2012 |
| 40 mg          |  | 1/1/2012 |

**KETOCONAZOLE**

**Oral**

|               |  |          |
|---------------|--|----------|
| <b>Tablet</b> |  |          |
| 200 mg        |  | 7/1/2010 |

**KETOCONAZOLE**

**Topical**

|                |  |          |
|----------------|--|----------|
| <b>Cream</b>   |  |          |
| 2 %            |  | 7/1/2011 |
| <b>Shampoo</b> |  |          |
| 2 %            |  | 7/1/2010 |

**KETOPROFEN**

**Oral**

|                |  |          |
|----------------|--|----------|
| <b>Capsule</b> |  |          |
| 50 mg          |  | 7/1/2010 |
| 75 mg          |  | 7/1/2010 |

**KETOROLAC TROMETHAMINE**

**Oral**

|               |  |          |
|---------------|--|----------|
| <b>Tablet</b> |  |          |
| 10 mg         |  | 7/1/2010 |

**LABETALOL**

**Oral**

|               |  |          |
|---------------|--|----------|
| <b>Tablet</b> |  |          |
| 100 mg        |  | 7/1/2010 |
| 200 mg        |  | 7/1/2010 |
| 300 mg        |  | 7/1/2010 |

**LACTULOSE**

**Oral**

|                 |  |          |
|-----------------|--|----------|
| <b>Solution</b> |  |          |
| 10 gram/15 ml   |  | 7/1/2010 |
| 10 gram/15 ml   |  | 7/1/2010 |

**LAMOTRIGINE**

**Oral**

|                      |  |          |
|----------------------|--|----------|
| <b>Tablet</b>        |  |          |
| 25 mg                |  | 7/1/2010 |
| 100 mg               |  | 7/1/2010 |
| 150 mg               |  | 7/1/2010 |
| 200 mg               |  | 7/1/2010 |
| <b>Tablet Disper</b> |  |          |
| 25 mg                |  | 7/1/2010 |
| 5 mg                 |  | 7/1/2010 |

**LATANOPROST**

N/D; N=New, D=Delete



| N/D                  | STRGTH               | Start     | End | N/D                                    | STRGTH                                 | Start    | End |
|----------------------|----------------------|-----------|-----|--|--|----------|-----|
| <b>LATANOPROST</b>   |                      |           |     | <b>LEVOFLOXACIN</b>                    |  |          |     |
|                      | <b>Ophthalmic</b>    |           |     |  | <b>Oral</b>                            |          |     |
|                      | <b>Drops</b>         |           |     |  | <b>Tablet</b>                          |          |     |
|                      | 0.005 %              | 5/1/2011  |     |  | 250 mg                                 | 8/1/2011 |     |
|                      |                      |           |     |  | 500 mg                                 | 8/1/2011 |     |
|                      |                      |           |     |  | 750 mg                                 | 8/1/2011 |     |
| <b>LEFLUNOMIDE</b>   |                      |           |     | <b>LEVOTHYROXINE</b>                   |  |          |     |
|                      | <b>Oral</b>          |           |     |  | <b>Oral</b>                            |          |     |
|                      | <b>Tablet</b>        |           |     |  | <b>Tablet</b>                          |          |     |
|                      | 10 mg                | 2/1/2011  |     |  | 25 mcg                                 | 7/1/2010 |     |
|                      | 20 mg                | 2/1/2011  |     |  | 50 mcg                                 | 7/1/2010 |     |
| <b>LETROZOLE</b>     |                      |           |     |  | 75 mcg                                 | 7/1/2010 |     |
|                      | <b>Oral</b>          |           |     |  | 88 mcg                                 | 7/1/2010 |     |
|                      | <b>Tablet</b>        |           |     |  | 100 mcg                                | 7/1/2010 |     |
|                      | 2.5 mg               | 8/1/2011  |     |  | 112 mcg                                | 7/1/2010 |     |
| <b>LEVETIRACETAM</b> |                      |           |     |  | 125 mcg                                | 7/1/2010 |     |
|                      | <b>Oral</b>          |           |     |  | 137 mcg                                | 7/1/2010 |     |
|                      | <b>Solution</b>      |           |     |  | 150 mcg                                | 7/1/2010 |     |
|                      | 100 mg/ml            | 7/1/2010  |     |  | 175 mcg                                | 7/1/2010 |     |
|                      | <b>Tablet</b>        |           |     |  | 200 mcg                                | 7/1/2010 |     |
|                      | 250 mg               | 7/1/2010  |     |  | 300 mcg                                | 7/1/2010 |     |
|                      | 500 mg               | 7/1/2010  |     | <b>LIDOCAINE</b>                       |  |          |     |
|                      | 750 mg               | 7/1/2010  |     |  | <b>Mucous Membrane</b>                 |          |     |
|                      | 1,000 mg             | 7/1/2010  |     |  | <b>Jel</b>                             |          |     |
|                      | <b>Tablet (24hr)</b> |           |     |  | 2 %                                    | 7/1/2010 |     |
|                      | 500 mg               | 12/1/2011 |     |  | 2 %                                    | 7/1/2010 |     |
|                      | 750 mg               | 12/1/2011 |     |  | <b>Solution</b>                        |          |     |
| <b>LEVOBUNOLOL</b>   |                      |           |     |  | 20 mg/ml                               | 7/1/2010 |     |
|                      | <b>Ophthalmic</b>    |           |     | <b>LIPASE and PROTEASE and AMYLASE</b> |  |          |     |
|                      | <b>Drops</b>         |           |     |  | <b>Oral</b>                            |          |     |
|                      | 0.25 %               | 7/1/2010  |     |  | <b>Capsule DR</b>                      |          |     |
|                      | 0.5 %                | 7/1/2010  |     |  | 5,000 unit-17,000 unit-<br>27,000 unit | 7/1/2010 |     |
| <b>LEVOCARNITINE</b> |                      |           |     | <b>LISINOPRIL</b>                      |  |          |     |
|                      | <b>Oral</b>          |           |     |  | <b>Oral</b>                            |          |     |
|                      | <b>Solution</b>      |           |     |  | <b>Tablet</b>                          |          |     |
|                      | 100 mg/ml            | 7/1/2010  |     |  | 2.5 mg                                 | 7/1/2010 |     |
| <b>LEVOFLOXACIN</b>  |                      |           |     |  | 5 mg                                   | 7/1/2010 |     |
|                      | <b>Oral</b>          |           |     |  | 10 mg                                  | 7/1/2010 |     |
|                      | <b>Tablet</b>        |           |     |  | 20 mg                                  | 7/1/2010 |     |

N/D; N=New, D=Delete

| N/D                                       | STRGTH               | Start    | End | N/D                                     | STRGTH               | Start    | End |
|---|----------------------|----------|-----|---|----------------------|----------|-----|
| <b>LISINOPRIL</b>                         |                      |          |     | <b>LORATADINE and PSEUDOEPHEDRINE</b>   |                      |          |     |
| Oral                                      |                      |          |     | Oral                                    |                      |          |     |
|   | <b>Tablet</b>        |          |     |   | <b>Tablet (12hr)</b> |          |     |
|   | 30 mg                | 7/1/2010 |     |   | 5 mg-120 mg          | 7/1/2010 |     |
|   | 40 mg                | 7/1/2010 |     |   | <b>Tablet (24hr)</b> |          |     |
|   |                      |          |     |   | 10 mg-240 mg         | 7/1/2010 |     |
| <b>LISINOPRIL and HYDROCHLOROTHIAZIDE</b> |                      |          |     | <b>LORAZEPAM</b>                        |                      |          |     |
| Oral                                      |                      |          |     | Oral                                    |                      |          |     |
|   | <b>Tablet</b>        |          |     |   | <b>Tablet</b>        |          |     |
|   | 10 mg-12.5 mg        | 7/1/2010 |     |   | 0.5 mg               | 7/1/2010 |     |
|   | 20 mg-12.5 mg        | 7/1/2010 |     |   | 1 mg                 | 7/1/2010 |     |
|   | 20 mg-25 mg          | 7/1/2010 |     |   | 2 mg                 | 7/1/2010 |     |
| <b>LITHIUM</b>                            |                      |          |     | <b>LOSARTAN</b>                         |                      |          |     |
| Oral                                      |                      |          |     | Oral                                    |                      |          |     |
|   | <b>Capsule</b>       |          |     |   | <b>Tablet</b>        |          |     |
|   | 150 mg               | 7/1/2010 |     |   | 100 mg               | 7/1/2010 |     |
|   | 300 mg               | 7/1/2010 |     |   | 25 mg                | 7/1/2010 |     |
|   | 600 mg               | 7/1/2010 |     |   | 50 mg                | 7/1/2010 |     |
|   | <b>Solution</b>      |          |     |   |                      |          |     |
|   | 8 mEq/5 ml           | 7/1/2010 |     |   |                      |          |     |
|   | <b>Tablet</b>        |          |     |   |                      |          |     |
|   | 300 mg               | 7/1/2010 |     |   |                      |          |     |
|   | <b>Tablet ER</b>     |          |     |   |                      |          |     |
|   | 300 mg               | 7/1/2010 |     |   |                      |          |     |
|   | 450 mg               | 7/1/2010 |     |   |                      |          |     |
| <b>LOPERAMIDE (Rx)</b>                    |                      |          |     | <b>LOSARTAN and HYDROCHLOROTHIAZIDE</b> |                      |          |     |
| Oral                                      |                      |          |     | Oral                                    |                      |          |     |
|   | <b>Capsule</b>       |          |     |   | <b>Tablet</b>        |          |     |
|   | 2 mg                 | 7/1/2010 |     |   | 100 mg-12.5 mg       | 7/1/2010 |     |
|   |                      |          |     |   | 100 mg-25 mg         | 7/1/2010 |     |
|   |                      |          |     |   | 50 mg-12.5 mg        | 7/1/2010 |     |
| <b>LORATADINE</b>                         |                      |          |     | <b>LOVASTATIN</b>                       |                      |          |     |
| Oral                                      |                      |          |     | Oral                                    |                      |          |     |
|   | <b>Solution</b>      |          |     |   | <b>Tablet</b>        |          |     |
|   | 5 mg/5 ml            | 7/1/2010 |     |   | 10 mg                | 7/1/2010 |     |
|   | <b>Tablet</b>        |          |     |   | 20 mg                | 7/1/2010 |     |
|   | 10 mg                | 7/1/2010 |     |   | 40 mg                | 7/1/2010 |     |
| <b>LORATADINE and PSEUDOEPHEDRINE</b>     |                      |          |     | <b>LOXAPINE</b>                         |                      |          |     |
| Oral                                      |                      |          |     | Oral                                    |                      |          |     |
|   | <b>Tablet (12hr)</b> |          |     |   | <b>Capsule</b>       |          |     |
|   |                      |          |     |   | 5 mg                 | 7/1/2010 |     |
|   |                      |          |     |   | 10 mg                | 7/1/2010 |     |
|   |                      |          |     |   | 25 mg                | 7/1/2010 |     |
|   |                      |          |     |   | 50 mg                | 7/1/2010 |     |

N/D; N=New, D=Delete

| N/D   | STRGTH                 | Start    | End | N/D                          | STRGTH               | Start    | End |
|---|------------------------|----------|-----|------------------------------|----------------------|----------|-----|
| <b>MAGALDRATE</b>                                 |                        |          |     | <b>MEGESTROL ACETATE</b>     |                      |          |     |
| Oral  |                        |          |     | Oral                         |                      |          |     |
|   | <b>Suspension</b>      |          |     |                              | <b>Tablet</b>        |          |     |
|   | 540 mg/5 ml            | 7/1/2010 |     |                              | 20 mg                | 7/1/2010 |     |
|   |                        |          |     |                              | 40 mg                | 7/1/2010 |     |
| <b>MAGNESIUM and ALUMINUM HYDROXIDE</b>           |                        |          |     | <b>MELOXICAM</b>             |                      |          |     |
| Oral  |                        |          |     | Oral                         |                      |          |     |
|   | <b>Suspension</b>      |          |     |                              | <b>Suspension</b>    |          |     |
|   | 200 mg-200 mg/5 ml     | 1/1/2011 |     |                              | 7.5 mg/5 ml          | 7/1/2010 |     |
|   | 200 mg-225 mg/5 ml     | 7/1/2010 |     |                              | <b>Tablet</b>        |          |     |
|   | 500 mg-500 mg/5 ml     | 1/1/2011 |     |                              | 7.5 mg               | 7/1/2010 |     |
|   | <b>Tablet Chewable</b> |          |     |                              | 15 mg                | 7/1/2010 |     |
|   | 150 mg-300 mg          | 1/1/2011 |     | <b>MERCAPTOPURINE</b>        |                      |          |     |
| <b>MAGNESIUM CARBONATE and ALUMINUM HYDROXIDE</b> |                        |          |     | Oral                         |                      |          |     |
| Oral  |                        |          |     |                              | <b>Tablet</b>        |          |     |
|   | <b>Tablet Chewable</b> |          |     |                              | 50 mg                | 7/1/2010 |     |
|   | 105 mg-160 mg          | 1/1/2011 |     | <b>METFORMIN</b>             |                      |          |     |
| <b>MALATHION</b>                                  |                        |          |     | Oral                         |                      |          |     |
| Topical   |                        |          |     |                              | <b>Solution</b>      |          |     |
|   | <b>Lotion</b>          |          |     |                              | 500 mg/5 ml          | 7/1/2010 |     |
|   | 0.5 %                  | 7/1/2012 |     |                              | <b>Tablet</b>        |          |     |
| <b>MECLIZINE</b>                                  |                        |          |     |                              | 500 mg               | 7/1/2010 |     |
| Oral  |                        |          |     |                              | 850 mg               | 7/1/2010 |     |
|   | <b>Tablet</b>          |          |     |                              | 1,000 mg             | 7/1/2010 |     |
|   | 12.5 mg                | 7/1/2010 |     |                              | <b>Tablet (24hr)</b> |          |     |
|   | 25 mg                  | 7/1/2010 |     |                              | 500 mg               | 7/1/2010 |     |
|   | <b>Tablet Chewable</b> |          |     |                              | 750 mg               | 7/1/2010 |     |
|   | 25 mg                  | 7/1/2010 |     | <b>METHADONE</b>             |                      |          |     |
| <b>MEDROXYPROGESTERONE</b>                        |                        |          |     | Oral                         |                      |          |     |
| Oral  |                        |          |     |                              | <b>Concentrate</b>   |          |     |
|   | <b>Tablet</b>          |          |     |                              | 10 mg/ml             | 7/1/2010 |     |
|   | 2.5 mg                 | 7/1/2010 |     |                              | <b>Tablet</b>        |          |     |
|   | 5 mg                   | 7/1/2010 |     |                              | 10 mg                | 7/1/2010 |     |
|   | 10 mg                  | 7/1/2010 |     |                              | 5 mg                 | 7/1/2010 |     |
| <b>MEGESTROL ACETATE</b>                          |                        |          |     |                              | <b>Tablet Soln</b>   |          |     |
| Oral  |                        |          |     |                              | 40 mg                | 8/2/2010 |     |
| Oral  |                        |          |     | <b>METHENAMINE HIPPURATE</b> |                      |          |     |
| Oral  |                        |          |     | Oral                         |                      |          |     |
| Oral  |                        |          |     |                              | <b>Tablet</b>        |          |     |

N/D; N=New, D=Delete

| N/D | STRGTH | Start | End | N/D | STRGTH | Start | End |
|-----|--------|-------|-----|-----|--------|-------|-----|
|-----|--------|-------|-----|-----|--------|-------|-----|

**METHENAMINE HIPPURATE**

Oral

|               |  |          |
|---------------|--|----------|
| <b>Tablet</b> |  |          |
| 1 gram        |  | 7/1/2010 |

**METHIMAZOLE**

Oral

|               |  |          |
|---------------|--|----------|
| <b>Tablet</b> |  |          |
| 10 mg         |  | 7/1/2010 |
| 5 mg          |  | 7/1/2010 |

**METHOCARBAMOL**

Oral

|               |  |          |
|---------------|--|----------|
| <b>Tablet</b> |  |          |
| 500 mg        |  | 7/1/2010 |
| 750 mg        |  | 7/1/2010 |

**METHOTREXATE**

Injection

|             |  |          |
|-------------|--|----------|
| <b>Vial</b> |  |          |
| 1 gram      |  | 7/1/2010 |
| 25 mg/ml    |  | 7/1/2010 |
| 25 mg/ml    |  | 7/1/2010 |

Oral

|               |  |          |
|---------------|--|----------|
| <b>Tablet</b> |  |          |
| 2.5 mg        |  | 7/1/2010 |

**METHYLDOPA**

Oral

|               |  |          |
|---------------|--|----------|
| <b>Tablet</b> |  |          |
| 250 mg        |  | 7/1/2010 |
| 500 mg        |  | 7/1/2010 |

**METHYLDOPA and HYDROCHLOROTHIAZIDE**

Oral

|               |  |          |
|---------------|--|----------|
| <b>Tablet</b> |  |          |
| 250 mg-15 mg  |  | 7/1/2010 |
| 250 mg-25 mg  |  | 7/1/2010 |

**METHYLPHENIDATE**

Oral

**Tablet**

N/D; N=New, D=Delete

**METHYLPHENIDATE**

Oral

|                  |  |          |
|------------------|--|----------|
| <b>Tablet</b>    |  |          |
| 5 mg             |  | 7/1/2010 |
| 10 mg            |  | 7/1/2010 |
| 20 mg            |  | 7/1/2010 |
| <b>Tablet ER</b> |  |          |
| 10 mg            |  | 7/1/2010 |
| 20 mg            |  | 7/1/2010 |

**METHYLPREDNISOLONE**

Oral

|                     |  |          |
|---------------------|--|----------|
| <b>Tablet</b>       |  |          |
| 4 mg                |  | 7/1/2010 |
| <b>Tablet Ds Pk</b> |  |          |
| 4 mg                |  | 7/1/2010 |

**METIPRANOLOL**

Ophthalmic

|              |  |          |
|--------------|--|----------|
| <b>Drops</b> |  |          |
| 0.3 %        |  | 7/1/2010 |

**METOCLOPRAMIDE**

Oral

|                 |  |          |
|-----------------|--|----------|
| <b>Solution</b> |  |          |
| 5 mg/5 ml       |  | 7/1/2010 |
| <b>Tablet</b>   |  |          |
| 10 mg           |  | 7/1/2010 |
| 5 mg            |  | 7/1/2010 |

**METOLAZONE**

Oral

|               |  |          |
|---------------|--|----------|
| <b>Tablet</b> |  |          |
| 10 mg         |  | 7/1/2010 |
| 2.5 mg        |  | 7/1/2010 |
| 5 mg          |  | 7/1/2010 |

**METOPROLOL SUCCINATE/METOPROLOL TARTRATE**

Oral

|               |  |          |
|---------------|--|----------|
| <b>Tablet</b> |  |          |
| 100 mg        |  | 7/1/2010 |
| 25 mg         |  | 7/1/2010 |

| N/D   | STRGTH             | Start    | End | N/D   | STRGTH                 | Start    | End |
|---|--------------------|----------|-----|---|------------------------|----------|-----|
| <b>METOPROLOL<br/>SUCCINATE/METOPROLOL<br/>TARTRATE</b> |                    |          |     | <b>MINERAL OIL and PETROLATUM</b>                         |                        |          |     |
| <b>Oral</b>   |                    |          |     | <b>Ophthalmic</b>   |                        |          |     |
|   | <b>Tablet</b>      |          |     |   | <b>Ointment</b>        |          |     |
|   | 50 mg              | 7/1/2010 |     |   | 42.5% and 57.3%        | 1/1/2011 |     |
| <b>Tablet (24hr)</b>                                    |                    |          |     | <b>MINERAL OIL and PETROLATUM<br/>and SODIUM CHLORIDE</b> |                        |          |     |
|   | 25 mg              | 7/1/2010 |     | <b>Ophthalmic</b>   |                        |          |     |
|   | 50 mg              | 7/1/2010 |     | <b>Ointment</b>   |                        |          |     |
|   | 100 mg             | 7/1/2010 |     |   |                        | 1/1/2011 |     |
|   | 200 mg             | 7/1/2010 |     | <b>MINOXIDIL</b>  |                        |          |     |
| <b>METRONIDAZOLE</b>                                    |                    |          |     | <b>Oral</b>   |                        |          |     |
| <b>Oral</b>   |                    |          |     | <b>Tablet</b>   |                        |          |     |
|   | 250 mg             | 7/1/2010 |     | 2.5 mg  | 7/1/2010               |          |     |
|   | 500 mg             | 7/1/2010 |     | 10 mg   | 7/1/2010               |          |     |
| <b>MICONAZOLE</b>                                       |                    |          |     | <b>MIRTAZAPINE</b>  |                        |          |     |
| <b>Topical</b>  |                    |          |     | <b>Oral</b>   |                        |          |     |
|   | <b>Cream</b>       |          |     | <b>Tablet</b>   |                        |          |     |
|   | 2 %                | 7/1/2010 |     | 7.5 mg  | 7/1/2010               |          |     |
|   | <b>Ointment</b>    |          |     | 15 mg   | 7/1/2010               |          |     |
|   | 2 %                | 1/1/2011 |     | 30 mg   | 7/1/2010               |          |     |
|   | <b>Vaginal</b>     |          |     | 45 mg   | 7/1/2010               |          |     |
|   | <b>Cream</b>       |          |     | <b>MONTELUKAST</b>  |                        |          |     |
|   | 2 %                | 7/1/2010 |     | <b>Oral</b>   |                        |          |     |
|   | <b>Suppository</b> |          |     | <b>Tablet</b>   |                        |          |     |
|   | 100 mg             | 7/1/2010 |     | 10 mg   | 9/1/2012               |          |     |
|   | 200 mg             | 7/1/2010 |     | <b>Tablet Chewable</b>                                    |                        |          |     |
| <b>MIDODRINE</b>  |                    |          |     |   | 4 mg                   | 9/1/2012 |     |
| <b>Oral</b>   |                    |          |     |   | 5 mg                   | 9/1/2012 |     |
|   | <b>Tablet</b>      |          |     | <b>MORPHINE</b>   |                        |          |     |
|   | 2.5 mg             | 7/1/2010 |     | <b>Oral</b>   |                        |          |     |
|   | 5 mg               | 7/1/2010 |     | <b>Solution</b>   |                        |          |     |
|   | 10 mg              | 7/1/2010 |     | 10 mg/5 ml  | 7/1/2010               |          |     |
| <b>MINERAL OIL and PETROLATUM</b>                       |                    |          |     |   | 100 mg/5 ml (20 mg/ml) | 7/1/2010 |     |
| <b>Ophthalmic</b>                                       |                    |          |     |   | 20 mg/5 ml             | 7/1/2010 |     |
|   | <b>Ointment</b>    |          |     | <b>Tablet</b>   |                        |          |     |
|   | 15 %-85 %          | 1/1/2011 |     | 15 mg   | 7/1/2010               |          |     |
|   | 15% and 83%        | 1/1/2011 |     | 30 mg   | 7/1/2010               |          |     |
|   | 42.5 %-56.8 %      | 1/1/2011 |     | <b>Tablet ER</b>  |                        |          |     |

N/D; N=New, D=Delete

| N/D | STRGTH | Start | End | N/D | STRGTH | Start | End |
|-----|--------|-------|-----|-----|--------|-------|-----|
|-----|--------|-------|-----|-----|--------|-------|-----|

**MORPHINE****Oral****Tablet ER**

|        |          |
|--------|----------|
| 15 mg  | 7/1/2010 |
| 30 mg  | 7/1/2010 |
| 60 mg  | 7/1/2010 |
| 100 mg | 7/1/2010 |
| 200 mg | 7/1/2010 |

**MUPIROCIN****Topical****Oinment**

|     |          |
|-----|----------|
| 2 % | 7/1/2010 |
|-----|----------|

**MYCOPHENOLATE****Oral****Capsule**

|        |          |
|--------|----------|
| 250 mg | 7/1/2010 |
|--------|----------|

**Tablet**

|        |          |
|--------|----------|
| 500 mg | 7/1/2010 |
|--------|----------|

**NABUMETONE****Oral****Tablet**

|        |          |
|--------|----------|
| 500 mg | 7/1/2010 |
| 750 mg | 7/1/2010 |

**NADOLOL****Oral****Tablet**

|       |          |
|-------|----------|
| 20 mg | 7/1/2010 |
| 40 mg | 7/1/2010 |
| 80 mg | 7/1/2010 |

**NALTREXONE****Oral****Tablet**

|       |          |
|-------|----------|
| 50 mg | 7/1/2010 |
|-------|----------|

**NAPROXEN****Oral****Capsule**

|        |           |
|--------|-----------|
| 220 mg | 11/1/2011 |
|--------|-----------|

N/D; N=New, D=Delete

**NAPROXEN****Oral****Suspension**

|             |          |
|-------------|----------|
| 125 mg/5 ml | 7/1/2010 |
|-------------|----------|

**Tablet**

|        |          |
|--------|----------|
| 220 mg | 7/1/2010 |
| 250 mg | 7/1/2010 |
| 275 mg | 7/1/2010 |
| 375 mg | 7/1/2010 |
| 500 mg | 7/1/2010 |
| 550 mg | 7/1/2010 |

**Tablet DR**

|        |          |
|--------|----------|
| 375 mg | 7/1/2010 |
| 500 mg | 7/1/2010 |

**Tablet ER**

|        |          |
|--------|----------|
| 500 mg | 7/1/2010 |
|--------|----------|

**NARATRIPTAN****Oral****Tablet**

|        |          |
|--------|----------|
| 1 mg   | 7/1/2011 |
| 2.5 mg | 7/1/2011 |

**NEOMYCIN and BACITRACIN and POLYMYXIN****Topical****Oinment**

|                                 |          |
|---------------------------------|----------|
| 3.5 mg-400 unit-5,000 unit/gram | 7/1/2010 |
|---------------------------------|----------|

**NEOMYCIN and BACITRACIN and POLYMYXIN and HYDROCORTISONE****Ophthalmic****Oinment**

|                                      |          |
|--------------------------------------|----------|
| 3.5 mg-400 unit-10,000 unit/gram-1 % | 7/1/2010 |
|--------------------------------------|----------|

**NEOMYCIN and POLYMYXIN and DEXAMETHASONE****Ophthalmic****Drops Suspension**

|                                |          |
|--------------------------------|----------|
| 3.5 mg/ml-10,000 unit/ml-0.1 % | 7/1/2010 |
|--------------------------------|----------|

**Oinment**

| N/D  | STRGTH  | Start    | End | N/D                                | STRGTH                   | Start    | End |
|--|---|----------|-----|------------------------------------|--------------------------|----------|-----|
| <b>NEOMYCIN and POLYMYXIN and DEXAMETHASONE</b>  |   |          |     | <b>NIFEDIPINE</b>                  |                          |          |     |
| <b>Ophthalmic</b>                                |   |          |     | <b>Oral</b>                        |                          |          |     |
|  | <b>Oinment</b>  |          |     |                                    | <b>Tablet ER</b>         |          |     |
|  | 3.5 mg/gram-10,000 unit/gram-0.1 %                      | 7/1/2010 |     |                                    | 30 mg                    | 7/1/2010 |     |
|  |   |          |     |                                    | 60 mg                    | 7/1/2010 |     |
|  |   |          |     |                                    | 90 mg                    | 7/1/2010 |     |
| <b>NEOMYCIN and POLYMYXIN and HYDROCORTISONE</b> |   |          |     | <b>NITROFURANTOIN</b>              |                          |          |     |
| <b>Ophthalmic</b>                                |   |          |     | <b>Oral</b>                        |                          |          |     |
|  | <b>Suspension</b>                                       |          |     |                                    | <b>Capsule</b>           |          |     |
|  | 3.5 mg/ml-10,000 unit/ml-1%                             | 1/1/2012 |     |                                    | 100 mg                   | 7/1/2010 |     |
|  | <b>Otic</b>   |          |     | <b>NITROFURANTOIN MACROCRYSTAL</b> |                          |          |     |
|  | <b>Drops Suspension</b>                                 |          |     | <b>Oral</b>                        |                          |          |     |
|  | 3.5 mg/ml-10,000 unit/ml-1 %                            | 7/1/2010 |     |                                    | <b>Capsule</b>           |          |     |
|  | <b>Solution</b>   |          |     |                                    | 100 mg                   | 7/1/2010 |     |
|  | 3.5 mg/ml-10,000 unit/ml-1 %                            | 7/1/2010 |     |                                    | 50 mg                    | 7/1/2010 |     |
| <b>NICOTINE</b>                                  |   |          |     | <b>NITROGLYCERIN</b>               |                          |          |     |
| <b>Buccal</b>                                    |   |          |     | <b>Oral</b>                        |                          |          |     |
|  | <b>Gum</b>  |          |     |                                    | <b>Capsule ER</b>        |          |     |
|  | 2 mg  | 7/1/2010 |     |                                    | 2.5 mg                   | 7/1/2010 |     |
|  | 4 mg  | 7/1/2010 |     |                                    | 6.5 mg                   | 7/1/2010 |     |
|  | <b>Transderm</b>  |          |     |                                    | 9 mg                     | 7/1/2010 |     |
|  | <b>Patch (24hr)</b>                                     |          |     |                                    | <b>Spray</b>             |          |     |
|  | 7 mg/24 hour  | 7/1/2010 |     |                                    | 0.4 mg/dose              | 7/1/2010 |     |
|  | 14 mg/24 hour   | 7/1/2010 |     |                                    | <b>Sublingual Tablet</b> |          |     |
|  | 21 mg/24 hour   | 7/1/2010 |     |                                    | 0.3 mg                   | 7/1/2010 |     |
|  | <b>Patch Step Therapy</b>                               |          |     |                                    | 0.4 mg                   | 7/1/2010 |     |
|  | 21 mg/24 hour (28)-14 mg/24 hour (14)-7 mg/24 hour (14) | 7/1/2010 |     |                                    | 0.6 mg                   | 7/1/2010 |     |
| <b>NIFEDIPINE</b>                                |   |          |     | <b>Transderm</b>                   |                          |          |     |
| <b>Oral</b>                                      |   |          |     | <b>Oinment</b>                     |                          |          |     |
|  | <b>Capsule</b>  |          |     |                                    | 2 %                      | 7/1/2010 |     |
|  | 10 mg   | 7/1/2010 |     |                                    | <b>Patch (24hr)</b>      |          |     |
|  | 20 mg   | 7/1/2010 |     |                                    | 0.1 mg/hour              | 7/1/2010 |     |
|  | <b>Tablet (24hr) ER</b>                                 |          |     |                                    | 0.2 mg/hour              | 7/1/2010 |     |
|  | 30 mg   | 7/1/2010 |     |                                    | 0.4 mg/hour              | 7/1/2010 |     |
|  | 60 mg   | 7/1/2010 |     |                                    | 0.6 mg/hour              | 7/1/2010 |     |
|  | 90 mg   | 7/1/2010 |     | <b>NORETHINDRONE</b>               |                          |          |     |
|  | <b>Tablet ER</b>  |          |     | <b>Oral</b>                        |                          |          |     |
|  |   |          |     |                                    | <b>Tablet</b>            |          |     |
|  |   |          |     |                                    | 5 mg                     | 8/2/2010 |     |

N/D; N=New, D=Delete

| N/D                               | STRGTH                  | Start    | End | N/D                  | STRGTH                  | Start    | End |
|-----------------------------------|-------------------------|----------|-----|----------------------|-------------------------|----------|-----|
| <b>NORTRIPTYLINE</b>              |                         |          |     | <b>OMEPRAZOLE</b>    |                         |          |     |
| <b>Oral</b>                       |                         |          |     | <b>Oral</b>          |                         |          |     |
|                                   | <b>Capsule</b>          |          |     |                      | <b>Capsule DR</b>       |          |     |
|                                   | 10 mg                   | 7/1/2010 |     |                      | 10 mg                   | 7/1/2010 |     |
|                                   | 25 mg                   | 7/1/2010 |     |                      | 20 mg                   | 7/1/2010 |     |
|                                   | 50 mg                   | 7/1/2010 |     |                      | 40 mg                   | 7/1/2010 |     |
|                                   | 75 mg                   | 7/1/2010 |     |                      |                         |          |     |
|                                   | <b>Solution</b>         |          |     |                      |                         |          |     |
|                                   | 10 mg/5 ml              | 7/1/2010 |     |                      |                         |          |     |
| <b>NYSTATIN</b>                   |                         |          |     | <b>ONDANSETRON</b>   |                         |          |     |
| <b>Oral</b>                       |                         |          |     | <b>Oral</b>          |                         |          |     |
|                                   | <b>Powder</b>           |          |     |                      | <b>Solution</b>         |          |     |
|                                   | 50 million unit         | 7/1/2010 |     |                      | 4 mg/5 ml               | 7/1/2010 |     |
|                                   | 150 million unit        | 7/1/2010 |     |                      | <b>Tablet</b>           |          |     |
|                                   | 500 million unit        | 7/1/2010 |     |                      | 4 mg                    | 7/1/2010 |     |
|                                   | <b>Suspension</b>       |          |     |                      | 8 mg                    | 7/1/2010 |     |
|                                   | 100,000 unit/ml         | 7/1/2010 |     |                      | 24 mg                   | 7/1/2010 |     |
|                                   | <b>Tablet</b>           |          |     |                      | <b>Tablet Rapdis</b>    |          |     |
|                                   | 500,000 unit            | 7/1/2010 |     |                      | 4 mg                    | 7/1/2010 |     |
|                                   |                         |          |     |                      | 8 mg                    | 7/1/2010 |     |
| <b>Topical</b>                    |                         |          |     | <b>OSELTAMIVIR</b>   |                         |          |     |
|                                   | <b>Cream</b>            |          |     | <b>Oral</b>          |                         |          |     |
|                                   | 100,000 unit/gram       | 7/1/2010 |     |                      | <b>Capsule</b>          |          |     |
|                                   | <b>Oinment</b>          |          |     |                      | 30 mg                   | 7/1/2010 |     |
|                                   | 100,000 unit/gram       | 7/1/2010 |     |                      | 45 mg                   | 7/1/2010 |     |
|                                   | <b>Powder</b>           |          |     |                      | 75 mg                   | 7/1/2010 |     |
|                                   | 100,000 unit/gram       | 7/1/2010 |     |                      | <b>Suspension</b>       |          |     |
|                                   |                         |          |     |                      | 6 mg/ml                 | 8/1/2011 |     |
| <b>Vaginal</b>                    |                         |          |     |                      | <b>Suspension Recon</b> |          |     |
|                                   | <b>Tablet</b>           |          |     |                      | 12 mg/ml                | 7/1/2010 |     |
|                                   | 100,000 unit            | 7/1/2010 |     |                      |                         |          |     |
| <b>NYSTATIN and TRIAMCINOLONE</b> |                         |          |     | <b>OXAPROZIN</b>     |                         |          |     |
| <b>Topical</b>                    |                         |          |     | <b>Oral</b>          |                         |          |     |
|                                   | <b>Cream</b>            |          |     |                      | <b>Tablet</b>           |          |     |
|                                   | 100,000 unit/gram-0.1 % | 7/1/2010 |     |                      | 600 mg                  | 1/1/2012 |     |
|                                   | <b>Oinment</b>          |          |     |                      |                         |          |     |
|                                   | 100,000 unit/gram-0.1 % | 7/1/2010 |     |                      |                         |          |     |
| <b>OFLOXACIN</b>                  |                         |          |     | <b>OXCARBAZEPINE</b> |                         |          |     |
| <b>Ophthalmic</b>                 |                         |          |     | <b>Oral</b>          |                         |          |     |
|                                   | <b>Drops</b>            |          |     |                      | <b>Suspension</b>       |          |     |
|                                   | 0.3 %                   | 7/1/2010 |     |                      | 300 mg/5 ml             | 7/1/2010 |     |
|                                   |                         |          |     |                      | <b>Tablet</b>           |          |     |
|                                   |                         |          |     |                      | 150 mg                  | 7/1/2010 |     |
|                                   |                         |          |     |                      | 300 mg                  | 7/1/2010 |     |
|                                   |                         |          |     |                      | 600 mg                  | 7/1/2010 |     |
| <b>N/D; N=New, D=Delete</b>       |                         |          |     | <b>OXYBUTYNIN</b>    |                         |          |     |



| N/D | STRGTH | Start | End | N/D | STRGTH | Start | End |
|-----|--------|-------|-----|-----|--------|-------|-----|
|-----|--------|-------|-----|-----|--------|-------|-----|

**OXYBUTYNIN**

Oral

|               |  |          |
|---------------|--|----------|
| <b>Syrup</b>  |  |          |
| 5 mg/5 ml     |  | 7/1/2010 |
| <b>Tablet</b> |  |          |
| 5 mg          |  | 7/1/2010 |

**OXYCODONE**

Oral

|                      |  |          |
|----------------------|--|----------|
| <b>Capsule</b>       |  |          |
| 5 mg                 |  | 7/1/2010 |
| <b>Solution</b>      |  |          |
| 5 mg/5 ml            |  | 7/1/2010 |
| <b>Tablet</b>        |  |          |
| 5 mg                 |  | 7/1/2010 |
| 15 mg                |  | 7/1/2010 |
| 20 mg                |  | 7/1/2011 |
| 30 mg                |  | 7/1/2010 |
| <b>Tablet (12hr)</b> |  |          |
| 10 mg                |  | 7/1/2010 |
| 20 mg                |  | 7/1/2010 |
| 40 mg                |  | 7/1/2010 |
| 80 mg                |  | 7/1/2010 |

**OXYCODONE and ACETAMINOPHEN**

Oral

|                  |  |          |
|------------------|--|----------|
| <b>Capsule</b>   |  |          |
| 5 mg-500 mg      |  | 7/1/2010 |
| <b>Solution</b>  |  |          |
| 5 mg-325 mg/5 ml |  | 7/1/2010 |
| <b>Tablet</b>    |  |          |
| 5 mg-325 mg      |  | 7/1/2010 |
| 7.5 mg-325 mg    |  | 7/1/2010 |
| 7.5 mg-500 mg    |  | 7/1/2010 |
| 10 mg-325 mg     |  | 7/1/2010 |
| 10 mg-650 mg     |  | 7/1/2010 |

**PANTOPRAZOLE**

Oral

|                  |  |          |
|------------------|--|----------|
| <b>Tablet DR</b> |  |          |
| 20 mg            |  | 7/1/2011 |
| 40 mg            |  | 7/1/2011 |

**PAROMOMYCIN SULFATE**

N/D; N=New, D=Delete

**PAROMOMYCIN SULFATE**

Oral

|                |  |          |
|----------------|--|----------|
| <b>Capsule</b> |  |          |
| 250 mg         |  | 7/1/2010 |

**PAROXETINE**

Oral

|               |  |          |
|---------------|--|----------|
| <b>Tablet</b> |  |          |
| 10 mg         |  | 7/1/2010 |
| 20 mg         |  | 7/1/2010 |
| 30 mg         |  | 7/1/2010 |
| 40 mg         |  | 7/1/2010 |

**PEG 3350**

Oral

|   |  |          |
|---|--|----------|
| <b>Soln Recon</b>                                 |  |          |
| 236 gram-22.74 gram-6.74 gram-5.86 gram-2.97 gram |  | 7/1/2010 |
| 240 gram-22.72 gram-6.72 gram-5.84 gram-2.98 gram |  | 7/1/2010 |

**PENICILLIN V POTASSIUM**

Oral

|                         |  |          |
|-------------------------|--|----------|
| <b>Suspension Recon</b> |  |          |
| 125 mg/5 ml             |  | 7/1/2010 |
| 250 mg/5 ml             |  | 7/1/2010 |
| <b>Tablet</b>           |  |          |
| 250 mg                  |  | 7/1/2010 |
| 500 mg                  |  | 7/1/2010 |

**PENTOXIFYLLINE**

Oral

|                  |  |          |
|------------------|--|----------|
| <b>Tablet ER</b> |  |          |
| 400 mg           |  | 7/1/2010 |

**PERMETHRIN**

Topical

|               |  |          |
|---------------|--|----------|
| <b>Cream</b>  |  |          |
| 5 %           |  | 7/1/2010 |
| <b>Liquid</b> |  |          |
| 1 %           |  | 7/1/2010 |

**PERPHENAZINE**

| N/D | STRGTH | Start | End | N/D | STRGTH | Start | End |
|-----|--------|-------|-----|-----|--------|-------|-----|
|-----|--------|-------|-----|-----|--------|-------|-----|

**PERPHENAZINE**

Oral

**Tablet**

|       |          |
|-------|----------|
| 2 mg  | 7/1/2010 |
| 4 mg  | 7/1/2010 |
| 8 mg  | 7/1/2010 |
| 16 mg | 7/1/2010 |

**PHENAZOPYRIDINE**

Oral

**Tablet**

|        |          |
|--------|----------|
| 100 mg | 7/1/2010 |
| 200 mg | 7/1/2010 |

**PHENOBARBITAL**

Oral

**Elixir**

|            |          |
|------------|----------|
| 20 mg/5 ml | 7/1/2010 |
|------------|----------|

**Tablet**

|         |          |
|---------|----------|
| 15 mg   | 7/1/2010 |
| 16.2 mg | 7/1/2010 |
| 30 mg   | 7/1/2010 |
| 32.4 mg | 7/1/2010 |
| 60 mg   | 7/1/2010 |
| 64.8 mg | 7/1/2010 |
| 97.2 mg | 7/1/2010 |
| 100 mg  | 7/1/2010 |

**PHENYLEPHRINE and CODEINE and PROMETHAZINE**

Oral

**Syrup**

|                         |          |
|-------------------------|----------|
| 5 mg-10 mg-6.25 mg/5 ml | 7/1/2010 |
|-------------------------|----------|

**PHENYLEPHRINE and PROMETHAZINE**

Oral

**Syrup**

|                   |          |
|-------------------|----------|
| 5 mg-6.25 mg/5 ml | 7/1/2010 |
|-------------------|----------|

**PHENYTOIN**

Oral

**Capsule**

N/D; N=New, D=Delete

**PHENYTOIN**

Oral

**Capsule**

|        |          |
|--------|----------|
| 100 mg | 7/1/2010 |
|--------|----------|

**Suspension**

|             |          |
|-------------|----------|
| 100 mg/4 ml | 7/1/2010 |
| 125 mg/5 ml | 7/1/2010 |

**PILOCARPINE**

Ophthalmic

**Drops**

|       |          |
|-------|----------|
| 0.5 % | 7/1/2010 |
| 1 %   | 7/1/2010 |
| 2 %   | 7/1/2010 |
| 3 %   | 7/1/2010 |
| 4 %   | 7/1/2010 |
| 6 %   | 7/1/2010 |

**PILOCARPINE ORAL**

Oral

**Tablet**

|        |          |
|--------|----------|
| 5 mg   | 7/1/2010 |
| 7.5 mg | 8/2/2010 |

**PIROXICAM**

Oral

**Capsule**

|       |          |
|-------|----------|
| 10 mg | 7/1/2010 |
| 20 mg | 7/1/2010 |

**POLYMYXIN B and TRIMETHOPRIM**

Ophthalmic

**Drops**

|                      |          |
|----------------------|----------|
| 10,000 unit/ml-0.1 % | 7/1/2010 |
|----------------------|----------|

**POLYVINYL ALCOHOL and POVIDONE**

Ophthalmic

**Droperette**

|             |          |
|-------------|----------|
| 1.4 %-0.6 % | 1/1/2011 |
|-------------|----------|

**Drops**

|             |          |
|-------------|----------|
| 0.5 %-0.6 % | 1/1/2011 |
|-------------|----------|

**POTASSIUM**

| N/D   | STRGTH               | Start    | End | N/D                                  | STRGTH                       | Start     | End |
|---|----------------------|----------|-----|--------------------------------------|------------------------------|-----------|-----|
| <b>POTASSIUM</b>  |                      |          |     | <b>PRAVASTATIN</b>                   |                              |           |     |
| <b>Oral</b>   |                      |          |     | <b>Oral</b>                          |                              |           |     |
|   | <b>Capsule ER</b>    |          |     |                                      | <b>Tablet</b>                |           |     |
|   | 10 mEq               | 7/1/2010 |     |                                      | 10 mg                        | 11/1/2010 |     |
|   | <b>Tablet ER</b>     |          |     |                                      | 20 mg                        | 7/1/2010  |     |
|   | 8 mEq                | 7/1/2010 |     |                                      | 40 mg                        | 7/1/2010  |     |
|   | 10 mEq               | 7/1/2010 |     |                                      | 80 mg                        | 7/1/2010  |     |
|   | <b>Tablet PRT SR</b> |          |     | <b>PRAZOSIN</b>                      |                              |           |     |
|   | 10 mEq               | 7/1/2010 |     | <b>Oral</b>                          |                              |           |     |
|   | 15 mEq               | 7/1/2010 |     | <b>Capsule</b>                       |                              |           |     |
|   | 20 mEq               | 7/1/2010 |     |                                      | 1 mg                         | 7/1/2010  |     |
| <b>POTASSIUM BICARBONATE and CITRIC ACID</b>              |                      |          |     |                                      | 2 mg                         | 7/1/2010  |     |
| <b>Oral</b>   |                      |          |     |                                      | 5 mg                         | 7/1/2010  |     |
|   | <b>Tablet Eff</b>    |          |     | <b>PREDNISOLONE</b>                  |                              |           |     |
|   | 25 mEq               | 7/1/2010 |     | <b>Oral</b>                          |                              |           |     |
| <b>POTASSIUM CHLORIDE and BICARBONATE and CITRIC ACID</b> |                      |          |     |                                      | <b>Solution</b>              |           |     |
| <b>Oral</b>   |                      |          |     |                                      | 15 mg/5 ml                   | 7/1/2010  |     |
|   | <b>Tablet Eff</b>    |          |     |                                      | 5 mg/5 ml                    | 7/1/2010  |     |
|   | 25 mEq               | 7/1/2010 |     | <b>PREDNISOLONE ACETATE</b>          |                              |           |     |
| <b>POTASSIUM CITRATE and CITRIC ACID</b>                  |                      |          |     | <b>Oral</b>                          |                              |           |     |
| <b>Oral</b>   |                      |          |     | <b>Ophthalmic</b>                    |                              |           |     |
|   | <b>Tablet Eff</b>    |          |     | <b>Drops Suspension</b>              |                              |           |     |
|   | 25 mEq               | 7/1/2010 |     |                                      | 0.12 %                       | 7/1/2010  |     |
| <b>POTASSIUM CITRATE and CITRIC ACID</b>                  |                      |          |     |                                      | 1 %                          | 7/1/2010  |     |
| <b>Oral</b>   |                      |          |     | <b>PREDNISOLONE SODIUM PHOSPHATE</b> |                              |           |     |
|   | <b>Packet</b>        |          |     | <b>Ophthalmic</b>                    |                              |           |     |
|   | 3,300 mg-1,002 mg    | 7/1/2010 |     | <b>Drops</b>                         |                              |           |     |
|   | <b>Solution</b>      |          |     |                                      | 1 %                          | 7/1/2010  |     |
|   | 1,100 mg-334 mg/5 ml | 7/1/2010 |     | <b>Oral</b>                          |                              |           |     |
| <b>PRAMIPEXOLE</b>  |                      |          |     | <b>Solution</b>                      |                              |           |     |
| <b>Oral</b>   |                      |          |     |                                      | 15 mg/5 ml                   | 7/1/2010  |     |
|   | <b>Tablet</b>        |          |     |                                      | 5 mg base/5 ml (6.7 mg/5 ml) | 7/1/2010  |     |
|   | 0.125 mg             | 1/1/2011 |     | <b>PREDNISON</b>                     |                              |           |     |
|   | 0.25 mg              | 1/1/2011 |     | <b>Oral</b>                          |                              |           |     |
|   | 0.5 mg               | 1/1/2011 |     | <b>Concentrate</b>                   |                              |           |     |
|   | 0.75 mg              | 1/1/2011 |     |                                      | 5 mg/ml                      | 7/1/2010  |     |
|   | 1 mg                 | 1/1/2011 |     | <b>Solution</b>                      |                              |           |     |
|   | 1.5 mg               | 1/1/2011 |     |                                      | 5 mg/5 ml                    | 7/1/2010  |     |
| <b>PRAVASTATIN</b>  |                      |          |     | <b>Oral</b>                          |                              |           |     |
| <b>Oral</b>   |                      |          |     | <b>Concentrate</b>                   |                              |           |     |
|   |                      |          |     |                                      | 5 mg/ml                      | 7/1/2010  |     |
|   |                      |          |     | <b>Solution</b>                      |                              |           |     |
|   |                      |          |     |                                      | 5 mg/5 ml                    | 7/1/2010  |     |

N/D; N=New, D=Delete

| N/D | STRGTH | Start | End | N/D | STRGTH | Start | End |
|-----|--------|-------|-----|-----|--------|-------|-----|
|-----|--------|-------|-----|-----|--------|-------|-----|

**PREDNISONE**

Oral

**Tablet**

|        |          |
|--------|----------|
| 1 mg   | 7/1/2010 |
| 2.5 mg | 7/1/2010 |
| 5 mg   | 7/1/2010 |
| 10 mg  | 7/1/2010 |
| 20 mg  | 7/1/2010 |
| 50 mg  | 7/1/2010 |

**Tablet Ds Pk**

|       |          |
|-------|----------|
| 10 mg | 7/1/2010 |
|-------|----------|

**PRENATAL VITAMIN-Products packaged as two or more dosage units (i.e. combination packaging) are not a covered service.**

**(Age 12-60)**

Oral

|          |
|----------|
| 7/1/2010 |
|----------|

**PRIMIDONE**

Oral

**Tablet**

|        |          |
|--------|----------|
| 250 mg | 7/1/2010 |
| 50 mg  | 7/1/2010 |

**PROBENECID**

Oral

**Tablet**

|        |          |
|--------|----------|
| 500 mg | 7/1/2010 |
|--------|----------|

**PROCHLORPERAZINE**

Oral

**Tablet**

|       |          |
|-------|----------|
| 10 mg | 7/1/2010 |
| 5 mg  | 7/1/2010 |

Rectal

**Suppository**

|       |          |
|-------|----------|
| 25 mg | 7/1/2010 |
|-------|----------|

**PROMETHAZINE**

Oral

**PROMETHAZINE**

Oral

**Syrup**

|              |          |
|--------------|----------|
| 6.25 mg/5 ml | 7/1/2010 |
|--------------|----------|

**Tablet**

|         |          |
|---------|----------|
| 12.5 mg | 7/1/2010 |
| 25 mg   | 7/1/2010 |
| 50 mg   | 7/1/2010 |

Rectal

**Suppository**

|         |          |
|---------|----------|
| 12.5 mg | 8/2/2010 |
|---------|----------|

**PROPRAFENONE**

Oral

**Capsule (12hr)**

|        |          |
|--------|----------|
| 225 mg | 7/1/2011 |
| 325 mg | 7/1/2011 |
| 425 mg | 7/1/2011 |

**Tablet**

|        |          |
|--------|----------|
| 150 mg | 7/1/2010 |
| 225 mg | 7/1/2010 |
| 300 mg | 7/1/2010 |

**PROPRANOLOL**

Oral

**Capsule (24hr)**

|        |          |
|--------|----------|
| 60 mg  | 7/1/2010 |
| 80 mg  | 7/1/2010 |
| 120 mg | 7/1/2010 |
| 160 mg | 7/1/2010 |

**Solution**

|            |          |
|------------|----------|
| 20 mg/5 ml | 7/1/2010 |
| 40 mg/5 ml | 7/1/2010 |

**Tablet**

|       |          |
|-------|----------|
| 10 mg | 7/1/2010 |
| 20 mg | 7/1/2010 |
| 40 mg | 7/1/2010 |
| 60 mg | 7/1/2010 |
| 80 mg | 7/1/2010 |

**PROPRANOLOL and HYDROCHLOROTHIAZIDE**

Oral

**Tablet**

|             |          |
|-------------|----------|
| 40 mg-25 mg | 7/1/2010 |
|-------------|----------|

N/D; N=New, D=Delete

| N/D  | STRGTH                  | Start    | End | N/D                | STRGTH           | Start    | End |
|--|-------------------------|----------|-----|--------------------|------------------|----------|-----|
| <b>PROPRANOLOL and HYDROCHLOROTHIAZIDE</b> |                         |          |     | <b>QUETIAPINE</b>  |                  |          |     |
| <b>Oral</b>                                |                         |          |     | <b>Oral</b>        |                  |          |     |
|  | <b>Tablet</b>           |          |     |                    | <b>Tablet</b>    |          |     |
|  | 80 mg-25 mg             | 7/1/2010 |     |                    | 100 mg           | 6/1/2012 |     |
| <b>PROPYLENE GLYCOL and PEG 400</b>        |                         |          |     |                    | 200 mg           | 6/1/2012 |     |
| <b>Ophthalmic</b>                          |                         |          |     |                    | 300 mg           | 6/1/2012 |     |
|  | <b>Drops</b>            |          |     |                    | 400 mg           | 6/1/2012 |     |
|  | 0.3 %-0.4 %             | 1/1/2011 |     | <b>QUINIDINE</b>   |                  |          |     |
| <b>PROPYLENE GLYCOL/PEG 400</b>            |                         |          |     | <b>Oral</b>        |                  |          |     |
| <b>Opth</b>                                |                         |          |     |                    | <b>Tablet</b>    |          |     |
|  | <b>Drops Gel</b>        |          |     |                    | 200 mg           | 7/1/2010 |     |
|  | 0.3-0.4%                | 7/1/2011 |     |                    | 300 mg           | 7/1/2010 |     |
|  | <b>Drops Liquid Gel</b> |          |     |                    | <b>Tablet ER</b> |          |     |
|  | 0.3-0.4%                | 7/1/2011 |     |                    | 300 mg           | 7/1/2010 |     |
| <b>PROPYLTHIOURACIL</b>                    |                         |          |     | <b>RANITIDINE</b>  |                  |          |     |
| <b>Oral</b>                                |                         |          |     | <b>Oral</b>        |                  |          |     |
|  | <b>Tablet</b>           |          |     |                    | <b>Capsule</b>   |          |     |
|  | 50 mg                   | 7/1/2010 |     |                    | 150 mg           | 7/1/2010 |     |
| <b>PSEUDOEPHEDRINE</b>                     |                         |          |     |                    | 300 mg           | 7/1/2010 |     |
| <b>Oral</b>                                |                         |          |     |                    | <b>Syrup</b>     |          |     |
|  | <b>Liquid</b>           |          |     |                    | 15 mg/ml         | 7/1/2010 |     |
|  | 30 mg/5 ml              | 7/1/2010 |     |                    | <b>Tablet</b>    |          |     |
|  | <b>Syrup</b>            |          |     |                    | 150 mg           | 7/1/2010 |     |
|  | 30 mg/5 ml              | 7/1/2010 |     |                    | 300 mg           | 7/1/2010 |     |
|  | <b>Tablet</b>           |          |     | <b>RIBAVIRIN</b>   |                  |          |     |
|  | 30 mg                   | 7/1/2010 |     | <b>Oral</b>        |                  |          |     |
|  | 60 mg                   | 7/1/2010 |     |                    | <b>Tablet</b>    |          |     |
| <b>PYRIDOSTIGMINE</b>                      |                         |          |     |                    | 200 mg           | 7/1/2010 |     |
| <b>Oral</b>                                |                         |          |     | <b>RIFAMPIN</b>    |                  |          |     |
|  | <b>Tablet</b>           |          |     | <b>Oral</b>        |                  |          |     |
|  | 60 mg                   | 7/1/2010 |     |                    | <b>Capsule</b>   |          |     |
| <b>QUETIAPINE</b>                          |                         |          |     |                    | 150 mg           | 7/1/2010 |     |
| <b>Oral</b>                                |                         |          |     |                    | 300 mg           | 7/1/2010 |     |
|  | <b>Tablet</b>           |          |     | <b>RIMANTADINE</b> |                  |          |     |
|  | 25 mg                   | 6/1/2012 |     | <b>Oral</b>        |                  |          |     |
|  | 50 mg                   | 6/1/2012 |     |                    | <b>Tablet</b>    |          |     |
|  |                         |          |     |                    | 100 mg           | 7/1/2010 |     |
| <b>N/D; N=New, D=Delete</b>                |                         |          |     | <b>RISPERIDONE</b> |                  |          |     |

| N/D | STRGTH | Start | End | N/D | STRGTH | Start | End |
|-----|--------|-------|-----|-----|--------|-------|-----|
|-----|--------|-------|-----|-----|--------|-------|-----|

**RISPERIDONE**

**Oral**

|                 |  |          |
|-----------------|--|----------|
| <b>Solution</b> |  |          |
| 1 mg/ml         |  | 7/1/2010 |
| <b>Tablet</b>   |  |          |
| 0.25 mg         |  | 7/1/2010 |
| 0.5 mg          |  | 7/1/2010 |
| 1 mg            |  | 7/1/2010 |
| 2 mg            |  | 7/1/2010 |
| 3 mg            |  | 7/1/2010 |
| 4 mg            |  | 7/1/2010 |

**RIVASTIGMINE**

**Oral**

|                |  |           |
|----------------|--|-----------|
| <b>Capsule</b> |  |           |
| 1.5 mg         |  | 10/1/2010 |
| 3 mg           |  | 10/1/2010 |
| 4.5 mg         |  | 10/1/2010 |
| 6 mg           |  | 10/1/2010 |

**ROPINIROLE**

**Oral**

|               |  |          |
|---------------|--|----------|
| <b>Tablet</b> |  |          |
| 0.25 mg       |  | 7/1/2010 |
| 0.5 mg        |  | 7/1/2010 |
| 1 mg          |  | 7/1/2010 |
| 2 mg          |  | 7/1/2010 |
| 3 mg          |  | 7/1/2010 |
| 4 mg          |  | 7/1/2010 |
| 5 mg          |  | 7/1/2010 |

**SALSALATE**

**Oral**

|               |  |          |
|---------------|--|----------|
| <b>Tablet</b> |  |          |
| 500 mg        |  | 7/1/2010 |
| 750 mg        |  | 7/1/2010 |

**SELEGILINE**

**Oral**

|                |  |          |
|----------------|--|----------|
| <b>Capsule</b> |  |          |
| 5 mg           |  | 7/1/2010 |
| <b>Tablet</b>  |  |          |
| 5 mg           |  | 7/1/2010 |

**SELENIUM SULFIDE**

**SELENIUM SULFIDE**

**Topical**

|                   |  |          |
|-------------------|--|----------|
| <b>Suspension</b> |  |          |
| 2.5 %             |  | 7/1/2010 |

**SERTRALINE**

**Oral**

|                    |  |          |
|--------------------|--|----------|
| <b>Concentrate</b> |  |          |
| 20 mg/ml           |  | 7/1/2010 |
| <b>Tablet</b>      |  |          |
| 25 mg              |  | 7/1/2010 |
| 50 mg              |  | 7/1/2010 |
| 100 mg             |  | 7/1/2010 |

**SILVER SULFADIAZINE**

**Topical**

|              |  |          |
|--------------|--|----------|
| <b>Cream</b> |  |          |
| 1 %          |  | 7/1/2010 |

**SIMVASTATIN**

**Oral**

|               |  |          |
|---------------|--|----------|
| <b>Tablet</b> |  |          |
| 5 mg          |  | 7/1/2010 |
| 10 mg         |  | 7/1/2010 |
| 20 mg         |  | 7/1/2010 |
| 40 mg         |  | 7/1/2010 |
| 80 mg         |  | 7/1/2010 |

**SODIUM BICARBONATE**

**Oral**

|               |  |          |
|---------------|--|----------|
| <b>Tablet</b> |  |          |
| 325 mg        |  | 1/1/2011 |

**SODIUM CHLORIDE and SODIUM BICARBONATE and POTASSIUM CHLORIDE and PEG**

**Oral**

|                 |  |           |
|-----------------|--|-----------|
| <b>Solution</b> |  |           |
| 420 gms         |  | 10/1/2011 |

**SODIUM FLUORIDE**

**Oral**

**Drops**

N/D; N=New, D=Delete

| N/D  | STRGTH                          | Start    | End | N/D                                      | STRGTH               | Start    | End |
|--|---------------------------------|----------|-----|--|----------------------|----------|-----|
| <b>SODIUM FLUORIDE</b>                       |                                 |          |     | <b>SUCRALFATE</b>                        |                      |          |     |
| <b>Oral</b>                                  |                                 |          |     | <b>Oral</b>                              |                      |          |     |
|  | <b>Drops</b>                    |          |     |  | <b>Tablet</b>        |          |     |
|  | 0.25 mg fluoride (0.55 mg)/drop | 7/1/2010 |     |  | 1 gram               | 7/1/2010 |     |
|  | 0.5 mg fluoride (1.1 mg)/ml     | 7/1/2010 |     | <b>SULFACETAMIDE and PREDNISOLONE</b>    |                      |          |     |
|  | 2.2 mg/ml                       | 7/1/2010 |     | <b>Ophthalmic</b>                        |                      |          |     |
|  | <b>Tablet Chewable</b>          |          |     |  | <b>Drops</b>         |          |     |
|  | 0.25 mg fluoride (0.55 mg)      | 7/1/2010 |     |  | 10 %-0.25 % (0.23 %) | 7/1/2010 |     |
|  | 0.5 mg fluoride (1.1 mg)        | 7/1/2010 |     | <b>SULFACETAMIDE SODIUM</b>              |                      |          |     |
|  | 1 mg fluoride (2.2 mg)          | 7/1/2010 |     | <b>Ophthalmic</b>                        |                      |          |     |
| <b>SODIUM POLYSTYRENE SULFONATE</b>          |                                 |          |     | <b>Drops</b>                             |                      |          |     |
|  | <b>Oral</b>                     |          |     |  | 10 %                 | 7/1/2010 |     |
|  | <b>Powder</b>                   |          |     |  | <b>Ointment</b>      |          |     |
|  |                                 | 7/1/2010 |     |  | 10 %                 | 7/1/2010 |     |
| <b>SOTALOL</b>                               |                                 |          |     | <b>SULFAMETHOXAZOLE and TRIMETHOPRIM</b> |                      |          |     |
| <b>Oral</b>                                  |                                 |          |     | <b>Oral</b>                              |                      |          |     |
|  | <b>Tablet</b>                   |          |     |  | <b>Suspension</b>    |          |     |
|  | 80 mg                           | 7/1/2010 |     |  | 200 mg-40 mg/5 ml    | 7/1/2010 |     |
|  | 120 mg                          | 7/1/2010 |     |  | <b>Tablet</b>        |          |     |
|  | 160 mg                          | 7/1/2010 |     |  | 400 mg-80 mg         | 7/1/2010 |     |
|  | 240 mg                          | 7/1/2010 |     |  | 800 mg-160 mg        | 7/1/2010 |     |
| <b>SPIRONOLACTONE</b>                        |                                 |          |     | <b>SULFASALAZINE</b>                     |                      |          |     |
| <b>Oral</b>                                  |                                 |          |     | <b>Oral</b>                              |                      |          |     |
|  | <b>Tablet</b>                   |          |     |  | <b>Tablet</b>        |          |     |
|  | 25 mg                           | 7/1/2010 |     |  | 500 mg               | 7/1/2010 |     |
|  | 50 mg                           | 7/1/2010 |     |  | <b>Tablet DR</b>     |          |     |
|  | 100 mg                          | 7/1/2010 |     |  | 500 mg               | 7/1/2010 |     |
| <b>SPIRONOLACTONE and HYDROCHLORTHIAZIDE</b> |                                 |          |     | <b>SULINDAC</b>                          |                      |          |     |
| <b>Oral</b>                                  |                                 |          |     | <b>Oral</b>                              |                      |          |     |
|  | <b>Tablet</b>                   |          |     |  | <b>Tablet</b>        |          |     |
|  | 25 mg-25 mg                     | 7/1/2010 |     |  | 150 mg               | 1/1/2012 |     |
|  |                                 |          |     |  | 200 mg               | 1/1/2012 |     |
| <b>SUCRALFATE</b>                            |                                 |          |     | <b>SUMATRIPTAN</b>                       |                      |          |     |
| <b>Oral</b>                                  |                                 |          |     | <b>Nasal</b>                             |                      |          |     |
|  | <b>Tablet</b>                   |          |     | <b>Spray</b>                             |                      |          |     |

N/D; N=New, D=Delete

| N/D                | STRGTH                | Start    | End | N/D                 | STRGTH               | Start    | End |
|--------------------|-----------------------|----------|-----|---------------------|----------------------|----------|-----|
| <b>SUMATRIPTAN</b> |                       |          |     | <b>TEMAZEPAM</b>    |                      |          |     |
| <b>Nasal</b>       |                       |          |     | <b>Oral</b>         |                      |          |     |
|                    | <b>Spray</b>          |          |     |                     | <b>Capsule</b>       |          |     |
|                    | 5 mg                  | 7/1/2010 |     |                     | 15 mg                | 7/1/2010 |     |
|                    | 20 mg                 | 7/1/2010 |     |                     | 30 mg                | 7/1/2010 |     |
| <b>Oral</b>        |                       |          |     | <b>TERAZOSIN</b>    |                      |          |     |
|                    | <b>Tablet</b>         |          |     |                     | <b>Oral</b>          |          |     |
|                    | 25 mg                 | 7/1/2010 |     |                     | <b>Capsule</b>       |          |     |
|                    | 50 mg                 | 7/1/2010 |     |                     | 1 mg                 | 7/1/2010 |     |
|                    | 100 mg                | 7/1/2010 |     |                     | 2 mg                 | 7/1/2010 |     |
|                    |                       |          |     |                     | 5 mg                 | 7/1/2010 |     |
|                    |                       |          |     |                     | 10 mg                | 7/1/2010 |     |
| <b>Sub-Q</b>       |                       |          |     | <b>TERBUTALINE</b>  |                      |          |     |
|                    | <b>Kit-refill</b>     |          |     |                     | <b>Oral</b>          |          |     |
|                    | 4 mg/0.5 ml           | 7/1/2010 |     |                     | <b>Tablet</b>        |          |     |
|                    | 6 mg/0.5 ml           | 7/1/2010 |     |                     | 2.5 mg               | 7/1/2010 |     |
|                    |                       |          |     |                     | 5 mg                 | 7/1/2010 |     |
|                    | <b>Pen Inject KIT</b> |          |     | <b>TETRACYCLINE</b> |                      |          |     |
|                    | 4 mg/0.5 ml           | 7/1/2010 |     |                     | <b>Oral</b>          |          |     |
|                    | 6 mg/0.5 ml           | 7/1/2010 |     |                     | <b>Capsule</b>       |          |     |
|                    |                       |          |     |                     | 250 mg               | 7/1/2010 |     |
|                    | <b>Syringe</b>        |          |     |                     | 500 mg               | 7/1/2010 |     |
|                    | 4 mg/0.5 ml           | 7/1/2010 |     | <b>THEOPHYLLINE</b> |                      |          |     |
|                    | 6 mg/0.5 ml           | 7/1/2010 |     |                     | <b>Oral</b>          |          |     |
|                    |                       |          |     |                     | <b>Tablet (12hr)</b> |          |     |
|                    | <b>Vial</b>           |          |     |                     | 100 mg               | 7/1/2010 |     |
|                    | 4 mg/0.5 ml           | 7/1/2010 |     |                     | 200 mg               | 7/1/2010 |     |
|                    | 6 mg/0.5 ml           | 7/1/2010 |     |                     | 300 mg               | 7/1/2010 |     |
|                    |                       |          |     |                     | 450 mg               | 7/1/2010 |     |
| <b>TACROLIMUS</b>  |                       |          |     | <b>THIOGUANINE</b>  |                      |          |     |
|                    | <b>Oral</b>           |          |     |                     | <b>Oral</b>          |          |     |
|                    | <b>Capsule</b>        |          |     |                     | <b>Tablet</b>        |          |     |
|                    | 0.5 mg                | 7/1/2010 |     |                     | 40 mg                | 7/1/2010 |     |
|                    | 1 mg                  | 7/1/2010 |     | <b>THIOTHIXENE</b>  |                      |          |     |
|                    | 5 mg                  | 7/1/2010 |     |                     | <b>Oral</b>          |          |     |
|                    |                       |          |     |                     | <b>Capsule</b>       |          |     |
| <b>TAMOXIFEN</b>   |                       |          |     |                     | 1 mg                 | 7/1/2010 |     |
|                    | <b>Oral</b>           |          |     | <b>TEMAZEPAM</b>    |                      |          |     |
|                    | <b>Tablet</b>         |          |     |                     | <b>Oral</b>          |          |     |
|                    | 10 mg                 | 7/1/2010 |     |                     | <b>Capsule</b>       |          |     |
|                    | 20 mg                 | 7/1/2010 |     |                     | 1 mg                 | 7/1/2010 |     |
|                    |                       |          |     | <b>THIOGUANINE</b>  |                      |          |     |
| <b>TAMSULOSIN</b>  |                       |          |     |                     | <b>Oral</b>          |          |     |
|                    | <b>Oral</b>           |          |     |                     | <b>Tablet</b>        |          |     |
|                    | <b>Capsule (24hr)</b> |          |     |                     | 40 mg                | 7/1/2010 |     |
|                    | 0.4 mg                | 7/1/2010 |     | <b>THIOTHIXENE</b>  |                      |          |     |
|                    |                       |          |     |                     | <b>Oral</b>          |          |     |
| <b>TEMAZEPAM</b>   |                       |          |     |                     | <b>Capsule</b>       |          |     |
|                    | <b>Oral</b>           |          |     |                     | 1 mg                 | 7/1/2010 |     |

N/D; N=New, D=Delete



| N/D | STRGTH | Start | End | N/D | STRGTH | Start | End |
|-----|--------|-------|-----|-----|--------|-------|-----|
|-----|--------|-------|-----|-----|--------|-------|-----|

**THIOTHIXENE**

Oral

**Capsule**

|       |          |
|-------|----------|
| 2 mg  | 7/1/2010 |
| 5 mg  | 7/1/2010 |
| 10 mg | 7/1/2010 |

**THYROID**

Oral

**Tablet**

|         |          |
|---------|----------|
| 32.5 mg | 7/1/2010 |
|---------|----------|

**TIMOLOL**

Ophthalmic

**Drops**

|        |          |
|--------|----------|
| 0.25 % | 7/1/2010 |
| 0.5 %  | 7/1/2010 |

**TIZANIDINE**

Oral

**Tablet**

|      |          |
|------|----------|
| 2 mg | 7/1/2010 |
| 4 mg | 7/1/2010 |

**TOBRAMYCIN**

Ophthalmic

**Drops**

|       |          |
|-------|----------|
| 0.3 % | 7/1/2010 |
|-------|----------|

**TOBRAMYCIN and DEXTRAMETHASONE**

Ophthalmic

**Drops**

|           |          |
|-----------|----------|
| 0.3%-0.1% | 1/1/2012 |
|-----------|----------|

**TOLAZAMIDE**

Oral

**Tablet**

|        |          |
|--------|----------|
| 250 mg | 7/1/2010 |
| 500 mg | 7/1/2010 |

**TOLBUTAMIDE**

**TOLBUTAMIDE**

Oral

**Tablet**

|        |          |
|--------|----------|
| 500 mg | 7/1/2010 |
|--------|----------|

**TOLNAFTATE**

Topical

**Cream**

|     |          |
|-----|----------|
| 1 % | 7/1/2010 |
|-----|----------|

**Solution**

|     |          |
|-----|----------|
| 1 % | 7/1/2010 |
|-----|----------|

**TOPIRAMATE**

Oral

**Capsule Sprinkle**

|       |          |
|-------|----------|
| 15 mg | 7/1/2010 |
| 25 mg | 7/1/2010 |

**Tablet**

|        |          |
|--------|----------|
| 25 mg  | 7/1/2010 |
| 50 mg  | 7/1/2010 |
| 100 mg | 7/1/2010 |
| 200 mg | 7/1/2010 |

**TORSEMIDE**

Oral

**Tablet**

|        |          |
|--------|----------|
| 5 mg   | 7/1/2010 |
| 10 mg  | 7/1/2010 |
| 20 mg  | 7/1/2010 |
| 100 mg | 7/1/2010 |

**TRAMADOL**

Oral

**Tablet**

|       |          |
|-------|----------|
| 50 mg | 7/1/2010 |
|-------|----------|

**TRANLYCYPROMINE**

Oral

**Tablet**

|       |           |
|-------|-----------|
| 10 mg | 10/1/2010 |
|-------|-----------|

**TRAZODONE**

Oral

N/D; N=New, D=Delete

| N/D   | STRGTH          | Start    | End | N/D                      | STRGTH         | Start    | End |
|---|-----------------|----------|-----|--------------------------|----------------|----------|-----|
| <b>TRAZODONE</b>                              |                 |          |     | <b>TRIFLUOPERAZINE</b>   |                |          |     |
| <b>Oral</b>                                   |                 |          |     | <b>Oral</b>              |                |          |     |
|   | <b>Tablet</b>   |          |     |                          | <b>Tablet</b>  |          |     |
|   | 50 mg           | 7/1/2010 |     |                          | 1 mg           | 7/1/2010 |     |
|   | 100 mg          | 7/1/2010 |     |                          | 2 mg           | 7/1/2010 |     |
|   | 150 mg          | 7/1/2010 |     |                          | 5 mg           | 7/1/2010 |     |
|   |                 |          |     |                          | 10 mg          | 7/1/2010 |     |
| <b>TRETINOIN</b>                              |                 |          |     | <b>TRIFLURIDINE</b>      |                |          |     |
| <b>Oral</b>                                   |                 |          |     | <b>Ophthalmic</b>        |                |          |     |
|   | <b>Capsule</b>  |          |     |                          | <b>Drops</b>   |          |     |
|   | 10 mg           | 7/1/2010 |     |                          | 1 %            | 7/1/2010 |     |
| <b>Topical</b>                                |                 |          |     | <b>TRIHEXYPHENIDYL</b>   |                |          |     |
|   | <b>Cream</b>    |          |     | <b>Oral</b>              |                |          |     |
|   | 0.025 %         | 7/1/2010 |     |                          | <b>Elixir</b>  |          |     |
|   | 0.05 %          | 7/1/2010 |     |                          | 2 mg/5 ml      | 7/1/2010 |     |
|   | 0.05 %          | 7/1/2010 |     |                          | <b>Tablet</b>  |          |     |
|   | 0.1 %           | 7/1/2010 |     |                          | 2 mg           | 7/1/2010 |     |
|   |                 |          |     |                          | 5 mg           | 7/1/2010 |     |
|   | <b>Gel</b>      |          |     | <b>TRIMETHOBENZAMIDE</b> |                |          |     |
|   | 0.01 %          | 7/1/2010 |     | <b>Oral</b>              |                |          |     |
|   | 0.025 %         | 7/1/2010 |     |                          | <b>Capsule</b> |          |     |
| <b>TRIAMCINOLONE</b>                          |                 |          |     | <b>TRIMETHOPRIM</b>      |                |          |     |
| <b>Topical</b>                                |                 |          |     | <b>Oral</b>              |                |          |     |
|   | <b>Cream</b>    |          |     |                          | <b>Capsule</b> |          |     |
|   | 0.025 %         | 7/1/2010 |     |                          | 100 mg         | 7/1/2011 |     |
|   | 0.1 %           | 7/1/2010 |     |                          | 250 mg         | 7/1/2011 |     |
|   | 0.5 %           | 7/1/2010 |     |                          | 300 mg         | 7/1/2011 |     |
|   | <b>Ointment</b> |          |     | <b>TRIMETHOPRIM</b>      |                |          |     |
|   | 0.025 %         | 7/1/2010 |     | <b>Oral</b>              |                |          |     |
|   | 0.05 %          | 7/1/2010 |     |                          | <b>Tablet</b>  |          |     |
|   | 0.1 %           | 7/1/2010 |     |                          | 100 mg         | 7/1/2010 |     |
|   | 0.5 %           | 7/1/2010 |     | <b>TROPICAMIDE</b>       |                |          |     |
| <b>TRIAMTERENE and<br/>HYDROCHLORTHIAZIDE</b> |                 |          |     | <b>Ophthalmic</b>        |                |          |     |
| <b>Oral</b>                                   |                 |          |     | <b>Drops</b>             |                |          |     |
|   | <b>Capsule</b>  |          |     |                          | 0.5 %          | 7/1/2010 |     |
|   | 37.5 mg-25 mg   | 7/1/2010 |     |                          | 1 %            | 7/1/2010 |     |
|   | 50 mg-25 mg     | 7/1/2010 |     | <b>UREA</b>              |                |          |     |
|   | <b>Tablet</b>   |          |     | <b>Topical</b>           |                |          |     |
|   | 37.5 mg-25 mg   | 7/1/2010 |     |                          | <b>Cream</b>   |          |     |
|   | 75 mg-50 mg     | 7/1/2010 |     |                          | 40 %           | 7/1/2010 |     |
| <b>TRIFLUOPERAZINE</b>                        |                 |          |     | <b>TRIFLUOPERAZINE</b>   |                |          |     |
| <b>Oral</b>                                   |                 |          |     | <b>Oral</b>              |                |          |     |

N/D; N=New, D=Delete

| N/D | STRGTH | Start | End | N/D | STRGTH | Start | End |
|-----|--------|-------|-----|-----|--------|-------|-----|
|-----|--------|-------|-----|-----|--------|-------|-----|

**URSODIOL**

Oral

|                |  |          |
|----------------|--|----------|
| <b>Capsule</b> |  |          |
| 300 mg         |  | 7/1/2010 |
| <b>Tablet</b>  |  |          |
| 250 mg         |  | 7/1/2010 |
| 500 mg         |  | 7/1/2010 |

**VALACYCLOVIR**

Oral

|               |  |          |
|---------------|--|----------|
| <b>Tablet</b> |  |          |
| 1,000 mg      |  | 5/1/2011 |
| 500 mg        |  | 5/1/2011 |

**VALPROIC ACID**

Oral

|                |  |          |
|----------------|--|----------|
| <b>Capsule</b> |  |          |
| 250 mg         |  | 7/1/2010 |
| <b>Syrup</b>   |  |          |
| 250 mg/5 ml    |  | 7/1/2010 |

**VENLAFAXINE**

Oral

|                       |  |           |
|-----------------------|--|-----------|
| <b>Capsule (24hr)</b> |  |           |
| 37.5 mg               |  | 10/1/2010 |
| 75 mg                 |  | 10/1/2010 |
| 150 mg                |  | 10/1/2010 |
| <b>Tablet</b>         |  |           |
| 25 mg                 |  | 7/1/2010  |
| 37.5 mg               |  | 7/1/2010  |
| 50 mg                 |  | 7/1/2010  |
| 75 mg                 |  | 7/1/2010  |
| 100 mg                |  | 7/1/2010  |

**VERAPAMIL**

Oral

|                           |  |          |
|---------------------------|--|----------|
| <b>Capsule (24hr) Pel</b> |  |          |
| 120 mg                    |  | 7/1/2010 |
| 180 mg                    |  | 7/1/2010 |
| 240 mg                    |  | 7/1/2010 |
| <b>Tablet</b>             |  |          |
| 40 mg                     |  | 7/1/2010 |
| 80 mg                     |  | 7/1/2010 |
| 120 mg                    |  | 7/1/2010 |
| <b>Tablet ER</b>          |  |          |

N/D; N=New, D=Delete

**VERAPAMIL**

Oral

|                  |  |          |
|------------------|--|----------|
| <b>Tablet ER</b> |  |          |
| 120 mg           |  | 7/1/2010 |
| 180 mg           |  | 7/1/2010 |
| 240 mg           |  | 7/1/2010 |

**WARFARIN**

Oral

|               |  |          |
|---------------|--|----------|
| <b>Tablet</b> |  |          |
| 1 mg          |  | 7/1/2010 |
| 2 mg          |  | 7/1/2010 |
| 2.5 mg        |  | 7/1/2010 |
| 3 mg          |  | 7/1/2010 |
| 4 mg          |  | 7/1/2010 |
| 5 mg          |  | 7/1/2010 |
| 6 mg          |  | 7/1/2010 |
| 7.5 mg        |  | 7/1/2010 |
| 10 mg         |  | 7/1/2010 |

**ZAFIRLUKAST**

Oral

|               |  |          |
|---------------|--|----------|
| <b>Tablet</b> |  |          |
| 10 mg         |  | 4/1/2011 |
| 20 mg         |  | 4/1/2011 |

**ZALEPLON**

Oral

|                |  |          |
|----------------|--|----------|
| <b>Capsule</b> |  |          |
| 5 mg           |  | 7/1/2010 |
| 10 mg          |  | 7/1/2010 |

**ZANAMIVIR**

Inhalation

|             |  |          |
|-------------|--|----------|
| <b>Disk</b> |  |          |
| 5 mg        |  | 7/1/2010 |

**ZOLPIDEM**

Oral

|               |  |          |
|---------------|--|----------|
| <b>Tablet</b> |  |          |
| 5 mg          |  | 7/1/2010 |
| 10 mg         |  | 7/1/2010 |

**ZONISAMIDE**

---

| N/D | STRGTH | Start | End | N/D | STRGTH | Start | End |
|-----|--------|-------|-----|-----|--------|-------|-----|
|-----|--------|-------|-----|-----|--------|-------|-----|

---

**ZONISAMIDE**

---

**Oral**

**Capsule**

|        |          |
|--------|----------|
| 25 mg  | 7/1/2010 |
| 50 mg  | 7/1/2010 |
| 100 mg | 7/1/2010 |

1462