Wisconsin Department of Health Services

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	0018917	A. BUILDING: _____ B. WING _____	R-C 10/12/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
BETTES FLATS	**1515 C HIGHWAY 175 HUBERTUS, WI 53033**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{M 000}	INITIAL COMMENTS On 10/12/2026, Surveyor conducted a verification visit at Bettes Flats, an Adult Family Home (AFH) in Hubertus, WI. No deficiencies identified. Previous deficiency from Statement of Deficiency (SOD) F3CV11, dated 04/23/2026 has been corrected. Under statutory provisions of Wis. Stat. Ch. 50, a $200 revisit fee is being assessed. Census: 4	{M 000}		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE