

Wisconsin Department of Health Services

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 0017942	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED C 04/07/2026
NAME OF PROVIDER OR SUPPLIER MEADOWBROOK AT CHETEK			STREET ADDRESS, CITY, STATE, ZIP CODE 708 TAINTER ST CHETEK, WI 54728		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
U 000	INITIAL COMMENTS On 04/07/2026, Surveyor conducted a complaint investigation at Meadowbrook at Chetek. The complaint was unsubstantiated. No new violations were identified. Census: 14 apartments, 11 tenants.	U 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE