

Wisconsin Department of Health Services

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 0012890	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED C 10/20/2025
NAME OF PROVIDER OR SUPPLIER ROGERS MEM HOSP HERRINGTON RECOVERY CEN'			STREET ADDRESS, CITY, STATE, ZIP CODE 34700 VALLEY RD OCONOMOWOC, WI 53066		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
N 000	Initial Comments On 10/20/2025, Surveyors conducted a complaint investigation at Rogers Mem Hosp Herrington Recovery Center. No deficiencies were identified; the complaint was unsubstantiated. Census: 22	N 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE