#### **Diagnosis Restricted Drugs**

The table below includes a list of drugs that are diagnosis-restricted for pharmacy compound and non-compound claims. This table specifies if the diagnosis must be indicated on the claim, prior authorization (PA) request, or both. See the link below for physician-administered diagnosis restrictions.

If the prescriber writes a prescription with a diagnosis outside the ForwardHealth-allowed diagnoses for a drug, the prescriber is required to submit peer-reviewed medical literature to support the proven efficacy and safety of the requested use of the drug. Documentation of previous treatments and detailed reasons why other covered drug treatments were discontinued or not utilized are required. Medical records should be provided as necessary to support the PA request. This information should be documented on the Prior Authorization/Drug Attachment (PA/DGA), F- 11049 (10/13), in Section V (Clinical Information for Diagnosis-Restricted Drug Requests).

When completing the PA/DGA, prescribers should provide the diagnosis code and description, complete Section V, and use Section VIII (Additional Information), if needed. Prescribers are reminded to provide a handwritten signature and date on the form before submitting it to the pharmacy provider where the prescription will be filled. The pharmacy provider is required to complete a Prior Authorization Request Form (PA/RF), F- 11018 (05/13), before submitting the forms and supporting documentation to ForwardHealth. Prescribers should not submit PA forms to ForwardHealth.

As a reminder, prescribers and pharmacy providers are required to retain a completed copy of the PA form(s).

For additional information about diagnosis-restricted drug policy, providers may refer to the ForwardHealth Online Handbook Topic #4403, 15537, and 15937:

https://www.forwardhealth.wi.gov/wiportal/subsystem/kw/display.aspx

Physician Administered diagnosis restrictions can be found at:

https://www.forwardhealth.wi.gov/WIPortal/Tab/42/icscontent/Provider/medicaid/physician/data\_tables/index.htm.spage

## Diagnosis Restricted Drugs

Effective: 1/1/2021

#### Alzheimer's Agents

п	 J.,	cte

NAMENDA XR (memantine hcl)

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓

#### ICD-10 Description

F0150	Vascular dementia without behavioral disturbance
F0151	Vascular denentia with behavioral disturbance
G300	Alzheimer's disease with early onset
G301	Alzheimer's disease with late onset
G308	Other alzheimer's disease
G309	Alzheimer's disease, unspecified

#### Antibiotics, Inhaled

#### **Products**

ARIKAYCE (amikacin liposomal)

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓

#### ICD-10 Description

A310	Pulmonary mycobacterial infection
A312	Disseminated mycobacterium avium-intracellulare complex (DMAC)

# Diagnosis Restricted Drugs

#### Anticonvulsants

roducts		
NACOMIT (stirip	entol)	
Diagnosi	is Code Must Be Submitted on: Claim ✔ Prior Authorization Request ✔	
ICD-10	Description	
G40833	Dravet Syndrome, Intractable, with status Epilepticus	
G40834	Dravet Syndrome, Intractable, without status Epilepticus	
roducts		
PIDIOLEX (can	nabidiol)	
Diagnosi	s Code Must Be Submitted on: Claim 🗸 Prior Authorization Request 🦳	
ICD-10	Description	
G40811	Lennox-Gastaut syndrome, not intractable, with status epilepticus	
G40812	Lennox-Gastaut syndrome, not intractable, without status epilepticus	
G40813	Lennox-Gastaut syndrome, intractable, with status epilepticus	
G40814	Lennox-Gastaut syndrome, intractable, without status epilepticus	
G40833	Dravet Syndrome, Intractable, with status Epilepticus	
G40834	Dravet Syndrome, Intractable, without status Epilepticus	
Q851	Tuhanana Calanasia	
roducts ANZEL (rufinan		
roducts ANZEL (rufinan	nide) is Code Must Be Submitted on: Claim ☑ Prior Authorization Request ☑	
roducts ANZEL (rufinan Diagnosi	nide) is Code Must Be Submitted on: Claim ☑ Prior Authorization Request ☑ Description	
Products  ANZEL (rufinant  Diagnosi  ICD-10  G40811	nide) is Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓ Description Lennox-Gastaut syndrome, not intractable, with status epilepticus	
Products  ANZEL (rufinan  Diagnosi  ICD-10  G40811  G40812	nide)  is Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓  Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus	
Products  ANZEL (rufinant  Diagnosi  ICD-10  G40811  G40812  G40813	Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus	
Diagnosi ICD-10 G40811 G40812 G40813 G40814	nide)  is Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓  Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus	
Diagnosi ICD-10 G40811 G40812 G40813 G40814	Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus	
Diagnosi ICD-10 G40811 G40812 G40813 G40814	Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus	
Diagnosi ICD-10 G40811 G40812 G40813 G40814 Froducts	Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus	
Diagnosi ICD-10 G40811 G40812 G40813 G40814 Froducts	Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus	
Diagnosi ICD-10 G40811 G40812 G40813 G40814 Froducts ITEPLA (fenfluration)	Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Amine)  See Code Must Be Submitted on: Claim Prior Authorization Request	
Products  ANZEL (rufinant Diagnosi ICD-10 G40811 G40812 G40813 G40814 Products  ITEPLA (fenflurat Diagnosi ICD-10	Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Code Must Be Submitted on:  Claim  Prior Authorization Request  Description	
Products  ANZEL (rufinant Diagnosi ICD-10 G40811 G40812 G40813 G40814 Products  ITEPLA (fenflurat Diagnosi ICD-10 G40833	Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  amine)  Secode Must Be Submitted on: Claim Prior Authorization Request Description  Description  Dravet Syndrome, Intractable, with status Epilepticus	
Diagnosi G40811 G40812 G40813 G40814 Froducts  ITEPLA (fenflura Diagnosi ICD-10 G40833 G40834	Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Second Must Be Submitted on: Claim Prior Authorization Request Description  Dravet Syndrome, Intractable, with status Epilepticus  Dravet Syndrome, Intractable, without status Epilepticus	
Products  Diagnosis  ICD-10  G40811  G40812  G40813  G40814  Products  Diagnosis  ICD-10  G40833  G40834  Products  Products  G40833  G40834	Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Second Must Be Submitted on: Claim Prior Authorization Request Description  Dravet Syndrome, Intractable, with status Epilepticus  Dravet Syndrome, Intractable, without status Epilepticus	
Products  Diagnosis  ICD-10  G40811  G40812  G40813  G40814  Products  Diagnosis  ICD-10  G40833  G40834  Products  Products  G40833  G40834	Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  amine)  Is Code Must Be Submitted on: Claim Prior Authorization Request Posscription  Dravet Syndrome, Intractable, with status Epilepticus  Dravet Syndrome, Intractable, without status Epilepticus  Dravet Syndrome, Intractable, without status Epilepticus	

## Diagnosis Restricted Drugs

## Anticonvulsants

G40812	Lennox-Gastaut syndrome, not intractable, without status epilepticus
G40813	Lennox-Gastaut syndrome, intractable, with status epilepticus
G40814	Lennox-Gastaut syndrome, intractable, without status epilepticus

## Antifungals, Oral Tablet

Produ	ducts				
ONME	EL (itracon	azole)			
	Diagnos	is Code Must Be Submitted on:	Claim	Prior Authorization Request	
	ICD-10	Description			
	B351	Tinea unguium			

## Antineoplastic and Premalignant Lesion Agent, Topical

Produ	ucts				
diclofe	enac sodiu	m 3% gel (Example brand: SOLARA	ZE)		
	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	ICD-10	Description			
	L570	Actinic Keratosis			

## **Antiviral Agents**

Products				
cidofovir (E	xample	e brand: VISTIDE)		
Dia	gnosis	s Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
ICD	-10	Description		
B25	58	Other cytomegaloviral diseases		

## Diagnosis Restricted Drugs

## Central Nervous System Agents, Miscellaneous

Products				
RILUTEK (riluz	ole)			
Diagno	sis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-10	Description			
G1221	Amyotrophic lateral sclerosis			
Products				
NUEDEXTA (d	extromethorphan hbr/quinidine)			
	,			
Diagno	sis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-10	Description			
F482	Pseudobulbar affect			
Products	minobutyric Acid Class			
HORIZANT (ga	bapentin enacarbil)			
Diagno	sis Code Must Be Submitted on:	Claim	Prior Authorization Request 🗸	
ICD-10	Description			
B0221	Postherpetic geniculate ganglionitis	3		
B0222	Postherpetic trigeminal neuralgia			
B0223	Postherpetic polyneuropathy			
B0224	Postherpetic myelitis			
B0229	Other postherpetic nervous system	involvement		
G2581	Restless legs syndrome			
Products				
GRALISE (gab	apentin)			
(9				
Diagno	sis Code Must Be Submitted on:	Claim	Prior Authorization Request 🗸	
ICD-10	Description			
B0221	Postherpetic geniculate ganglionitis	<b>.</b>		
B0222	Postherpetic trigeminal neuralgia			
B0223	Postherpetic polyneuropathy			
B0224	Postherpetic myelitis			
B0220	Other posthernetic pervous system	involvement		

## Diagnosis Restricted Drugs

## Gonadotropin-Releasing Hormone Receptor Antagonist

Products				
DRILISSA	A (elagoli	x sodium)		
Dia	agnosis	Code Must Be Submitted on: Cl	aim 🗸	Prior Authorization Request
	D-10	Description	<u> </u>	. 🗀
	300	Endometriosis of uterus		
N8	301	Endometriosis of ovary		
N8	302	Endometriosis of fallopian tube		
N8	303	Endometriosis of pelvic peritoneum		
N8	304	Endometriosis of rectpvagomal septum	and vagina	
N8	305	Endometriosis of intestine		
N8	306	Endometriosis of cutaneous scar		
N8	808	Other Endometriosis		
N8	309	Endometriosis, unspecified		
Dia	agnosis	Code Must Be Submitted on: Cl	aim 🗸	Prior Authorization Request
ICI	D-10	Description		
E8	381	Lipodystrophy, not elsewhere classified		
oducts				
GRIFTA	(tesamo	orelin)		
Di:	agnosis	Code Must Be Submitted on: Cl	aim 🗸	Prior Authorization Request
	•	osis codes required or see below	umi 🗸	Thor Addionization Request
	•	·		
	D-10	Description	Ni	
B2		Human immunodeficiency virus [HIV] [		
	381	Lipodystrophy, not elsewhere classified		
		native combination of codes		
	D-10	Description		
IR9			14 00 10 //141	
		Human immunodeficiency virus, Type 2 Lipodystrophy, not elsewhere classified		ne cause of diseases classified elsewhere

# Diagnosis Restricted Drugs

Lipodoses				
Products				
CERDELGA (	eliglustat tartrate)		ZAVESCA (miglustat)	
Diagno	osis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-10	Description			
E7522	Gaucher disease			]
Lysosoma	l Storage Disorder			
Products				
GALAFOLD (n	nigalastat)			
Diagno	osis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-10	Description			
E7521	Fabry (-Anderson) Disease			]
Movement	t Disorders			
	eutetrabenazine)			
Diagno	osis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-10	Description			
G10	Huntington's Disease			1
G2401	Drug Induced Subacute Dyskinesia	a		1
G2402	Other induced Acute Dystonia			1
G2409	Other Drug Induced Dystonia			]
Products				
INGREZZA (va	albenazine)		INGREZZA INITIATION PACK ()	
Diagno	osis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-10	-			_
G2401		a		
G2402				
G2409	Other Drug Induced Dystonia			
Products				
XENAZINE 12	.5 MG TABLET (tetrabenazine)		XENAZINE 25 MG TABLET (tetrabenazine)	
Diagno	osis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-10	•			
G10	HUNTINGTON'S DISEASE			1

#### Diagnosis Restricted Drugs Effective: 1/1/2021

## Multiple Sclerosis Agents, Other

Products	
AMPYRA (dalfa	mpridin)
Diagnos	sis Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗌
ICD-10	Description
G35	Multiple sclerosis
	_ 1 '
Neuropathi	c Pain
Products	
LYRICA CR (pro	egahalin)
ETRIOA OR (pr	agabaliti)
Diagnos	sis Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗹
ICD-10	Description
B0221	POSTHERPETIC GENICULATE GANGLIONITIS
B0222	POSTHERPETIC TRIGEMINAL NEURALGIA
B0223	POSTHERPETIC POLYNEUROPATHY
B0224	POSTHERPETIC MYELITIS
B0229	OTHER POSTHERPETIC NERVOUS SYSTEM INVOLVEMENT
E1040	TYPE 1 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED
E1041	TYPE 1 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY
E1042	TYPE 1 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY
E1043	TYPE 1 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY
E1044	TYPE 1 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY
E1049	TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION
E1140	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED
E1140 E1141	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED  TYPE 2 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY
	· · · · · · · · · · · · · · · · · · ·
E1141	TYPE 2 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY
E1141 E1142	TYPE 2 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY TYPE 2 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY

#### Diagnosis Restricted Drugs

Effective: 1/1/2021

#### Opioid Dependency - Buprenorphine

#### **Products** BUNAVAIL (buprenorphine hcl/naloxone) buprenorphine hcl (Example brand: SUBUTEX) buprenorphine-naloxone (Example brand: SUBOXONE) SUBLOCADE (buprenorphine) SUBOXONE (buprenorphine hcl/naloxone) ZUBSOLV (buprenorphine hcl/naloxone) Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request **ICD-10** Description F1120 Opioid dependence, uncomplicated F1120 Opioid dependence, uncomplicated F1121 Opioid dependence, in remission F1124 Opioid dependence with opioid-induced mood disorder F11250 Opioid dependence with opioid-induced psychotic disorder with delusions F11251 Opioid dependence with opioid-induced psychotic disorder with hallucinations F11259 Opioid dependence with opioid-induced psychotic disorder, unspecified F11281 Opioid dependence with opioid-induced sexual dysfunction F11282 Opioid dependence with opioid-induced sleep disorder F11288 Opioid dependence with other opioid-induced disorder

#### Opioid Dependency Agents - Methadone

Opioid dependence with unspecified opioid-induced disorder

F1129

Products	
DISKETS 40 MG	IG TABLET DISPR (methadone hcl)  METHADONE INTENSOL 10 MG/ML (methadone hc
METHADOSE 1	10 MG/ML ORAL CONC (methadone hcl) METHADOSE 40 MG TABLET DISPR (methadone hcl)
Diagnos	sis Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗌
ICD-10	Description
F1120	Opioid dependence, uncomplicated
F1121	Opioid dependence, in remission
F1124	Opioid dependence with opioid-induced mood disorder
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions
F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations
F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified
F11281	Opioid dependence with opioid-induced sexual dysfunction
F11282	2 Opioid dependence with opioid-induced sleep disorder
F11288	Opioid dependence with other opioid-induced disorder
F1129	Opioid dependence with unspecified opioid-induced disorder

## Diagnosis Restricted Drugs

## Opioid Dependency and Alcohol Abuse/Dependency Agents

one hcl (E	xample brand: REVIA) VIVITROL (naltrexone microspheres)
Diagnosi	s Code Must Be Submitted on: Claim 🗸 Prior Authorization Request 🗌
ICD-10	Description
F1010	Alcohol abuse, uncomplicated
F1011	Alcohol abuse, uncomplicated
F1014	Alcohol abuse with alcohol-induced mood disorder
F10150	Alcohol abuse with alcohol-induced psychotic disorder with delusions
F10151	Alcohol abuse with alcohol-induced psychotic disorder with hallucinations
F10159	Alcohol abuse with alcohol-induced psychotic disorder, unspecified
F10180	Alcohol abuse with alcohol-induced anxiety disorder
F10181	Alcohol abuse with alcohol-induced sexual dysfunction
F10182	Alcohol abuse with alcohol-induced sleep disorder
F10188	Alcohol abuse with other alcohol-induced disorder
F1019	Alcohol abuse with unspecified alcohol-induced disorder
F1020	Alcohol dependence, uncomplicated
F1021	Alcohol dependence, in remission
F1024	Alcohol dependence with alcohol-induced mood disorder
F10250	Alcohol dependence with alcohol-induced psychotic disorder with delusions
F10251	Alcohol dependence with alcohol-induced psychotic disorder with hallucinations
F10259	Alcohol dependence with alcohol-induced psychotic disorder, unspecified
F1026	Alcohol dependence with alcohol-induced persisting amnestic disorder
F1027	Alcohol dependence with alcohol-induced persisting dementia
F10280	Alcohol dependence with alcohol-induced anxiety disorder
F10281	Alcohol dependence with alcohol-induced sexual dysfunction
F10282	Alcohol dependence with alcohol-induced sleep disorder
F10288	Alcohol dependence with other alcohol-induced disorder
F1029	Alcohol dependence with unspecified alcohol-induced disorder
F1094	Alcohol use, unspecified with alcohol-induced mood disorder
F10950	Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions
F10951	Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations
F10959	Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified
F1096	Alcohol use, unspecified with alcohol-induced persisting amnestic disorder
F1097	Alcohol use, unspecified with alcohol-induced persisting dementia
F10980	Alcohol use, unspecified with alcohol-induced anxiety disorder
F10981	Alcohol use, unspecified with alcohol-induced sexual dysfunction
F10982	Alcohol use, unspecified with alcohol-induced sleep disorder
F10988	Alcohol use, unspecified with other alcohol-induced disorder
F1099	Alcohol use, unspecified with unspecified alcohol-induced disorder
F1120	Opioid dependence, uncomplicated
F1121	Opioid dependence, in remission
F1124	Opioid dependence with opioid-induced mood disorder
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions
F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations
F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified

Opioid dependence with opioid-induced sexual dysfunction

F11281

#### Diagnosis Restricted Drugs

#### Opioid Dependency and Alcohol Abuse/Dependency Agents

Ī	F11282	Opioid dependence with opioid-induced sleep disorder
Ī	F11288	Opioid dependence with other opioid-induced disorder
Ī	F1129	Opioid dependence with unspecified opioid-induced disorder

#### **Progestational Agent**

#### **Products**

**Products** 

CRINONE 8% GEL (progesterone)

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐

ICD-10	Des	cription
100-10		CHDUIDH

.05 .0	2000 Palon
O09211	Supervision of pregnancy with history of pre-term labor, first trimester
O09212	Supervision of pregnancy with history of pre-term labor, second trimester
O09213	Supervision of pregnancy with history of pre-term labor, third trimester
O09219	Supervision of pregnancy with history of pre-term labor, unspecified trimester
O09291	Supervision of pregnancy with other poor reproductive or obstetric history, first trimester
O09292	Supervision of pregnancy with other poor reproductive or obstetric history, second trimester
O09293	Supervision of pregnancy with other poor reproductive or obstetric history, third trimester
O09299	Supervision of pregnancy with other poor reproductive or obstetric history, unspecified trimester
O26872	Cervical shortening, second trimester
O26873	Cervical shortening, third trimester
O26879	Cervical shortening, unspecified trimester
-	

#### Pulmonary Anti-Hypertensive Agents

#### difficility Afti-Hypertensive Agents

ADCIRCA (tadalafil)

REVATIO (sildenafil citrate)

ALYQ (tadalafil)

Diagnosis Code Must Be Submitted on: Claim V Prior Authorization Request V

#### ICD-10 Description

1270	Primary pulmonary hypertension	
12720	Pulmonary hypertension, unspecified	
12721	Secondary pulmonary arterial hypertension	
12722	Pulmonary hypertension due to left heart disease	
12723	Pulmonary hypertension Due to Lung Diseases and hypoxia	
12724	Chronic thromboembolic pulmonary hypertension	
12729	Other secondary pulmonary hypertension	
12783	Eisenmenger's syndrome	

## Diagnosis Restricted Drugs

Р	ulmonary	<b>Fibrosis</b>	Agents

Z720

Tobacco use

Products			
ESBRIET (pirfeni	done)		
Diagnosi	s Code Must Be Submitted on:	Claim <b></b> ✓	Prior Authorization Request
ICD-10	Description		, in the second
J84112	Idiopathic pulmonary fibrosis		
moking Ce	essation		
Products			
CHANTIX (varen	icline tartrate)		nicotine 4 mg l (Example brand: NICOTINE)
•	ample brand: NICORETTE)		nicotine lozenge (Example brand: NICORETTE)
• ,	(Example brand: NICOTINE)		nicotine patch (Example brand: CVS NICOTINE)
•	xample brand: NICOTINE)		NICOTROL (nicotine)
NICOTROL NS (I	nicotine)		ZYBAN SR 150 MG TABLET (bupropion)
· ·	s Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
ICD-10 F17200	Description  Nicotine dependence, unspecified,	uncomplicated	
F17201	Nicotine dependence, unspecified,	•	
F17203	Nicotine dependence unspecified,		
F17208	Nicotine dependence, unspecified,		ne-induced disorders
F17209	Nicotine dependence, unspecified,		
F17210	Nicotine dependence, cigarettes, u	•	
F17211	Nicotine dependence, cigarettes, i		
F17213	Nicotine dependence, cigarettes, v		
F17218	Nicotine dependence, cigarettes, v		e-induced disorders
F17219	Nicotine dependence, cigarettes, v		
F17220	Nicotine dependence, chewing tob		
F17221	Nicotine dependence, chewing tob	acco, in remission	on
F17223	Nicotine dependence, chewing tob	acco, with withdi	rawal
F17228	Nicotine dependence, chewing tob	acco, with other	nicotine-induced disorders
F17229	Nicotine dependence, chewing tob	acco, with unspe	ecified nicotine-induced disorders
F17290	Nicotine dependence, other tobacc	co product, unco	mplicated
F17291	Nicotine dependence, other tobacc	co product, in rer	nission
F17293	Nicotine dependence, other tobacc	co product, with v	vithdrawal
F17298	Nicotine dependence, other tobacc	co product, with o	other nicotine-induced disorders
F17299	Nicotine dependence, other tobacc	co product, with ι	Inspecified nicotine-induced disorders

#### **Diagnosis Restricted Drugs**

#### Stimulants, Desoxyn

#### **Products**

DESOXYN (methamphetamine hcl)

#### Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request 🗸

#### ICD-10 Description

F900	Attention-deficit hyperactivity disorder, predominantly inattentive type
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type
F902	Attention-deficit hyperactivity disorder, combined type
F908	Attention-deficit hyperactivity disorder, other type
F909	Attention-deficit hyperactivity disorder, unspecified type

#### Stimulants, Excluding Desoxyn and Vyvanse

#### **Products**

ADDERALL (dextroamphetamine/amphetamine) ADDERALL XR (dextroamphetamine/amphetamine)

ADHANSIA XR (methylphenidate) ADZENYS ER (amphetamine) ADZENYS XR-ODT (amphetamine) APTENSIO XR (methylphenidate hcl) COTEMPLA XR-ODT (methylphenidate) CONCERTA (methylphenidate hcl) DAYTRANA (methylphenidate hcl) DEXEDRINE (dextroamphetamine sulfate) DYANAVEL XR (amphetamine) EVEKEO (amphetamine)

FOCALIN XR (dexmethylphenidate hcl) FOCALIN (dexmethylphenidate hcl) JORNAY PM (methylphenidate er) METHYLIN (methylphenidate hcl) methylphenidate er (Example brand: METADATE ER) methylphenidate er (Example brand: METHYLIN)

methylphenidate hcl (Example brand: METHYLIN CHEW) methylphenidate hcl cd (Example brand: METADATE CC methylphenidate hcl er (cd) (Example brand: METADATE CD) methylphenidate la (Example brand: RITALIN LA)

MYDAYIS (dextroamphetamine/amphetamine) PROCENTRA (dextroamphetamine sulfate) QUILLIVANT XR (methylphenidate hcl) RELEXXII ER 72 MG TABLET (methylphenidate hcl)

RITALIN (methylphenidate hcl) RITALIN LA (methylphenidate hcl) ZENZEDI (dextroamphetamine sulfate)

#### Diagnosis Code Must Be Submitted on:

Claim 🗸	Prior Authorization Request 🗸

Prior Authorization Poquest

ICD-10	Description
F900	Attention-deficit hyperactivity disorder, predominantly inattentive type
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type
F902	Attention-deficit hyperactivity disorder, combined type
F908	Attention-deficit hyperactivity disorder, other type
F909	Attention-deficit hyperactivity disorder, unspecified type
G47411	Narcolepsy with cataplexy
G47419	Narcolepsy without cataplexy

#### Diagnosis Restricted Drugs

#### Stimulants, Vyvanse

VYVA	NSE (lisde:	dexamfetamine dimesylate) VYVANSE CHEWABLE (lisdexamfetamine	dimesylate)
	Diagnosi	sis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request 🗌	
	ICD-10	Description	
	F5081	Binge Eating Disorder	
	F900	Attention-deficit hyperactivity disorder, predominantly inattentive type	
	F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type	
	F902	Attention-deficit hyperactivity disorder, combined type	
	F908	Attention-deficit hyperactivity disorder, other type	
	F909	Attention-deficit hyperactivity disorder, unspecified type	
	G47411	Narcolepsy with cataplexy	
	G47419	9 Narcolepsy without cataplexy	

#### Vitamins, Renal

#### **Products**

DIALYVITE (folic acid combination)

Description

DIALYVITE 800 WITH IRON (fe fumarate combinations)

FOLBEE PLUS (folic acid combination)

HEMATINIC PLUS (iron combinations)

RENAL CAPS (vitamin b complex) RENO CAPS (vitamin b complex)

VIRT-CAPS (vitamin b complex)

**ICD-10** 

DIALYVITE 3000 (folic acid combination)
FERROCITE PLUS (iron combinations)
FOLBEE PLUS CZ (folic acid combination)
NEPHRO-VITE RX (vitamin b complex)
RENA-VITE RX (vitamin b complex)
TRIPHROCAPS (vitamin b complex)
VP-VITE RX (vitamin b complex)

Effective: 1/1/2021

#### Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐

# N181 Chronic kidney disease, Stage 1 N182 Chronic kidney disease, Stage 2 (mild) N1830 Chronic kidney disease, stage 3 unspecified N1831 Chronic kidney disease, stage 3A N1832 Chronic kidney disease, stage 3B N184 Chronic kidney disease, Stage 4 (severe) N185 Chronic kidney disease Stage 5

N184	Chronic kidney disease, Stage 4 (severe)
N185	Chronic kidney disease, Stage 5
N186	End stage renal disease
N189	Chronic kidney disease, unspecified
N250	Renal osteodystrophy
N251	Nephrogenic diabetes insipidus
N2581	Secondary hyperparathyroidism of renal origin
N2589	Other disorders resulting from impaired renal tubular function
N259	Disorder resulting from impaired renal tubular function, unspecified