### **Diagnosis Restricted Drugs**

The table below includes a list of drugs that are diagnosis-restricted for pharmacy compound and non-compound claims. This table specifies if the diagnosis must be indicated on the claim, prior authorization (PA) request, or both. See the link below for physician-administered diagnosis restrictions.

If the prescriber writes a prescription with a diagnosis outside the ForwardHealth-allowed diagnoses for a drug, the prescriber is required to submit peer-reviewed medical literature to support the proven efficacy and safety of the requested use of the drug. Documentation of previous treatments and detailed reasons why other covered drug treatments were discontinued or not utilized are required. Medical records should be provided as necessary to support the PA request. This information should be documented on the Prior Authorization/Drug Attachment (PA/DGA), F- 11049 (10/13), in Section V (Clinical Information for Diagnosis-Restricted Drug Requests).

When completing the PA/DGA, prescribers should provide the diagnosis code and description, complete Section V, and use Section VIII (Additional Information), if needed. Prescribers are reminded to provide a handwritten signature and date on the form before submitting it to the pharmacy provider where the prescription will be filled. The pharmacy provider is required to complete a Prior Authorization Request Form (PA/RF), F- 11018 (05/13), before submitting the forms and supporting documentation to ForwardHealth. Prescribers should not submit PA forms to ForwardHealth.

As a reminder, prescribers and pharmacy providers are required to retain a completed copy of the PA form(s).

For additional information about diagnosis-restricted drug policy, providers may refer to the ForwardHealth Online Handbook Topic #4403, 15537, and 15937: https://www.forwardhealth.wi.gov/wiportal/subsystem/kw/display.aspx

Physician Administered diagnosis restrictions can be found at: https://www.forwardhealth.wi.gov/WIPortal/Tab/42/icscontent/Provider/medicaid/physician/data\_tables/index.htm.spage

Diagnosis Restricted Drugs

Effective: 7/1/2018

# Alzheimer's Agents

ICD-10 F0150 F0151 G300 G301 G308 G309	0150   Vascular dementia without behavioral disturbance     0151   Vascular denentia with behavioral disturbance     0300   Alzheimer's disease with early onset     0301   Alzheimer's disease with late onset
F0151 G300 G301 G308	0151   Vascular denentia with behavioral disturbance     0300   Alzheimer's disease with early onset     0301   Alzheimer's disease with late onset
G300 G301 G308	300 Alzheimer's disease with early onset   301 Alzheimer's disease with late onset
G301 G308	Alzheimer's disease with late onset
G308	
	308 Other alzheimer's disease
G309	
	Alzheimer's disease, unspecified
Products	3
Products itraconazole	
itraconazole	
itraconazole	ole iagnosis Code Must Be Submitted on: Claim Prior Authorization Request ✔

Diagnosis Code Must Be Submitted on:		Claim 🗸	Prior Authorization Request
ICD-10	Description		
L570	Actinic Keratosis		

**Diagnosis Restricted Drugs** 

Effective: 7/1/2018

### Antiparkinson's Agents

#### Products MIRAPEX ER (pramipexole er) Diagnosis Code Must Be Submitted on: Claim Prior Authorization Request ICD-10 Description G20 Parkinson's disease G210 Malignant neuroleptic syndrome G2111 Neuroleptic induced parkinsonism G2119 Other drug induced secondary parkinsonism G213 Postencephalitic parkinsonism G214 Vascular parkinsonism G218 Other secondary parkinsonism G219 Secondary parkinsonism, unspecified Products REQUIP XL (ropinirole er) Diagnosis Code Must Be Submitted on: Claim Prior Authorization Request ICD-10 Description G20 Parkinson's disease G2111 Neuroleptic induced parkinsonism G2119 Other drug induced secondary parkinsonism G213 Postencephalitic parkinsonism G214 Vascular parkinsonism G218 Other secondary parkinsonism G219 Secondary parkinsonism, unspecified **Antiviral Agents**

#### Products

ovir (Examp	le brand: VISTIDE)			
Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-10	Description			
B258	Other cytomegaloviral diseases			

Diagnosis Restricted Drugs

Effective: 7/1/2018

# Central Nervous System Agents, Miscellaneous

Product	ts			
RILUTE	K (riluzol	e)		
I	Diagnosi	s Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request
I	ICD-10	Description		
1	G1221	Amyotrophic lateral sclerosis		
Produc		tromethorphan hbr/quinidine)		
I	Diagnosi	s Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
I	ICD-10	Description		
[	F482	Pseudobulbar affect		

### Gamma Aminobutyric Acid Class

#### Products

HORIZANT (gabapentin enacarbil)

Diagnosis Code Must Be Submitted on: Claim

Prior Authorization Request 🗸

ICD-10	Description		
B0221	Postherpetic geniculate ganglionitis		
B0222	Postherpetic trigeminal neuralgia		
B0223	Postherpetic polyneuropathy		
B0224	Postherpetic myelitis		
B0229	Other postherpetic nervous system involvement		
G2581	Restless legs syndrome		

#### Products

GRALISE (gabapentin)

Diagnosis Code Must Be Submitted on:

Prior Authorization Request

#### ICD-10 Description

B0221	Postherpetic geniculate ganglionitis
B0222	Postherpetic trigeminal neuralgia
B0223	Postherpetic polyneuropathy
B0224	Postherpetic myelitis
B0229	Other postherpetic nervous system involvement

Claim

Diagnosis Restricted Drugs

Effective: 7/1/2018

_ipdy	/stroph	у			
Prod	ucts				
MYAI	LEPT (metro	eleptin)			
	Diagnos	is Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request	
	ICD-10	Description			
	E881	Lipodystrophy, not elsewhere clas	sified		
Prod	ucts				
EGRI	FTA (tesam	norelin)			
	Diagnos	is Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request	
	Both diag	gnosis codes required or see below			
	ICD-10	Description			
	B20	Human immunodeficiency virus [H	IV] Disease		
	E881	Lipodystrophy, not elsewhere clas	sified		
	Or an alte	ernative combination of codes			
	ICD-10	Description			
	B9735	Human immunodeficiency virus, T	ype 2 [HIV 2] as	the cause of diseases classified elsewhere	
	E881	Lipodystrophy, not elsewhere clas	sified		
_ipoc	doses				
Prod	ucts				
CERI	DELGA (eliç	glustat tartrate)		ZAVESCA (miglustat)	

Diagnosis Code Must Be Submitted on:		Claim 🖌	Prior Authorization Request
ICD-10	Description		

E7522 Gaucher disease

**Diagnosis Restricted Drugs** 

Effective: 7/1/2018

### **Opioid Dependency - Buprenorphine**

#### Products

BUNAVAIL (buprenorphine hcl/naloxone) buprenorphine-naloxone (Example brand: SUBOXONE) SUBLOCADE (buprenorphine) ZUBSOLV (buprenorphine hcl/naloxone) buprenorphine hcl (Example brand: SUBUTEX) BUPRENORP-NALOX (buprenorphine hcl/naloxone) SUBOXONE (buprenorphine hcl/naloxone)

#### Diagnosis Code Must Be Submitted on:

Prior Authorization Request V

ICD-10	Description
F1120	Opioid dependence, uncomplicated
F1121	Opioid dependence, in remission
F1124	Opioid dependence with opioid-induced mood disorder
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions
F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations
F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified
F11281	Opioid dependence with opioid-induced sexual dysfunction
F11282	Opioid dependence with opioid-induced sleep disorder
F11288	Opioid dependence with other opioid-induced disorder
F1129	Opioid dependence with unspecified opioid-induced disorder

Claim 🗸

# **Opioid Dependency Agents - Methadone**

#### Products

DISKETS 40 MG TABLET DISPR (methadone hcl) METHADOSE 10 MG/ML ORAL CONC (methadone hcl) METHADONE INTENSOL 10 MG/ML (methadone hcl) METHADOSE 40 MG TABLET DISPR (methadone hcl)

#### Diagnosis Code Must Be Submitted on:

Prior Authorization Request

ICD-10	Description
F1120	Opioid dependence, uncomplicated
F1121	Opioid dependence, in remission
F1124	Opioid dependence with opioid-induced mood disorder
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions
F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations
F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified
F11281	Opioid dependence with opioid-induced sexual dysfunction
F11282	Opioid dependence with opioid-induced sleep disorder
F11288	Opioid dependence with other opioid-induced disorder
F1129	Opioid dependence with unspecified opioid-induced disorder

Claim 🗸

**Diagnosis Restricted Drugs** 

# Opioid Dependency and Alcohol Abuse/Dependency Agents

Products

	xample brand: REVIA) pdclm _naltrexone (Example brand: RE exone microspheres)
Diagnosi	is Code Must Be Submitted on: Claim 🔽 Prior Authorization Request 🦳
ICD-10	Description
F1010	Alcohol abuse, uncomplicated
F1011	Alcohol abuse, uncomplicated
F1014	Alcohol abuse with alcohol-induced mood disorder
F10150	Alcohol abuse with alcohol-induced psychotic disorder with delusions
F10151	Alcohol abuse with alcohol-induced psychotic disorder with hallucinations
F10159	Alcohol abuse with alcohol-induced psychotic disorder, unspecified
F10180	Alcohol abuse with alcohol-induced anxiety disorder
F10181	Alcohol abuse with alcohol-induced sexual dysfunction
F10182	Alcohol abuse with alcohol-induced sleep disorder
F10188	Alcohol abuse with other alcohol-induced disorder
F1019	Alcohol abuse with unspecified alcohol-induced disorder
F1020	Alcohol dependence, uncomplicated
F1021	Alcohol dependence, in remission
F1024	Alcohol dependence with alcohol-induced mood disorder
F10250	Alcohol dependence with alcohol-induced psychotic disorder with delusions
F10251	Alcohol dependence with alcohol-induced psychotic disorder with hallucinations
F10259	Alcohol dependence with alcohol-induced psychotic disorder, unspecified
F1026	Alcohol dependence with alcohol-induced persisting amnestic disorder
F1027	Alcohol dependence with alcohol-induced persisting dementia
F10280	Alcohol dependence with alcohol-induced anxiety disorder
F10281	Alcohol dependence with alcohol-induced sexual dysfunction
F10282	Alcohol dependence with alcohol-induced sleep disorder
F10288	Alcohol dependence with other alcohol-induced disorder
F1029	Alcohol dependence with unspecified alcohol-induced disorder
F1094	Alcohol use, unspecified with alcohol-induced mood disorder
F10950	Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions
F10951	Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations
F10959	Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified
F1096	Alcohol use, unspecified with alcohol-induced persisting amnestic disorder
F1097	Alcohol use, unspecified with alcohol-induced persisting dementia
F10980	Alcohol use, unspecified with alcohol-induced anxiety disorder
F10981	Alcohol use, unspecified with alcohol-induced sexual dysfunction
F10982	Alcohol use, unspecified with alcohol-induced sleep disorder
F10988	Alcohol use, unspecified with other alcohol-induced disorder
F1099	Alcohol use, unspecified with unspecified alcohol-induced disorder
F1120	Opioid dependence, uncomplicated
F1121	Opioid dependence, in remission
F1124	Opioid dependence with opioid-induced mood disorder
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions
F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations
F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified

Effective: 7/1/2018

**Diagnosis Restricted Drugs** 

Effective: 7/1/2018

### Opioid Dependency and Alcohol Abuse/Dependency Agents

F11281	Opioid dependence with opioid-induced sexual dysfunction
F11282	Opioid dependence with opioid-induced sleep disorder
F11288	Opioid dependence with other opioid-induced disorder
F1129	Opioid dependence with unspecified opioid-induced disorder

### **Progestational Agent**

#### Products

CRINONE 8% GEL (progesterone)

#### Diagnosis Code Must Be Submitted on:

ICD-10	Description
O09211	Supervision of pregnancy with history of pre-term labor, first trimester
O09212	Supervision of pregnancy with history of pre-term labor, second trimester
O09213	Supervision of pregnancy with history of pre-term labor, third trimester
O09219	Supervision of pregnancy with history of pre-term labor, unspecified trimester
O09291	Supervision of pregnancy with other poor reproductive or obstetric history, first trimester
O09292	Supervision of pregnancy with other poor reproductive or obstetric history, second trimester
O09293	Supervision of pregnancy with other poor reproductive or obstetric history, third trimester
O09299	Supervision of pregnancy with other poor reproductive or obstetric history, unspecified trimester
O26872	Cervical shortening, second trimester
O26873	Cervical shortening, third trimester
O26879	Cervical shortening, unspecified trimester

Claim 🗸

### Pulmonary Anti-Hypertensive Agents

#### Products

ADCIRCA (tadalafil)

REVATIO (sildenafil citrate)

### Diagnosis Code Must Be Submitted on: Claim 🗸

Prior Authorization Request 🗸

Prior Authorization Request

### ICD-10 Description

1270	Primary pulmonary hypertension
12720	Pulmonary hypertension, unspecified
12721	Secondary pulmonary arterial hypertension
12722	Pulmonary hypertension due to left heart disease
12723	PULMONARY HYPERTENSION DUE TO LUNG DISEASES AND HYPOXIA
12724	Chronic thromboembolic pulmonary hypertension
12729	Other secondary pulmonary hypertension
12783	Eisenmenger's symdrome

Diagnosis Restricted Drugs

Effective: 7/1/2018

# Pulmonary Fibrosis Agents

	idone)		OFEV (nintedanib esylate)
Diagnos	is Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request
•			
ICD-10	Description		
J84112	Idiopathic pulmonary fibrosis		
aaliina C	acation		
noking Co			
Products			
CHANTIX (varer	icline tartrate)		NICODERM CQ (nicotine)
NCORELIEF (ni	cotine)		NICORETTE (nicotine)
icotine patch (E	xample brand: NICOTINE)		NICOTROL (nicotine)
NCOTROL NS (	nicotine)		PdCIm _CHANTIX (varenicline tartrate)
ICD-10	Description	, uncomplicated	
F17200	Nicotine dependence, unspecified		
117200		, uncomplicated	
F17201	Nicotine dependence, unspecified		
		d, in remission	
F17201	Nicotine dependence, unspecified Nicotine dependence unspecified Nicotine dependence, unspecified	d, in remission , with withdrawal d, with other nicot	
F17201 F17203	Nicotine dependence, unspecified Nicotine dependence unspecified	d, in remission , with withdrawal d, with other nicot	
F17201 F17203 F17208	Nicotine dependence, unspecified Nicotine dependence unspecified Nicotine dependence, unspecified	d, in remission , with withdrawal d, with other nicot d, with unspecified	
F17201 F17203 F17208 F17209 F17210 F17211	Nicotine dependence, unspecified Nicotine dependence unspecified Nicotine dependence, unspecified Nicotine dependence, unspecified Nicotine dependence, cigarettes, Nicotine dependence, cigarettes,	d, in remission , with withdrawal d, with other nicot d, with unspecified uncomplicated in remission	
F17201 F17203 F17208 F17209 F17210 F17211 F17213	Nicotine dependence, unspecified Nicotine dependence unspecified Nicotine dependence, unspecified Nicotine dependence, unspecified Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes,	d, in remission , with withdrawal d, with other nicot d, with unspecified uncomplicated in remission with withdrawal	d nicotine-induced disorders
F17201 F17203 F17208 F17209 F17210 F17211 F17213 F17218	Nicotine dependence, unspecified Nicotine dependence unspecified Nicotine dependence, unspecified Nicotine dependence, unspecified Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes,	d, in remission , with withdrawal d, with other nicot d, with unspecified uncomplicated in remission with withdrawal with other nicotin	d nicotine-induced disorders e-induced disorders
F17201 F17203 F17208 F17209 F17210 F17211 F17213 F17218 F17219	Nicotine dependence, unspecified Nicotine dependence unspecified Nicotine dependence, unspecified Nicotine dependence, unspecified Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes,	d, in remission , with withdrawal d, with other nicot d, with unspecified uncomplicated in remission with withdrawal with other nicotin with unspecified	d nicotine-induced disorders e-induced disorders nicotine-induced disorders
F17201 F17203 F17208 F17209 F17210 F17211 F17213 F17218 F17219 F17220	Nicotine dependence, unspecified Nicotine dependence unspecified Nicotine dependence, unspecified Nicotine dependence, unspecified Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes,	d, in remission , with withdrawal d, with other nicot d, with unspecified uncomplicated in remission with withdrawal with other nicotin with unspecified bacco, uncomplic	e-induced disorders e-induced disorders nicotine-induced disorders rated
F17201 F17203 F17208 F17209 F17210 F17211 F17213 F17218 F17218 F17219 F17220 F17221	Nicotine dependence, unspecified Nicotine dependence unspecified Nicotine dependence, unspecified Nicotine dependence, unspecified Nicotine dependence, cigarettes, Nicotine dependence, chewing to	d, in remission , with withdrawal d, with other nicot d, with unspecified uncomplicated in remission with withdrawal with other nicotin with unspecified bacco, uncomplic bacco, in remissi	e-induced disorders e-induced disorders nicotine-induced disorders cated
F17201 F17203 F17208 F17209 F17210 F17211 F17213 F17218 F17219 F17220 F17221 F17223	Nicotine dependence, unspecified Nicotine dependence unspecified Nicotine dependence, unspecified Nicotine dependence, unspecified Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, chewing to Nicotine dependence, chewing to Nicotine dependence, chewing to	d, in remission , with withdrawal d, with other nicot d, with unspecified uncomplicated in remission with withdrawal with other nicotin with unspecified bacco, uncomplic bacco, in remission bacco, with withd	d nicotine-induced disorders e-induced disorders nicotine-induced disorders rated on rawal
F17201 F17203 F17208 F17209 F17210 F17211 F17213 F17218 F17219 F17220 F17221 F17223 F17228	Nicotine dependence, unspecified Nicotine dependence unspecified Nicotine dependence, unspecified Nicotine dependence, unspecified Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, chewing to Nicotine dependence, chewing to Nicotine dependence, chewing to Nicotine dependence, chewing to	d, in remission , with withdrawal d, with other nicot d, with unspecified uncomplicated in remission with withdrawal with other nicotin with unspecified bacco, uncomplic bacco, in remissio bacco, with withd bacco, with other	d nicotine-induced disorders e-induced disorders nicotine-induced disorders rated on rawal nicotine-induced disorders
F17201 F17203 F17208 F17209 F17210 F17211 F17213 F17218 F17218 F17220 F17220 F17221 F17223 F17228 F17229	Nicotine dependence, unspecified Nicotine dependence unspecified Nicotine dependence, unspecified Nicotine dependence, unspecified Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, chewing to Nicotine dependence, chewing to Nicotine dependence, chewing to Nicotine dependence, chewing to Nicotine dependence, chewing to	d, in remission , with withdrawal d, with other nicot d, with unspecified uncomplicated in remission with withdrawal with other nicotin with unspecified bacco, uncomplic bacco, in remissi bacco, with withd bacco, with other bacco, with unspe	e-induced disorders e-induced disorders nicotine-induced disorders rated on rawal nicotine-induced disorders ecified nicotine-induced disorders
F17201 F17203 F17208 F17209 F17210 F17211 F17213 F17218 F17218 F17220 F17220 F17221 F17223 F17228 F17229 F17290	Nicotine dependence, unspecified Nicotine dependence unspecified Nicotine dependence, unspecified Nicotine dependence, unspecified Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cheving to Nicotine dependence, cheving to	d, in remission , with withdrawal d, with other nicot d, with unspecified uncomplicated in remission with withdrawal with other nicotin with unspecified bacco, uncomplic bacco, in remissi bacco, with withd bacco, with other bacco, with unspecified bacco, with unspecified bacco, with unspecified bacco, with unspecified bacco, with unspecified bacco, with unspecified	e-induced disorders e-induced disorders nicotine-induced disorders rated on rawal nicotine-induced disorders ecified nicotine-induced disorders mplicated
F17201 F17203 F17208 F17209 F17210 F17211 F17213 F17218 F17219 F17220 F17220 F17221 F17223 F17228 F17229 F17229 F17290 F17291	Nicotine dependence, unspecified Nicotine dependence unspecified Nicotine dependence, unspecified Nicotine dependence, unspecified Nicotine dependence, unspecified Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cheving to Nicotine dependence, other tobac	d, in remission , with withdrawal d, with other nicot d, with unspecified uncomplicated in remission with withdrawal with other nicotin bacco, uncomplic bacco, uncomplic bacco, in remissio bacco, with withd bacco, with other bacco, with other bacco, with unspector bacco, with unspector bacco, with unspector bacco, with unspector bacco, with unspector bacco, product, in remission	e-induced disorders e-induced disorders nicotine-induced disorders rated on rawal nicotine-induced disorders ecified nicotine-induced disorders mplicated nission
F17201 F17203 F17208 F17209 F17210 F17211 F17213 F17218 F17219 F17220 F17220 F17221 F17223 F17228 F17229 F17229 F17290 F17291 F17293	Nicotine dependence, unspecified Nicotine dependence, unspecified Nicotine dependence, unspecified Nicotine dependence, unspecified Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cigarettes, Nicotine dependence, cheving to Nicotine dependence, other tobac Nicotine dependence, other tobac	d, in remission , with withdrawal d, with other nicot d, with unspecified uncomplicated in remission with withdrawal with other nicotin with unspecified bacco, uncomplic bacco, in remissio bacco, with withd bacco, with other bacco, with other bacco, with unspector co product, unco co product, in remission co product, with	e-induced disorders e-induced disorders nicotine-induced disorders ated on rawal nicotine-induced disorders ecified nicotine-induced disorders mplicated mission withdrawal
F17201 F17203 F17208 F17209 F17210 F17211 F17213 F17218 F17219 F17220 F17220 F17221 F17223 F17228 F17229 F17229 F17290 F17291	Nicotine dependence, unspecified Nicotine dependence, unspecified Nicotine dependence, unspecified Nicotine dependence, unspecified Nicotine dependence, cigarettes, Nicotine dependence, chewing to Nicotine dependence, other tobac Nicotine dependence, other tobac Nicotine dependence, other tobac	d, in remission , with withdrawal d, with other nicot d, with unspecified uncomplicated in remission with withdrawal with other nicotin with unspecified bacco, uncomplic bacco, uncomplic bacco, with withd bacco, with withd bacco, with other bacco, with other bacco, with unspecified bacco, product, unco	e-induced disorders e-induced disorders nicotine-induced disorders ated on rawal nicotine-induced disorders ecified nicotine-induced disorders mplicated mission withdrawal

**Diagnosis Restricted Drugs** 

Effective: 7/1/2018

### Stimulants, Desoxyn

#### Products

DESOXYN (methamphetamine hcl)

Diagnosis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request 🗸
--------------------------------------	---------	-------------------------------

### ICD-10 Description

F900	Attention-deficit hyperactivity disorder, predominantly inattentive type
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type
F902	Attention-deficit hyperactivity disorder, combined type
F908	Attention-deficit hyperactivity disorder, other type
F909	Attention-deficit hyperactivity disorder, unspecified type

### Stimulants, Excluding Desoxyn and Vyvanse

#### Products

ADDERALL (dextroamphetamine/amphetamine) ADZENYS ER (amphetamine) APTENSIO XR (methylphenidate hcl) COTEMPLA XR-ODT (methylphenidate) DEXEDRINE (dextroamphetamine sulfate) EVEKEO (amphetamine) FOCALIN XR (dexmethylphenidate hcl) METHYLIN (methylphenidate hcl) methylphenidate er 72 mg tab (Example brand: No Brand Product) methylphenidate hcl cd (Example brand: METADATE CD) methylphenidate la (Example brand: RITALIN LA) PdCIm \_EVEKEO (amphetamine) QUILLIVANT XR (methylphenidate hcl) RITALIN LA (methylphenidate hcl)

#### Diagnosis Code Must Be Submitted on: Claim 🗸

ICD 40 Description

ADDERALL XR (dextroamphetamine/amphetamine) ADZENYS XR-ODT (amphetamine) CONCERTA (methylphenidate hcl) DAYTRANA (methylphenidate hcl) DYANAVEL XR (amphetamine) FOCALIN (dexmethylphenidate hcl) METADATE ER (methylphenidate hcl) methylphenidate er (Example brand: METHYLIN) methylphenidate hcl (Example brand: METHYLIN) methylphenidate hcl er (Example brand: METHYLIN CHEW methylphenidate hcl er (Example brand: METADATE CD MYDAYIS (dextroamphetamine/amphetamine) PROCENTRA (dextroamphetamine sulfate) RITALIN (methylphenidate hcl) ZENZEDI (dextroamphetamine sulfate)

Prior Authorization Request

ICD-10	Description
F900	Attention-deficit hyperactivity disorder, predominantly inattentive type
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type
F902	Attention-deficit hyperactivity disorder, combined type
F908	Attention-deficit hyperactivity disorder, other type
F909	Attention-deficit hyperactivity disorder, unspecified type
G47411	Narcolepsy with cataplexy
G47419	Narcolepsy without cataplexy

### Diagnosis Restricted Drugs

Effective: 7/1/2018

### Stimulants, Vyvanse

PA required for the treatment of Binge Eating Disorder (BED). Use Sec VI of the PA/DGA (Refer to topic #15937) https://www.forwardhealth.wi.gov/WIPortal/Online%20Handbooks/Display/tabid/152/Default.aspx

#### Products

VYVANSE (lisdexamfetamine dimesylate)

VYVANSE CHEWABLE (lisdexamfetamine dimesylate)

Diagnosis Code Must Be Submitted on:	Claim 🖌	Prior Authorization Request
--------------------------------------	---------	-----------------------------

ICD-10	Description
F900	Attention-deficit hyperactivity disorder, predominantly inattentive type
F901	Attention-deficit hyperactivity disorder, predominantly hyperactive type
F902	Attention-deficit hyperactivity disorder, combined type
F908	Attention-deficit hyperactivity disorder, other type
F909	Attention-deficit hyperactivity disorder, unspecified type
G47411	Narcolepsy with cataplexy
G47419	Narcolepsy without cataplexy

### Vitamins, Renal

#### Products

DIALYVITE (folic acid combination) DIALYVITE 800 WITH IRON (fe fumarate combinations) FOLBEE PLUS (folic acid combination) HEMATINIC PLUS (iron combinations) NEPHRON FA (fe fumarate combinations) PdCIm \_VOL-CARE R (vitamin b complex) RENA-VITE RX (vitamin b complex) TRIPHROCAPS (vitamin b complex) VP-VITE RX (vitamin b complex) DIALYVITE 3000 (folic acid combination) FERROCITE PLUS (iron combinations) FOLBEE PLUS CZ (folic acid combination) HEMOCYTE PLUS (fe fumarate combinations) NEPHRO-VITE RX (vitamin b complex) RENAL CAPS (vitamin b complex) RENO CAPS (vitamin b complex) VIRT-CAPS (vitamin b complex)

Diagnosis Code Must Be Submitted on: Claim 🖌 Prio

Prior Authorization Request

ICD-10	Description
N181	Chronic kidney disease, Stage 1
N182	Chronic kidney disease, Stage 2 (mild)
N183	Chronic kidney disease, Stage 3 (moderate)
N184	Chronic kidney disease, Stage 4 (severe)
N185	Chronic kidney disease, Stage 5
N186	End stage renal disease
N189	Chronic kidney disease, unspecified
N250	Renal osteodystrophy
N251	Nephrogenic diabetes insipidus
N2581	Secondary hyperparathyroidism of renal origin
N2589	Other disorders resulting from impaired renal tubular function
N259	Disorder resulting from impaired renal tubular function, unspecified