### **Diagnosis Restricted Drugs**

The table below includes a list of drugs that are diagnosis-restricted for pharmacy compound and non-compound claims. This table specifies if the diagnosis must be indicated on the claim, prior authorization (PA) request, or both. See the link below for physician-administered diagnosis restrictions.

If the prescriber writes a prescription with a diagnosis outside the ForwardHealth-allowed diagnoses for a drug, the prescriber is required to submit peer-reviewed medical literature to support the proven efficacy and safety of the requested use of the drug. Documentation of previous treatments and detailed reasons why other covered drug treatments were discontinued or not utilized are required. Medical records should be provided as necessary to support the PA request. This information should be documented on the Prior Authorization/Drug Attachment (PA/DGA), F- 11049 (10/13), in Section V (Clinical Information for Diagnosis-Restricted Drug Requests).

When completing the PA/DGA, prescribers should provide the diagnosis code and description, complete Section V, and use Section VIII (Additional Information), if needed. Prescribers are reminded to provide a handwritten signature and date on the form before submitting it to the pharmacy provider where the prescription will be filled. The pharmacy provider is required to complete a Prior Authorization Request Form (PA/RF), F- 11018 (05/13), before submitting the forms and supporting documentation to ForwardHealth. Prescribers should not submit PA forms to ForwardHealth.

As a reminder, prescribers and pharmacy providers are required to retain a completed copy of the PA form(s).

For additional information about diagnosis-restricted drug policy, providers may refer to the ForwardHealth Online Handbook Topic #4403, 15537, and 15937:

https://www.forwardhealth.wi.gov/wiportal/subsystem/kw/display.aspx

Physician Administered diagnosis restrictions can be found at:

https://www.forwardhealth.wi.gov/WIPortal/Tab/42/icscontent/Provider/medicaid/physician/data\_tables/index.htm.spage

## Diagnosis Restricted Drugs

Effective: 10/1/2022

## Alzheimer's Agents

	cts	d.,	ra	D.
	cte	du	rn	D.

NAMENDA XR (memantine hcl)

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓

#### ICD-10 Description

F0150	Vascular dementia without behavioral disturbance
F0151	Vascular denentia with behavioral disturbance
G300	Alzheimer's disease with early onset
G301	Alzheimer's disease with late onset
G308	Other alzheimer's disease
G309	Alzheimer's disease, unspecified

## Antibiotics, Inhaled

#### **Products**

ARIKAYCE (amikacin liposomal)

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓

#### ICD-10 Description

A310	Pulmonary mycobacterial infection
A312	Disseminated mycobacterium avium-intracellulare complex (DMAC)

# Diagnosis Restricted Drugs

## Anticonvulsants

ACOMIT (stiri	pentol)			
Diagnos	sis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-10	Description			
G40833	Dravet Syndrome, Intractable, with	n status Epileptic	us	
G40834	Dravet Syndrome, Intractable, with	nout status Epiler	oticus	
oducts				
PIDIOLEX (car	nnabidiol)			
Diagnos	sis Code Must Be Submitted on:	Claim 🗌	Prior Authorization Request 🗸	
ICD-10	Description		_	
G40811	Lennox-Gastaut syndrome, not int	ractable, with sta	atus epilepticus	
G40812	Lennox-Gastaut syndrome, not int			
G40813	Lennox-Gastaut syndrome, intract			
G40814	Lennox-Gastaut syndrome, intract			
G40833	Dravet Syndrome, Intractable, with			
G40834	Dravet Syndrome, Intractable, with			
Q851  oducts  ANZEL (rufinal	Tuberous Sclerosis mide)			
oducts ANZEL (rufinal		Claim <b>√</b>	Prior Authorization Request <b>√</b>	
oducts ANZEL (rufinal	mide) sis Code Must Be Submitted on: Description			
oducts ANZEL (rufinal Diagnos ICD-10 G40811	mide) sis Code Must Be Submitted on: Description Lennox-Gastaut syndrome, not int	ractable, with sta	itus epilepticus	
oducts  ANZEL (rufinal  Diagnos  ICD-10  G40811  G40812	mide) sis Code Must Be Submitted on: Description Lennox-Gastaut syndrome, not int Lennox-Gastaut syndrome, not int	ractable, with sta	atus epilepticus status epilepticus	
oducts  NZEL (rufinal  Diagnos  ICD-10  G40811  G40812  G40813	mide) sis Code Must Be Submitted on: Description Lennox-Gastaut syndrome, not int Lennox-Gastaut syndrome, intract	ractable, with sta ractable, without able, with status	atus epilepticus status epilepticus epilepticus	
oducts  ANZEL (rufinal  Diagnos  ICD-10  G40811  G40812	mide) sis Code Must Be Submitted on: Description Lennox-Gastaut syndrome, not int Lennox-Gastaut syndrome, intract	ractable, with sta ractable, without able, with status	atus epilepticus status epilepticus epilepticus	
oducts  NZEL (rufinal  Diagnos  ICD-10  G40811  G40812  G40813	mide) sis Code Must Be Submitted on: Description Lennox-Gastaut syndrome, not int Lennox-Gastaut syndrome, intract	ractable, with sta ractable, without able, with status	atus epilepticus status epilepticus epilepticus	
Diagnos ICD-10 G40811 G40812 G40814 oducts	mide)  Sis Code Must Be Submitted on:  Description  Lennox-Gastaut syndrome, not int Lennox-Gastaut syndrome, intract Lennox-Gastaut syndrome, intract	ractable, with sta ractable, without able, with status	atus epilepticus status epilepticus epilepticus	
Diagnos ICD-10 G40811 G40812 G40813 G40814	mide)  Sis Code Must Be Submitted on:  Description  Lennox-Gastaut syndrome, not int Lennox-Gastaut syndrome, intract Lennox-Gastaut syndrome, intract	ractable, with sta ractable, without able, with status	atus epilepticus status epilepticus epilepticus	
oducts  NZEL (rufinal  Diagnos  ICD-10  G40811  G40812  G40813  G40814  oducts  NTEPLA (fenf	mide) sis Code Must Be Submitted on:  Description Lennox-Gastaut syndrome, not int Lennox-Gastaut syndrome, intract Lennox-Gastaut syndrome, intract Lennox-Gastaut syndrome, intract	ractable, with sta ractable, without able, with status able, without stat	status epilepticus status epilepticus epilepticus tus epilepticus	
Diagnos ICD-10 G40811 G40812 G40814 Oducts NTEPLA (fenf	mide)  Sis Code Must Be Submitted on:  Description  Lennox-Gastaut syndrome, not int Lennox-Gastaut syndrome, intract Lennox-Gastaut syndrome, intract Lennox-Gastaut syndrome, intract luramine)  Sis Code Must Be Submitted on:	ractable, with sta ractable, without able, with status	atus epilepticus status epilepticus epilepticus	
oducts  NZEL (rufinal  Diagnos  ICD-10  G40811  G40812  G40814  oducts  NTEPLA (fenf  Diagnos  ICD-10	mide) sis Code Must Be Submitted on:  Description Lennox-Gastaut syndrome, not int Lennox-Gastaut syndrome, intract Lennox-Gastaut syndrome, intract Lennox-Gastaut syndrome, intract luramine) sis Code Must Be Submitted on: Description	ractable, with staractable, with status able, without status able, without status able with status able with status able with status able without status able with status	status epilepticus status epilepticus epilepticus tus epilepticus  Prior Authorization Request	
oducts  Diagnos ICD-10 G40811 G40812 G40813 G40814  oducts  NTEPLA (fenf  Diagnos ICD-10 G40811	mide)  Sis Code Must Be Submitted on:  Description  Lennox-Gastaut syndrome, not int Lennox-Gastaut syndrome, intract Lennox-Gastaut syndrome, intract Lennox-Gastaut syndrome, intract  luramine)  Sis Code Must Be Submitted on:  Description  Lennox-Gastaut syndrome, not int	ractable, with staractable, with status able, without status able, with status able, wi	status epilepticus status epilepticus epilepticus tus epilepticus  Prior Authorization Request	
Diagnos ICD-10 G40811 G40813 G40814 Oducts NTEPLA (fenf Diagnos ICD-10 G40811 G40811	mide)  Sis Code Must Be Submitted on:  Description  Lennox-Gastaut syndrome, not int Lennox-Gastaut syndrome, intract Lennox-Gastaut syndrome, intract Lennox-Gastaut syndrome, intract  luramine)  Sis Code Must Be Submitted on:  Description  Lennox-Gastaut syndrome, not int Lennox-Gastaut syndrome, not int	ractable, with staractable, with status able, without starable, without starable, without staractable, with staractable, without staractable, without	etus epilepticus status epilepticus epilepticus tus epilepticus  Prior Authorization Request  etus epilepticus status epilepticus status epilepticus	
Diagnos  ICD-10  G40811  G40813  G40814  Oducts  NTEPLA (fenf  Diagnos  ICD-10  G40811  G40812  G40813	mide)  Sis Code Must Be Submitted on:  Description  Lennox-Gastaut syndrome, not int Lennox-Gastaut syndrome, intract Lennox-Gastaut syndrome, intract Lennox-Gastaut syndrome, intract  luramine)  Sis Code Must Be Submitted on:  Description  Lennox-Gastaut syndrome, not int Lennox-Gastaut syndrome, not int Lennox-Gastaut syndrome, not int Lennox-Gastaut syndrome, intract	ractable, with staractable, with status able, without status able, without status able, without status actable, with staractable, without able, with status	epilepticus status epilepticus epilepticus tus epilepticus  Prior Authorization Request  status epilepticus epilepticus epilepticus epilepticus epilepticus	
Diagnos ICD-10 G40811 G40812 G40814 Oducts NTEPLA (fenf Diagnos ICD-10 G40811 G40812 G40813 G40814	mide)  Sis Code Must Be Submitted on:  Description  Lennox-Gastaut syndrome, not int Lennox-Gastaut syndrome, intract Lennox-Gastaut syndrome, intract Lennox-Gastaut syndrome, intract  Luramine)  Sis Code Must Be Submitted on:  Description  Lennox-Gastaut syndrome, not int Lennox-Gastaut syndrome, not int Lennox-Gastaut syndrome, intract Lennox-Gastaut syndrome, intract Lennox-Gastaut syndrome, intract	ractable, with staractable, with status able, without staractable, without staractable, without able, with staractable, without able, without able, without able, without staractable, without staract	epilepticus status epilepticus epilepticus tus epilepticus  Prior Authorization Request  status epilepticus status epilepticus epilepticus status epilepticus epilepticus tus epilepticus tus epilepticus	
Diagnos  ICD-10  G40811  G40813  G40814  Oducts  NTEPLA (fenf  Diagnos  ICD-10  G40811  G40812  G40813	bis Code Must Be Submitted on:  Description  Lennox-Gastaut syndrome, not int Lennox-Gastaut syndrome, intract Lennox-Gastaut syndrome, intract Lennox-Gastaut syndrome, intract Lennox-Gastaut syndrome, intract  Description  Lennox-Gastaut syndrome, not int Lennox-Gastaut syndrome, not int Lennox-Gastaut syndrome, intract	ractable, with staractable, without able, without starable, without staractable, without able, with staractable, without able, without staractable, without	etus epilepticus status epilepticus epilepticus tus epilepticus  Prior Authorization Request  etus epilepticus status epilepticus status epilepticus epilepticus tus epilepticus tus epilepticus tus epilepticus	

SYMPAZAN (clobazam)

# Diagnosis Restricted Drugs

## Anticonvulsants

ICD-10	Description
G40811	Lennox-Gastaut syndrome, not intractable, with status epilepticus
G40812	Lennox-Gastaut syndrome, not intractable, without status epilepticus
G40813	Lennox-Gastaut syndrome, intractable, with status epilepticus
G40814	Lennox-Gastaut syndrome, intractable, without status epilepticus
Products	stic and Premalignant Lesion Agent, Topical
liclofenac sodiu	m 3% gel (Example brand: SOLARAZE)
iololollao soala	m o /v gor (Example brand. Goe) if v tee/
Diagnos	is Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐
ICD 10	Description
ICD-10	Description  [Actinic Keratosis
ICD-10 L570	Description Actinic Keratosis
L570	Actinic Keratosis
	Actinic Keratosis
L570 ntiviral Ag	Actinic Keratosis
L570	Actinic Keratosis
L570 ntiviral Ag	Actinic Keratosis  ents
L570  Ativiral Ag	Actinic Keratosis  ents
L570  Itiviral Ag  Products  LIVTENCITY (ma	Actinic Keratosis  ents
L570  Itiviral Ag  Products  LIVTENCITY (ma	Actinic Keratosis  ents  aribavir)
L570  Ativiral Ag  Products  IVTENCITY (m.	Actinic Keratosis  ents  aribavir)  sis Code Must Be Submitted on: Claim Prior Authorization Request
L570  Itiviral Ag  Products  LIVTENCITY (m.  Diagnos  ICD-10	Actinic Keratosis  ents  aribavir)  iis Code Must Be Submitted on: Claim  Prior Authorization Request  Description
L570  Products  LIVTENCITY (management)  ICD-10  B250	Actinic Keratosis  ents  aribavir)  iis Code Must Be Submitted on: Claim Prior Authorization Request Description  Cytomegaloviral disease pneumonitis
L570  Itiviral Ag  Products  IVTENCITY (management)  ICD-10  B250 B251	Actinic Keratosis  ents  aribavir)  is Code Must Be Submitted on: Claim Prior Authorization Request Description  Cytomegaloviral disease pneumonitis  Cytomegaloviral disease hepatitis

# Diagnosis Restricted Drugs

# Central Nervous System Agents, Miscellaneous

Products			
RILUTEK (riluzo	le)		
Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
ICD-10	Description		
G1221	Amyotrophic lateral sclerosis		
Products	•		
NUEDEXTA (de	xtromethorphan hbr/quinidine)		
Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
ICD-10	Description		
F482	Pseudobulbar affect		
Products BRONCHITOL (	mannitol)	Olaina 🗔	Drive Authorization Downert
Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
ICD-10	Description		
E840	Cystic Fibrosis with Pulmonary Ma	nifestations	
E8411	Meconium Ileus in Cystic Fibrosis		
E8419	Cystic Fibrosis with Other Intestina		
E848	Cystic Fibrosis with Other Manifest	tations	
F849	Cystic Fibrosis Unspecified		

# Diagnosis Restricted Drugs

# Gamma Aminobutyric Acid Class

Produ	ıcts	
HORIZ	ZANT (gaba	pentin enacarbil)
	Diagnosis	s Code Must Be Submitted on: Claim Prior Authorization Request
	ICD-10	Description
	B0221	Postherpetic geniculate ganglionitis
	B0222	Postherpetic trigeminal neuralgia
	B0223	Postherpetic polyneuropathy
	B0224	Postherpetic myelitis
	B0229	Other postherpetic nervous system involvement
	G2581	Restless legs syndrome
Produ	ıcts	<del>-</del>
GRAL	ISE (gabap	entin)
	Diagnosis	s Code Must Be Submitted on: Claim ☐ Prior Authorization Request ✔
	ICD-10	Description
	B0221	Postherpetic geniculate ganglionitis
	B0222	Postherpetic trigeminal neuralgia
	B0223	Postherpetic polyneuropathy
	B0224	Postherpetic myelitis
	B0229	Other postherpetic nervous system involvement
Produ	strophy icts EPT (metre	
	Diagnosis	s Code Must Be Submitted on: Claim 🗸 Prior Authorization Request 🗌
	ICD-10	Description
	E881	Lipodystrophy, not elsewhere classified
Produ	ıcts	
EGRIF	TA SV (tes	amorelin)
	Diagnosis	s Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗌
	Both diagr	nosis codes required or see below
	ICD-10	Description
	B20	Human immunodeficiency virus [HIV] Disease
	E881	Lipodystrophy, not elsewhere classified
	Or an alte	rnative combination of codes
	ICD-10	Description
	B9735	Human immunodeficiency virus, Type 2 [HIV 2] as the cause of diseases classified elsewhere
	E881	Lipodystrophy, not elsewhere classified

# Diagnosis Restricted Drugs

Lipodos	es				
Products					
CERDELG	SA (eliç	glustat tartrate)		ZAVESCA (miglustat)	
Dia	agnosi	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICI	D-10	Description			
E7:	522	Gaucher disease			
Lysoson	nal	Storage Disorder			
Products		-			
GALAFOL	D (mig	galastat)			
Dia	agnosi	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICI	D-10	Description			
E7:	521	Fabry (-Anderson) Disease			
Products					
AUSTEDO	(deut	etrabenazine)			
Dia	agnosi	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICI	D-10	Description			
G1	0	Huntington's Disease			
G2	2401	Drug Induced Subacute Dyskinesia			
G2	402	Other induced Acute Dystonia			
G2	2409	Other Drug Induced Dystonia			
Products					
INGREZZA	ا (valb	enazine)		INGREZZA INITIATION PACK (valbenazine)	
Dia	agnosi	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICI	D-10	Description			_
	401	Drug Induced Subacute Dyskinesia			
<u> </u>	402	Drug Induced Acute Dystonia			
G2	2409	Other Drug Induced Dystonia			j
Products					
XENAZINE	E (tetra	abenazine)			
Dia	agnosi	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICI	D-10	Description			
G1	0	HUNTINGTON'S DISEASE			ı

# Diagnosis Restricted Drugs Effective: 10/1/2022

_  

## Diagnosis Restricted Drugs

Effective: 10/1/2022

# Opioid Dependency - Buprenorphine

ouprenor	rphine ho	cl (Example brand: SUBUTEX)		buprenorphine-naloxone (Example brand: SUBOXONI
SUBLOC	CADE (bu	uprenorphine)		SUBOXONE (buprenorphine hcl/naloxone)
ZUBSOL	V (bupre	enorphine hcl/naloxone)		
D	Diagnosi	s Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request 🗸
IC	CD-10	Description		
F	1120	Opioid dependence, uncomplicated		
F	1120	Opioid dependence, uncomplicated		
F	1121	Opioid dependence, in remission		
F	1124	Opioid dependence with opioid-indu	ced mood disc	rder
F	11250	Opioid dependence with opioid-indu	ced psychotic	disorder with delusions
F	11251	Opioid dependence with opioid-indu	ced psychotic	disorder with hallucinations
F	11259	Opioid dependence with opioid-indu	ced psychotic	disorder, unspecified
F	11281	Opioid dependence with opioid-indu	ced sexual dys	function
F	11282	Opioid dependence with opioid-indu	ced sleep diso	rder
F	11288	Opioid dependence with other opioid	l-induced diso	der
<u> </u>	1129	Opioid dependence with unspecified	opioid-induce	d disorder

# Opioid Dependency Agents - Methadone

Prod	ucts		
DISK	ETS 40 MG	G TABLET DISPR (methadone hcl)  METHADONE INTENSOL 10 MG/ML (methadone hcl)	done hcl)
METHADOSE 10 MG/ML ORAL CONC (methadone hcl)		10 MG/ML ORAL CONC (methadone hcl) METHADOSE 40 MG TABLET DISPR (metha	done hcl)
	Diagnosi	sis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request 🗌	
	ICD-10	Description	
	F1120	Opioid dependence, uncomplicated	
	F1121	Opioid dependence, in remission	
	F1124	Opioid dependence with opioid-induced mood disorder	
	F11250	Opioid dependence with opioid-induced psychotic disorder with delusions	
	F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations	
	F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified	
	F11281	Opioid dependence with opioid-induced sexual dysfunction	
	F11282	Opioid dependence with opioid-induced sleep disorder	
	F11288	Opioid dependence with other opioid-induced disorder	
	F1129	Opioid dependence with unspecified opioid-induced disorder	ヿ

## Diagnosis Restricted Drugs

# Opioid Dependency and Alcohol Abuse/Dependency Agents

ne hcl (E	xample brand: REVIA) VIVITROL (naltrexone microsphere:
Diagnosi	is Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗌
ICD-10	Description
F1010	Alcohol abuse, uncomplicated
F1011	Alcohol abuse, uncomplicated
F1014	Alcohol abuse with alcohol-induced mood disorder
F10150	Alcohol abuse with alcohol-induced psychotic disorder with delusions
F10151	Alcohol abuse with alcohol-induced psychotic disorder with hallucinations
F10159	Alcohol abuse with alcohol-induced psychotic disorder, unspecified
F10180	Alcohol abuse with alcohol-induced anxiety disorder
F10181	Alcohol abuse with alcohol-induced sexual dysfunction
F10182	Alcohol abuse with alcohol-induced sleep disorder
F10188	Alcohol abuse with other alcohol-induced disorder
F1019	Alcohol abuse with unspecified alcohol-induced disorder
F1020	Alcohol dependence, uncomplicated
F1021	Alcohol dependence, in remission
1024	Alcohol dependence with alcohol-induced mood disorder
10250	Alcohol dependence with alcohol-induced psychotic disorder with delusions
10251	Alcohol dependence with alcohol-induced psychotic disorder with hallucinations
10259	Alcohol dependence with alcohol-induced psychotic disorder, unspecified
1026	Alcohol dependence with alcohol-induced persisting amnestic disorder
1027	Alcohol dependence with alcohol-induced persisting dementia
10280	Alcohol dependence with alcohol-induced anxiety disorder
-10281	Alcohol dependence with alcohol-induced sexual dysfunction
10282	Alcohol dependence with alcohol-induced sleep disorder
10288	Alcohol dependence with other alcohol-induced disorder
1029	Alcohol dependence with unspecified alcohol-induced disorder
-1094	Alcohol use, unspecified with alcohol-induced mood disorder
10950	Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions
-10951	Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations
10959	Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified
1096	Alcohol use, unspecified with alcohol-induced persisting amnestic disorder
1097	Alcohol use, unspecified with alcohol-induced persisting dementia
10980	Alcohol use, unspecified with alcohol-induced anxiety disorder
10981	Alcohol use, unspecified with alcohol-induced sexual dysfunction
10982	Alcohol use, unspecified with alcohol-induced sleep disorder
10988	Alcohol use, unspecified with other alcohol-induced disorder
1099	Alcohol use, unspecified with unspecified alcohol-induced disorder
-1120	Opioid dependence, uncomplicated
-1121	Opioid dependence, in remission
1124	Opioid dependence with opioid-induced mood disorder
11250	Opioid dependence with opioid-induced psychotic disorder with delusions
11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations
11259	Opioid dependence with opioid-induced psychotic disorder, unspecified
1281	Opioid dependence with opioid-induced sexual dysfunction

## Diagnosis Restricted Drugs

## Opioid Dependency and Alcohol Abuse/Dependency Agents

Ī	F11282	Opioid dependence with opioid-induced sleep disorder
ĺ	F11288	Opioid dependence with other opioid-induced disorder
ĺ	F1129	Opioid dependence with unspecified opioid-induced disorder

### Peptic Ulcer

#### **Products**

DARTISLA (glycopyrrolate)

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐

#### ICD-10 Description

K270	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH HEMORRHAGE
K271	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH PERFORATION
K272	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH BOTH HEMORRHAGE AND PERFORATION
K273	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITHOUT HEMORRHAGE OR PERFORATION
K274	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH HEMORRHAGE
K275	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH PERFORATION
K276	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH BOTH HEMORRHAGE AND PER
K277	CHRONIC PEPTIC ULCER, SITE UNSPECIFIED, WITHOUT HEMORRHAGE OR PERFORATION
K279	PEPTIC ULCER, SITE UNSPECIFIED, UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT HEMORRHAGE

## **Progestational Agent**

O09299

O26872

## Products

Claim 🗸

CRINONE 8% GEL (progesterone)

Diagnosis Code Must Be Submitted on:

	<del>-</del>
ICD-10	Description
O09211	Supervision of pregnancy with history of pre-term labor, first trimester
O09212	Supervision of pregnancy with history of pre-term labor, second trimester
O09213	Supervision of pregnancy with history of pre-term labor, third trimester
O09219	Supervision of pregnancy with history of pre-term labor, unspecified trimester
O09291	Supervision of pregnancy with other poor reproductive or obstetric history, first trimester
O09292	Supervision of pregnancy with other poor reproductive or obstetric history, second trimester
009293	Supervision of pregnancy with other poor reproductive or obstetric history, third trimester

Supervision of pregnancy with other poor reproductive or obstetric history, unspecified trimester

Prior Authorization Request

O26873 Cervical shortening, third trimester
O26879 Cervical shortening, unspecified trimester

Cervical shortening, second trimester

# Diagnosis Restricted Drugs

# Pulmonary Anti-Hypertensive Agents

OCIRCA (tada	afil)		ALYQ (tadalafil)	
EVATIO (silde	,		TADLIQ (tadalafil)	
Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-10	Description			
1270	Primary pulmonary hypertension			
12720	Pulmonary hypertension, unspecif	fied		
12721	Secondary pulmonary arterial hyp	ertension		
12722	Pulmonary hypertension due to le	ft heart disease		
12723	Pulmonary hypertension Due to Li	ung Diseases and	d hypoxia	
12724	Chronic thromboembolic pulmona	ry hypertension		
12729	Other secondary pulmonary hyper	tension		
12783	Eisenmenger's syndrome			
12783	Eisenmenger's syndrome			
monary	Fibrosis Agents			
oducts				
roducts SBRIET (pirfer		Claim <b>√</b>	Prior Authorization Request	
roducts SBRIET (pirfer	idone)	Claim <b>√</b>	Prior Authorization Request	

# Diagnosis Restricted Drugs

# **Smoking Cessation**

F909

Attention-deficit hyperactivity disorder, unspecified type

Products		
bupropion hcl sr	150 mg tablet (Example brand: ZYBAN)	CHANTIX (varenicline tartrate)
nicotine gum (Ex	cample brand: NICORETTE)	nicotine lozenge (Example brand: NICORETTE)
nicotine lozenge	(Example brand: NICOTINE)	nicotine patch (Example brand: CVS NICOTINE
nicotine patch (E	Example brand: NICOTINE)	NICOTROL (nicotine)
NICOTROL NS	(nicotine)	,
Diagnos	is Code Must Be Submitted on: Claim 🔽	Prior Authorization Request
ICD-10	Description	
F17200	Nicotine dependence, unspecified, uncomplicated	
F17201	Nicotine dependence, unspecified, in remission	
F17203	Nicotine dependence unspecified, with withdrawal	
F17208	Nicotine dependence, unspecified, with other nicotine-i	nduced disorders
F17209	Nicotine dependence, unspecified, with unspecified nic	otine-induced disorders
F17210	Nicotine dependence, cigarettes, uncomplicated	
F17211	Nicotine dependence, cigarettes, in remission	
F17213	Nicotine dependence, cigarettes, with withdrawal	
F17218	Nicotine dependence, cigarettes, with other nicotine-inc	duced disorders
F17219	Nicotine dependence, cigarettes, with unspecified nico	tine-induced disorders
F17220	Nicotine dependence, chewing tobacco, uncomplicated	i
F17221	Nicotine dependence, chewing tobacco, in remission	
F17223	Nicotine dependence, chewing tobacco, with withdrawa	al
F17228	Nicotine dependence, chewing tobacco, with other nico	
F17229	Nicotine dependence, chewing tobacco, with unspecifie	ed nicotine-induced disorders
F17290	Nicotine dependence, other tobacco product, uncompli	
F17291	Nicotine dependence, other tobacco product, in remiss	
F17293	Nicotine dependence, other tobacco product, with with	
F17298	Nicotine dependence, other tobacco product, with othe	
F17299	Nicotine dependence, other tobacco product, with unsp	
Z720	Tobacco use	
	1.054000 400	
imulants,	Desoxyn	
Products		
DESOXYN (met	hamphetamine hcl)	
Diagnos	is Code Must Be Submitted on: Claim 🗹 🛚 I	Prior Authorization Request 🗸
ICD-10	Description	
F900	Attention-deficit hyperactivity disorder, predominantly in	nattentive type
F901	Attention-deficit hyperactivity disorder, predominantly h	yperactive type
F902	Attention-deficit hyperactivity disorder, combined type	
F908	Attention-deficit hyperactivity disorder, other type	

## Diagnosis Restricted Drugs

# Stimulants, Excluding Desoxyn and Vyvanse

G47419

Narcolepsy without cataplexy

ADDERALL (dexi	troamphetamine/amphetamine)	ADDERALL XR (dextroamphetamine/amphetamine)
ADHANSIA XR (r	. ,	ADZENYS ER (amphetamine)
,	DT (amphetamine)	APTENSIO XR (methylphenidate hcl)
	lexmethylphenidate/dexmethylphenidate)	CONCERTA (methylphenidate hcl)
,	ODT (methylphenidate)	DAYTRANA (methylphenidate hcl)
	xtroamphetamine sulfate)	DYANAVEL XR (amphetamine)
•	2.5 (amphetamine)	EVEKEO (amphetamine)
FOCALIN (dexme	ethylphenidate hcl)	FOCALIN XR (dexmethylphenidate hcl)
JORNAY PM (me	ethylphenidate er)	METHYLIN (methylphenidate hcl)
methylphenidate	er (Example brand: METADATE ER)	methylphenidate er (Example brand: METHYLIN)
• •	hcl (Example brand: METHYLIN CHEW)	methylphenidate hcl cd (Example brand: METADATE
• •	hcl er (cd) (Example brand: METADATE CD)	methylphenidate la (Example brand: RITALIN LA)
• •	pamphetamine/amphetamine)	PROCENTRA (dextroamphetamine sulfate)
•	(methylphenidate hcl)	RELEXXII ER 72 MG TABLET (methylphenidate hcl)
RITALIN (methylp	phenidate hcl)	RITALIN LA (methylphenidate hcl)
ZENZEDI (dextro	amphetamine sulfate)	
Diagnosi	s Code Must Be Submitted on: Claim ✓	Prior Authorization Request ✓
ICD-10	Description State of the state	Tion Addition Request
F900	Attention-deficit hyperactivity disorder, predominar	atly inattentive type
F901	Attention-deficit hyperactivity disorder, predominar	
F902	Attention-deficit hyperactivity disorder, predominar Attention-deficit hyperactivity disorder, combined ty	7 71
F908	Attention-deficit hyperactivity disorder, other type	,,,,,
F909	Attention-deficit hyperactivity disorder, unspecified	tyne
G47411	Narcolepsy with cataplexy	1950
G47419	Narcolepsy without cataplexy	
047413	reareotepsy without catapiexy	
timulants,	Vyvanse	
Products		
	camfetamine dimesylate)	VYVANSE CHEWABLE (lisdexamfetamine dimesylate
VYVANSE (lisde)		
	s Code Must Be Submitted on: Claim 📝	Prior Authorization Request
	s Code Must Be Submitted on: Claim 🗸	Prior Authorization Request
Diagnosi		Prior Authorization Request
Diagnosi	Description	
Diagnosi ICD-10 F5081	Description Binge Eating Disorder	itly inattentive type
Diagnosi ICD-10 F5081 F900	Description Binge Eating Disorder Attention-deficit hyperactivity disorder, predominar	ntly inattentive type
Diagnosi ICD-10 F5081 F900 F901	Description Binge Eating Disorder Attention-deficit hyperactivity disorder, predominar Attention-deficit hyperactivity disorder, predominar	atly inattentive type
Diagnosi ICD-10 F5081 F900 F901 F902	Description  Binge Eating Disorder  Attention-deficit hyperactivity disorder, predominar  Attention-deficit hyperactivity disorder, predominar  Attention-deficit hyperactivity disorder, combined ty	ntly inattentive type htty hyperactive type http://pe

## Diagnosis Restricted Drugs

## Vitamins, Renal

#### **Products**

DIALYVITE (folic acid combination)

DIALYVITE 800 WITH IRON (fe fumarate combinations)

FOLBEE PLUS (folic acid combination)

HEMATINIC PLUS (iron combinations)

RENAL CAPS (vitamin b complex)

TRIPHROCAPS (vitamin b complex)

VP-VITE RX (vitamin b complex)

DIALYVITE 3000 (folic acid combination)
FERROCITE PLUS (iron combinations)
FOLBEE PLUS CZ (folic acid combination)
NEPHRO-VITE RX (vitamin b complex)
RENA-VITE RX (vitamin b complex)
VIRT-CAPS (vitamin b complex)
WESCAPS (vitamin b complex)

Effective: 10/1/2022

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐

#### ICD-10 Description

100-10	Description
N181	Chronic kidney disease, Stage 1
N182	Chronic kidney disease, Stage 2 (mild)
N1830	Chronic kidney disease, stage 3 unspecified
N1831	Chronic kidney disease, stage 3A
N1832	Chronic kidney disease, stage 3B
N184	Chronic kidney disease, Stage 4 (severe)
N185	Chronic kidney disease, Stage 5
N186	End stage renal disease
N189	Chronic kidney disease, unspecified
N250	Renal osteodystrophy
N251	Nephrogenic diabetes insipidus
N2581	Secondary hyperparathyroidism of renal origin
N2589	Other disorders resulting from impaired renal tubular function
N259	Disorder resulting from impaired renal tubular function, unspecified