#### **Diagnosis Restricted Drugs**

The table below includes a list of drugs that are diagnosis-restricted for pharmacy compound and non-compound claims. This table specifies if the diagnosis must be indicated on the claim, prior authorization (PA) request, or both. See the link below for physician-administered diagnosis restrictions.

If the prescriber writes a prescription with a diagnosis outside the ForwardHealth-allowed diagnoses for a drug, the prescriber is required to submit peer-reviewed medical literature to support the proven efficacy and safety of the requested use of the drug. Documentation of previous treatments and detailed reasons why other covered drug treatments were discontinued or not utilized are required. Medical records should be provided as necessary to support the PA request. This information should be documented on the Prior Authorization/Drug Attachment (PA/DGA), F- 11049 (10/13), in Section V (Clinical Information for Diagnosis-Restricted Drug Requests).

When completing the PA/DGA, prescribers should provide the diagnosis code and description, complete Section V, and use Section VIII (Additional Information), if needed. Prescribers are reminded to provide a handwritten signature and date on the form before submitting it to the pharmacy provider where the prescription will be filled. The pharmacy provider is required to complete a Prior Authorization Request Form (PA/RF), F- 11018 (05/13), before submitting the forms and supporting documentation to ForwardHealth. Prescribers should not submit PA forms to ForwardHealth.

As a reminder, prescribers and pharmacy providers are required to retain a completed copy of the PA form(s).

For additional information about diagnosis-restricted drug policy, providers may refer to the ForwardHealth Online Handbook Topic #4403, 15537, and 15937:

https://www.forwardhealth.wi.gov/wiportal/subsystem/kw/display.aspx

Physician Administered diagnosis restrictions can be found at:

https://www.forwardhealth.wi.gov/WIPortal/Tab/42/icscontent/Provider/medicaid/physician/data\_tables/index.htm.spage

### Diagnosis Restricted Drugs

# Alzheimer's Agents

ENDA XR (	(memantine hcl)	
Diagnos	sis Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 📝	
ICD-10	Description	
F0150	Vascular dementia without behavioral disturbance	
F0151	Vascular denentia with behavioral disturbance	
G300	Alzheimer's disease with early onset	
G301	Alzheimer's disease with late onset	
G308	Other alzheimer's disease	

#### Antibiotics, Inhaled

_		4 .
r	ron	lucts

ARIKAYCE (amikacin liposomal)

Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request 🗸
ICD-10	Description		
A310	Pulmonary mycobacterial infection		
A312	Disseminated mycobacterium aviur	n-intracellulare o	complex (DMAC)

# Diagnosis Restricted Drugs

### Anticonvulsants

lucts		
COMIT (stirip	pentol)	
Diagnosi	sis Code Must Be Submitted on: Claim 🕡 Prior Authori	zation Request 🕡
ICD-10	Description	Zadon Noquoot 💽
G40833	Dravet Syndrome, Intractable, with status Epilepticus	
G40834	Dravet Syndrome, Intractable, without status Epilepticus	
lucts		
DIOLEX (can	nnabidiol)	
Diagnosi	sia Cada Must Ba Submitted an	Totion Postucet 🗔
Diagnosi	sis Code Must Be Submitted on: Claim Prior Authori	zation Request 🗸
ICD-10	Description	
G40811	Lennox-Gastaut syndrome, not intractable, with status epilepticus	
G40812		3
G40813		
G40814		
G40833	Dravet Syndrome, Intractable, with status Epilepticus	
G40834	Dravet Syndrome, Intractable, without status Epilepticus	
Q851	Dravet Syndrome, Intractable, without status Epilepticus Tuberous Sclerosis	
Q851 lucts ZEL (rufinan	Tuberous Sclerosis mide)	zation Request <b>√</b>
Q851  lucts  ZEL (rufinan  Diagnosi	Tuberous Sclerosis  mide) sis Code Must Be Submitted on: Claim  Prior Authorit	zation Request <b>√</b>
Q851  Jucts  ZEL (rufinan  Diagnosi  ICD-10	Tuberous Sclerosis  mide)  sis Code Must Be Submitted on: Claim ✓ Prior Authorit  Description	zation Request <b>√</b>
Q851  lucts  ZEL (rufinan  Diagnosi	Tuberous Sclerosis  mide)  sis Code Must Be Submitted on: Claim  Prior Authoris  Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus	. 5
Q851  Jucts  ZEL (rufinan  Diagnosi  ICD-10  G40811	Tuberous Sclerosis  mide)  sis Code Must Be Submitted on: Claim Prior Authoris  Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus	. 5
Q851  Jucts  ZEL (rufinan  Diagnosi  ICD-10  G40811  G40812	Tuberous Sclerosis  mide)  sis Code Must Be Submitted on: Claim Prior Authoris  Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus	. 2
Q851  Jucts  ZEL (rufinan  Diagnosi  ICD-10  G40811  G40812  G40813	Tuberous Sclerosis  mide)  sis Code Must Be Submitted on: Claim Prior Authoris  Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus	. 5
Q851  Jucts  ZEL (rufinan  Diagnosi  ICD-10  G40811  G40812  G40813  G40814  Jucts	Tuberous Sclerosis  mide)  sis Code Must Be Submitted on: Claim Prior Authoris  Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus	. 5
Q851 Jucts  ZEL (rufinan  Diagnosi ICD-10  G40811  G40812  G40813  G40814	Tuberous Sclerosis  mide)  sis Code Must Be Submitted on: Claim Prior Authoris  Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus	. E
Q851  Jucts  ZEL (rufinan  Diagnosi  ICD-10  G40811  G40812  G40813  G40814  Jucts  TEPLA (fenflu	Tuberous Sclerosis  mide)  sis Code Must Be Submitted on: Claim Prior Authoris  Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus	. 5
Q851  Jucts  ZEL (rufinan  Diagnosi  ICD-10  G40811  G40812  G40813  G40814  Jucts  TEPLA (fenflu	Tuberous Sclerosis  mide)  sis Code Must Be Submitted on: Claim Prior Authoris  Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus	
Q851  Jucts  ZEL (rufinan  Diagnosi  ICD-10  G40811  G40812  G40813  G40814  Jucts  TEPLA (fenflu	Tuberous Sclerosis  mide)  sis Code Must Be Submitted on: Claim Prior Authoris  Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  luramine)  sis Code Must Be Submitted on: Claim Prior Authoric	
Q851  Jucts  ZEL (rufinan  Diagnosi  ICD-10  G40811  G40812  G40813  G40814  Jucts  TEPLA (fenflu  Diagnosi  ICD-10	Tuberous Sclerosis  mide)  sis Code Must Be Submitted on: Claim Prior Authoris  Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus  Lennox-Gastaut syndrome, not intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, with status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  Lennox-Gastaut syndrome, intractable, without status epilepticus  luramine)  sis Code Must Be Submitted on: Claim Prior Authoris  Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus	zation Request <b>√</b>
Q851 Jucts  ZEL (rufinan Diagnosi ICD-10 G40811 G40812 G40813 G40814 Jucts  TEPLA (fenflu Diagnosi ICD-10 G40811	Tuberous Sclerosis  mide)  sis Code Must Be Submitted on: Claim   Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus  luramine)  sis Code Must Be Submitted on: Claim   Prior Authori:  Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus	zation Request <b>√</b>
Q851 Jucts  ZEL (rufinan Diagnosi ICD-10 G40811 G40812 G40814 Jucts  EPLA (fenflu Diagnosi ICD-10 G40811 G40811	Tuberous Sclerosis  mide)  Sis Code Must Be Submitted on: Claim   Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus  Sis Code Must Be Submitted on: Claim   Prior Authoria  Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus	zation Request <b>√</b>
Q851  Jucts  ZEL (rufinan  Diagnosi  ICD-10  G40811  G40812  G40814  Jucts  EPLA (fenflu  Diagnosi  ICD-10  G40811  G40812  G40813	Tuberous Sclerosis  mide)  Sis Code Must Be Submitted on: Claim   Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus  Sis Code Must Be Submitted on: Claim   Prior Authoria  Description  Lennox-Gastaut syndrome, not intractable, with status epilepticus Lennox-Gastaut syndrome, not intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, with status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus Lennox-Gastaut syndrome, intractable, without status epilepticus	zation Request <b>√</b>

#### Diagnosis Restricted Drugs

	Diagr	nosis Resi	tricted Drugs	Effective: 11/1/2023
Anticonvul	sants			
Products				
SYMPAZAN (cl	obazam)			
Diagnos	sis Code Must Be Submitted on:	Claim <b></b> ✓	Prior Authorization Request	
ICD-10	Description			
G40811		tractable with sta	atus epilepticus	
G40812				
G40813	• •			
G40814				
Products	-			
ZTALMY (gana:	xolone)			
Diagno	sis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Reques	
ICD-10	Description			
G4042	Cyclin-Dependent Kinase-Like 5 [	Deficiency Disord	er	
Antineopla:	stic and Premalignan	t Lesion A	agent, Topical	
diclofenac sodiu	um 3% gel (Example brand: SOLARA	ZE)		
Diagnos	sis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Reques	
ICD-10	Description			
L570	Actinic Keratosis			
Antiviral Aç	gents			
	,			
Products				
LIVTENCITY (n	naribavir)			
Diagno	sis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Reques	t 🗀
ICD-10	Description			_
B250	Cytomegaloviral disease pneumo	nitis		

B251

B252

B258

B259

Cytomegaloviral disease hepatitis

Other cytomegaloviral diseases

Cytomegaloviral disease pancreatitis

Cytomegaloviral disease, Unspecified

# Diagnosis Restricted Drugs

# Central Nervous System Agents, Miscellaneous

Diagnos ICD-10 G1221 Products	enylbutyrate) sis Code Must Be Submitted on: Description		RILUTEK (riluzole)	
ICD-10 G1221			MEOTEN (Mazole)	
G1221	Description	Claim 🗸	Prior Authorization Request	
Products	Amyotrophic lateral sclerosis			
	•			
NUEDEXTA (de	extromethorphan hbr/quinidine)			
Diagnos	sis Code Must Be Submitted on:	Claim <b></b> ✓	Prior Authorization Request	
ICD-10	Description	•	• 🗆	
F482	Pseudobulbar affect			
<u> </u>	1			
Products				
BRONCHITOL (	(mannitol)			
	(mannitol)	Claim <b>√</b>	Prior Authorization Request	
	sis Code Must Be Submitted on:		Prior Authorization Request	
Diagnos ICD-10 E840	bis Code Must Be Submitted on:  Description  Cystic Fibrosis with Pulmonary Ma		Prior Authorization Request ☐	
Diagnos ICD-10 E840 E8411	Description  Cystic Fibrosis with Pulmonary Ma  Meconium Ileus in Cystic Fibrosis	nifestations	Prior Authorization Request	
Diagnos ICD-10 E840 E8411 E8419	Description  Cystic Fibrosis with Pulmonary Ma  Meconium Ileus in Cystic Fibrosis  Cystic Fibrosis with Other Intestina	nifestations	Prior Authorization Request	
Diagnos ICD-10 E840 E8411	Description  Cystic Fibrosis with Pulmonary Ma  Meconium Ileus in Cystic Fibrosis	nifestations	Prior Authorization Request	

# Diagnosis Restricted Drugs

# Gamma Aminobutyric Acid Class

Produc	ts	
GRALIS	SE (gabap	entin)
	Diagnosis	s Code Must Be Submitted on: Claim ☐ Prior Authorization Request ✓
	ICD-10	Description
	B0221	Postherpetic geniculate ganglionitis
	B0222	Postherpetic trigeminal neuralgia
	B0223	Postherpetic polyneuropathy
	B0224	Postherpetic myelitis
	B0229	Other postherpetic nervous system involvement

#### Diagnosis Restricted Drugs

# Hypoglycemics, GLP1

#### **Products**

BYDUREON BCISE (exenatide microspheres)
MOUNJARO (tirzepatide)
RYBELSUS (semaglutide)
VICTOZA 2-PAK (liraglutide)

BYETTA (exenatide)
OZEMPIC (semaglutide)
TRULICITY (dulaglutide)
VICTOZA 3-PAK (liraglutide)

Effective: 11/1/2023

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓

#### ICD-10 Description

ICD-10	Description
E1100	Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)
E1101	Type 2 diabetes mellitus with hyperosmolarity with coma
E1110	Type 2 diabetes mellitus with ketoacidosis without coma
E1111	Type 2 diabetes mellitus with ketoacidosis with coma
E1121	Type 2 diabetes mellitus with diabetic nephropathy
E1122	Type 2 diabetes mellitus with diabetic chronic kidney disease
E1129	Type 2 diabetes mellitus with other diabetic kidney complication
E11311	Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema
E11319	Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular edema
E113211	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, rt eye
E113212	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, It eye
E113213	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, bilat
E113219	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy with macular edema, unsp eye
E113291	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, rt eye
E113292	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, lt eye
E113293	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, bilat
E113299	Type 2 diabetes mellitus with mild nonprolif diabetic retinopathy w/o macular edema, unsp eye
E113311	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, rt eye
E113312	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, lt eye
E113313	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, bilat
E113319	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy with macular edema, unsp eye
E113391	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, rt eye
E113392	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, lt eye
E113393	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, bilat
E113399	Type 2 diabetes mellitus with moderate nonprolif diabetic retinopathy w/o macular edema, unsp eye
E113411	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, rt eye
E113412	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, It eye
E113413	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, bilat
E113419	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy with macular edema, unspe eye
E113491	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, rt eye
E113492	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, lt eye
E113493	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, bilat
E113499	Type 2 diabetes mellitus with severe nonprolif diabetic retinopathy w/o macular edema, unsp eye
E113511	Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, right eye
E113512	Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, left eye
E113513	Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, bilateral
E113519	Type 2 diabetes mellitus with prolif diabetic retinopathy with macular edema, unspecified eye
E113521	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, rt eye
E113522	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, It eye

# Diagnosis Restricted Drugs

# Hypoglycemics, GLP1

E113523	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, bilat
E113529	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch macula, unsp eye
E113531	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, rt eye
E113532	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, It eye
E113533	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, bilat
E113539	Type 2 diabetes mellitus with prolif diabetic retinopathy w traction retinal dtch not macula, unsp eye
E113541	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, rt eye
E113542	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, It eye
E113543	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, bilat
E113549	Type 2 diabetes mellitus with prolif diabetic retinopathy w comb traction retinal dtch and rheg retinal dtch, unsp
E113551	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye
E113552	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye
E113553	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral
E113559	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye
E113591	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye
E113592	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye
E113593	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral
E113599	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye
E1136	Type 2 diabetes mellitus with diabetic cataract
E1137X1	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye
E1137X2	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye
E1137X3	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral
E1137X9	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye
E1139	Type 2 diabetes mellitus with other diabetic ophthalmic complication
E1140	Type 2 diabetes mellitus with diabetic neuropathy, unspecified
E1141	Type 2 diabetes mellitus with diabetic mononeuropathy
E1142	Type 2 diabetes mellitus with diabetic polyneuropathy
E1143	Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy
E1144	Type 2 diabetes mellitus with diabetic amyotrophy
E1149	Type 2 diabetes mellitus with other diabetic neurological complication
E1151	Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene
E1152	Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene
E1159	Type 2 diabetes mellitus with other circulatory complications
E11610	Type 2 diabetes mellitus with diabetic neuropathic arthropathy
E11618	Type 2 diabetes mellitus with other diabetic arthropathy
E11620	Type 2 diabetes mellitus with diabetic dermatitis
E11621	Type 2 diabetes mellitus with foot ulcer
E11622	Type 2 diabetes mellitus with other skin ulcer
E11628	Type 2 diabetes mellitus with other skin complications
E11630	Type 2 diabetes mellitus with periodontal disease
E11638	Type 2 diabetes mellitus with other oral complications
E11641	Type 2 diabetes mellitus with hypoglycemia with coma
E11649	Type 2 diabetes mellitus with hypoglycemia without coma
E1165	Type 2 diabetes mellitus with hyperglycemia
E1169	Type 2 diabetes mellitus with other specified complication
E118	Type 2 diabetes mellitus with unspecified complications
E119	Type 2 diabetes mellitus without complications
	LANCE TO THE MINISTRA COMPANY OF THE PROPERTY

# Diagnosis Restricted Drugs

YALEPT (metro	eleptin)			
Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-10	Description			
E881	Lipodystrophy, not elsewhere class	sified		
•	is Code Must Be Submitted on:	Claim <b>✓</b>	Prior Authorization Request	
GRIFTA SV (te  Diagnos  Both diag	is Code Must Be Submitted on: gnosis codes required or see below	Claim 🗸	Prior Authorization Request	
GRIFTA SV (te	is Code Must Be Submitted on: gnosis codes required or see below Description	<u>.                                    </u>	Prior Authorization Request	
GRIFTA SV (te  Diagnosi  Both diag	is Code Must Be Submitted on: gnosis codes required or see below	IV] Disease	Prior Authorization Request	
Diagnosi Both diag ICD-10 B20 E881	is Code Must Be Submitted on: gnosis codes required or see below Description Human immunodeficiency virus [H	IV] Disease	Prior Authorization Request	
Diagnosi Both diag ICD-10 B20 E881	is Code Must Be Submitted on: gnosis codes required or see below  Description  Human immunodeficiency virus [H  Lipodystrophy, not elsewhere classernative combination of codes	IV] Disease	Prior Authorization Request	
Diagnos Both diag ICD-10 B20 E881 Or an alte	is Code Must Be Submitted on: gnosis codes required or see below  Description  Human immunodeficiency virus [H  Lipodystrophy, not elsewhere class ernative combination of codes  Description	IV] Disease	Prior Authorization Request   the cause of diseases classified elsewhere	

	DELGA (eliç ESCA (migli	glustat tartrate) ustat)		YARGESA (miglustat)	
	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	ICD-10	Description			
	E7522	Gaucher disease			
_ysos		Storage Disorder			
GALA	AFOLD (mig	galastat)			
	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
	ICD-10	Description			
	E7521	Fahry (-Anderson) Disease			$\neg$

# Diagnosis Restricted Drugs

#### **Movement Disorders**

Proc	lucts			
	-	tetrabenazine) ITRATION KT(WK1-4) (deutetrabena	azine)	AUSTEDO XR (deutetrabenazine) INGREZZA (valbenazine)
ING	REZZA INIT	IATION PACK (valbenazine)		
	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
	ICD-10	Description		
	G10	Huntington's Disease		
	G2401	Drug Induced Subacute Dyskinesi	a	
	G2402	Other induced Acute Dystonia		
	G2409	Other Drug Induced Dystonia		
Prod	lucts			
XEN	AZINE (tetra	abenazine)		
	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
	ICD-10	Description		
	G10	HUNTINGTON'S DISEASE		
	ple Sc	lerosis Agents, Other		
AME	YRA (dalfar	mnridin)		
/ UVII	(danai	npnam,		
	Diagnos	is Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request
	ICD-10	Description		

### Diagnosis Restricted Drugs

### Neuropathic Pain

A CR (pre	gabalin)		
Diagnos	is Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗹		
ICD-10	Description		
B0221	POSTHERPETIC GENICULATE GANGLIONITIS		
B0222	POSTHERPETIC TRIGEMINAL NEURALGIA		
B0223	POSTHERPETIC POLYNEUROPATHY		
B0224	POSTHERPETIC MYELITIS		
B0229	OTHER POSTHERPETIC NERVOUS SYSTEM INVOLVEMENT		
E1040	TYPE 1 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED		
E1041	TYPE 1 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY		
E1042	TYPE 1 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY		
E1043	TYPE 1 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY		
E1044	TYPE 1 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY		
E1049	TYPE 1 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION		
E1140	TYPE 2 DIABETES MELLITUS WITH DIABETIC NEUROPATHY, UNSPECIFIED		
E1141	TYPE 2 DIABETES MELLITUS WITH DIABETIC MONONEUROPATHY		
E1142	TYPE 2 DIABETES MELLITUS WITH DIABETIC POLYNEUROPATHY		
E1143	TYPE 2 DIABETES MELLITUS WITH DIABETIC AUTONOMIC (POLY)NEUROPATHY		
E1144	TYPE 2 DIABETES MELLITUS WITH DIABETIC AMYOTROPHY		
E1149	TYPE 2 DIABETES MELLITUS WITH OTHER DIABETIC NEUROLOGICAL COMPLICATION		

# Ophthalmics, Presbyopia

Products				
VUITY (pilocarpine)				
Diagno	sis Code Must Be Submitted on:	Claim 🗸	Prior Authorization Request	
ICD-10	Description			
H524	Presbyopia			

#### Diagnosis Restricted Drugs

### Opioid Dependency - Buprenorphine

F11282

F11288

F1129

Opioid dependence with opioid-induced sleep disorder

Opioid dependence with other opioid-induced disorder

Opioid dependence with unspecified opioid-induced disorder

Prod	lucts	
BRIX	ADI (buprer	norphine) buprenorphine (Example brand: SUBUTEX)
bupre	enorphine h	cl (Example brand: SUBUTEX) buprenorphine-naloxone (Example brand: SUBOXON
SUB	LOCADE (b	uprenorphine) SUBOXONE (buprenorphine hcl/naloxone)
ZUB	SOLV (bupre	enorphine hcl/naloxone)
	Diagnosi	is Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗸
	ICD-10	Description
	F1120	Opioid dependence, uncomplicated
	F1120	Opioid dependence, uncomplicated
	F1121	Opioid dependence, in remission
	F1124	Opioid dependence with opioid-induced mood disorder
	F11250	Opioid dependence with opioid-induced psychotic disorder with delusions
	F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations
	F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified
	F11281	Opioid dependence with opioid-induced sexual dysfunction
	F11282	Opioid dependence with opioid-induced sleep disorder
	F11288	Opioid dependence with other opioid-induced disorder
	F1129	Opioid dependence with unspecified opioid-induced disorder
pio Prod		endency Agents - Methadone
DISK	ETS 40 MG	G TABLET DISPR (methadone hcl)  METHADONE INTENSOL 10 MG/ML (methadone hcl)
		0 MG/ML ORAL CONC (methadone hcl) METHADOSE 40 MG TABLET DISPR (methadone hc
	Diagnosi	is Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗌
	ICD-10	Description
	F1120	Opioid dependence, uncomplicated
	F1121	Opioid dependence, in remission
	F1124	Opioid dependence with opioid-induced mood disorder
	F11250	Opioid dependence with opioid-induced psychotic disorder with delusions
	F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations
	F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified
	F11281	Opioid dependence with opioid-induced sexual dysfunction

### Diagnosis Restricted Drugs

# Opioid Dependency and Alcohol Abuse/Dependency Agents

ucts		
exone hcl (Example brand: REVIA) VIVITROL (naltrexone microspheres)		
Diagnosis	S Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐	
ICD-10	Description	
F1010	Alcohol abuse, uncomplicated	
F1011	Alcohol abuse, uncomplicated	
F1014	Alcohol abuse with alcohol-induced mood disorder	
F10150	Alcohol abuse with alcohol-induced psychotic disorder with delusions	
F10151	Alcohol abuse with alcohol-induced psychotic disorder with hallucinations	
F10159	Alcohol abuse with alcohol-induced psychotic disorder, unspecified	
F10180	Alcohol abuse with alcohol-induced anxiety disorder	
F10181	Alcohol abuse with alcohol-induced sexual dysfunction	
F10182	Alcohol abuse with alcohol-induced sleep disorder	
F10188	Alcohol abuse with other alcohol-induced disorder	
F1019	Alcohol abuse with unspecified alcohol-induced disorder	
F1020	Alcohol dependence, uncomplicated	
F1021	Alcohol dependence, in remission	
F1024	Alcohol dependence with alcohol-induced mood disorder	
F10250	Alcohol dependence with alcohol-induced psychotic disorder with delusions	
F10251	Alcohol dependence with alcohol-induced psychotic disorder with hallucinations	
F10259	Alcohol dependence with alcohol-induced psychotic disorder, unspecified	
F1026	Alcohol dependence with alcohol-induced persisting amnestic disorder	
F1027	Alcohol dependence with alcohol-induced persisting dementia	
F10280	Alcohol dependence with alcohol-induced anxiety disorder	
F10281	Alcohol dependence with alcohol-induced sexual dysfunction	
F10282	Alcohol dependence with alcohol-induced sleep disorder	
F10288	Alcohol dependence with other alcohol-induced disorder	
F1029	Alcohol dependence with unspecified alcohol-induced disorder	
F1094	Alcohol use, unspecified with alcohol-induced mood disorder	
F10950	Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions	
F10951	Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations	
F10959	Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified	
F1096	Alcohol use, unspecified with alcohol-induced persisting amnestic disorder	
F1097	Alcohol use, unspecified with alcohol-induced persisting dementia	
F10980	Alcohol use, unspecified with alcohol-induced anxiety disorder	
F10981	Alcohol use, unspecified with alcohol-induced sexual dysfunction	
F10982	Alcohol use, unspecified with alcohol-induced sleep disorder	
F10988	Alcohol use, unspecified with other alcohol-induced disorder	
F1099	Alcohol use, unspecified with unspecified alcohol-induced disorder	
F1120	Opioid dependence, uncomplicated	
F1121	Opioid dependence, in remission	
F1124	Opioid dependence with opioid-induced mood disorder  Opioid dependence with opioid induced psychotic disorder with delusions	
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions  Opioid dependence with opioid-induced psychotic disorder with hallucinations	
F11251 F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified	

Opioid dependence with opioid-induced sexual dysfunction

F11281

#### Diagnosis Restricted Drugs

### Opioid Dependency and Alcohol Abuse/Dependency Agents

	F11282	Opioid dependence with opioid-induced sleep disorder
ĺ	F11288	Opioid dependence with other opioid-induced disorder
ĺ	F1129	Opioid dependence with unspecified opioid-induced disorder

### Peptic Ulcer

#### **Products**

DARTISLA (glycopyrrolate)

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐

#### ICD-10 Description

K270	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH HEMORRHAGE
K271	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH PERFORATION
K272	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITH BOTH HEMORRHAGE AND PERFORATION
K273	ACUTE PEPTIC ULCER, SITE UNSPECIFIED, WITHOUT HEMORRHAGE OR PERFORATION
K274	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH HEMORRHAGE
K275	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH PERFORATION
K276	CHRONIC OR UNSPECIFIED PEPTIC ULCER, SITE UNSPECIFIED, WITH BOTH HEMORRHAGE AND PER
K277	CHRONIC PEPTIC ULCER, SITE UNSPECIFIED, WITHOUT HEMORRHAGE OR PERFORATION
K279	PEPTIC ULCER, SITE UNSPECIFIED, UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT HEMORRHAGE

#### Pompe Disease

# Products OPFOLDA (miglustat)

Diagnosis Code Must Be Submitted on: Claim ✓ Prior Authorization Request ✓

ICD-10 Description
E7402 Pompe disease

# Diagnosis Restricted Drugs

# **Progestational Agent**

CRINONE 8% G	EL (progesterone)	
Diagnosi	s Code Must Be Submitted on: Claim ✓ Prior Authorization Request ☐	
ICD-10	Description	
009211	Supervision of pregnancy with history of pre-term labor, first trimester	
009212	Supervision of pregnancy with history of pre-term labor, second trimester	
009213	Supervision of pregnancy with history of pre-term labor, third trimester	
009219	Supervision of pregnancy with history of pre-term labor, unspecified trimester	
009291	Supervision of pregnancy with other poor reproductive or obstetric history, first trimester	
009292	Supervision of pregnancy with other poor reproductive or obstetric history, second trimester	
009293	Supervision of pregnancy with other poor reproductive or obstetric history, third trimester	
O09299	Supervision of pregnancy with other poor reproductive or obstetric history, unspecified trimester	
O26872	Cervical shortening, second trimester	
O26873	Cervical shortening, third trimester	
O26879	Cervical shortening, unspecified trimester	
		_
Diagnosi	s Code Must Be Submitted on: Claim 🗹 Prior Authorization Request 🗹	
ICD-10	Description	
N028		
NU28	RECURRENT AND PERSISTENT HEMATURIA WITH OTHER MORPHOLOGIC CHANGES	
<u> </u>	RECURRENT AND PERSISTENT HEMATURIA WITH OTHER MORPHOLOGIC CHANGES  Anti-Hypertensive Agents	
Pulmonary A	Anti-Hypertensive Agents	
Pulmonary <i>i</i>	Anti-Hypertensive Agents  afil)  ALYQ (tadalafil)	
Pulmonary A Products ADCIRCA (tadala	Anti-Hypertensive Agents  AlyQ (tadalafil) REVATIO (sildenafil citrate)	
Pulmonary A Products  ADCIRCA (tadala LIQREV (sildenal TADLIQ (tadalafil	Anti-Hypertensive Agents  AlyQ (tadalafil) REVATIO (sildenafil citrate)	
Pulmonary A Products  ADCIRCA (tadala LIQREV (sildenal TADLIQ (tadalafil	Anti-Hypertensive Agents  afil)  ALYQ (tadalafil)  REVATIO (sildenafil citrate)	
Products  ADCIRCA (tadala LIQREV (sildenat TADLIQ (tadalafil	Anti-Hypertensive Agents  afil)  ALYQ (tadalafil)  REVATIO (sildenafil citrate)  S Code Must Be Submitted on: Claim Prior Authorization Request	
Products  ADCIRCA (tadala LIQREV (sildenat TADLIQ (tadalafil Diagnosi	Anti-Hypertensive Agents  AlyQ (tadalafil) REVATIO (sildenafil citrate)  S Code Must Be Submitted on: Claim Prior Authorization Request Description	
Products  ADCIRCA (tadala LIQREV (sildenat TADLIQ (tadalafil Diagnosi ICD-10	Anti-Hypertensive Agents  Alticological Action (Sildenafil Citrate)  Alticological Action (Sildenafil Citrate)  REVATIO (Sildenafil Citrate)  Solvent Claim Prior Authorization Request Description  Primary pulmonary hypertension	
Products  ADCIRCA (tadalatical LIQREV (sildenatical TADLIQ (tadalafilial Diagnosistical ICD-10)  1270 12720	Anti-Hypertensive Agents  AltyQ (tadalafil) REVATIO (sildenafil citrate)  S Code Must Be Submitted on: Claim Prior Authorization Request Primary pulmonary hypertension  Pulmonary hypertension, unspecified	
Pulmonary A Products  ADCIRCA (tadala LIQREV (sildenat TADLIQ (tadalafil  Diagnosi ICD-10   270   2720   2721	Anti-Hypertensive Agents  afil)  ALYQ (tadalafil)  REVATIO (sildenafil citrate)  S Code Must Be Submitted on:  Claim Prior Authorization Request Primary pulmonary hypertension  Pulmonary hypertension, unspecified  Secondary pulmonary arterial hypertension	
Products  ADCIRCA (tadala LIQREV (sildenat TADLIQ (tadalafil Diagnosi ICD-10   1270   12720   12721   12722	Anti-Hypertensive Agents  afil) ALYQ (tadalafil) REVATIO (sildenafil citrate)  S Code Must Be Submitted on: Claim Prior Authorization Request Description  Primary pulmonary hypertension Pulmonary hypertension, unspecified Secondary pulmonary arterial hypertension Pulmonary hypertension due to left heart disease	
Pulmonary A Products  ADCIRCA (tadala LIQREV (sildenat TADLIQ (tadalafil  Diagnosi ICD-10  270  2720  2721  2722  2723	Anti-Hypertensive Agents  AlyQ (tadalafil) REVATIO (sildenafil citrate)  Secondary pulmonary hypertension Pulmonary hypertension due to left heart disease Pulmonary hypertension Due to Lung Diseases and hypoxia	

# Diagnosis Restricted Drugs

# **Smoking Cessation**

F909

Attention-deficit hyperactivity disorder, unspecified type

Products			
bupropion hcl si	r 150 mg tablet (Example brand: ZYBAN)	CHANTIX (varenicline tartrate)	
nicotine gum (E	xample brand: NICORETTE)	nicotine lozenge (Example brand: NICORETTE)	
nicotine lozenge	e (Example brand: NICOTINE)	nicotine patch (Example brand: CVS NICOTINE)	
nicotine patch (l	Example brand: NICOTINE)	NICOTROL (nicotine)	
NICOTROL NS	(nicotine)	varenicline tartrate (Example brand: CHANTIX)	
-		Authorization Request	
ICD-10	Description		
F17200			
F17201	Nicotine dependence, unspecified, in remission		
F17203	1 1		
F17208	, , , ,		
F17209	1 7 1 7 1	induced disorders	
F17210	1 2 3 7 1		
	F17211 Nicotine dependence, cigarettes, in remission		
	F17213 Nicotine dependence, cigarettes, with withdrawal		
F17218	1 , 3 ,		
	F17219 Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders		
F17220	1 2 0 1		
F17221	Nicotine dependence, chewing tobacco, in remission		
F17223	Nicotine dependence, chewing tobacco, with withdrawal		
F17228	1 , 3		
F17229	Nicotine dependence, chewing tobacco, with unspecified nic	otine-induced disorders	
F17290	Nicotine dependence, other tobacco product, uncomplicated		
F17291	Nicotine dependence, other tobacco product, in remission		
F17293	Nicotine dependence, other tobacco product, with withdrawa	I	
F17298	Nicotine dependence, other tobacco product, with other nico	tine-induced disorders	
F17299	Nicotine dependence, other tobacco product, with unspecifie	d nicotine-induced disorders	
Z720	Tobacco use		
nulants	, Desoxyn		
aiai ito,	, 2000///		
roducts			
SOXYN (me	thamphetamine hcl)		
Diagnos	sis Code Must Be Submitted on: Claim 🕡 Prior	Authorization Request <b>√</b>	
ICD-10	Description	<u>V</u>	
F900	Attention-deficit hyperactivity disorder, predominantly inatter	tive type	
F900 F901	Attention-deficit hyperactivity disorder, predominantly matter  Attention-deficit hyperactivity disorder, predominantly hypera		
F901	Attention-deficit hyperactivity disorder, predominantly hypera-	ouve type	
F908	Attention-deficit hyperactivity disorder, other type		

# Diagnosis Restricted Drugs

# Stimulants, Excluding Desoxyn and Vyvanse

Narcolepsy with cataplexy

Narcolepsy without cataplexy

G47411 G47419

Products				
ADDERALI	L (dext	roamphetamine/amphetamine)	ADDERALL XR (dextroamphetamine/amphetamine)	
ADHANSIA	A XR (n	nethylphenidate)	ADZENYS XR-ODT (amphetamine)	
APTENSIO	XR (m	nethylphenidate hcl)	AZSTARYS (serdexmethylphenidate/dexmethylphenidate/	
CONCERTA (methylphenidate hcl)			COTEMPLA XR-ODT (methylphenidate)	
DAYTRANA (methylphenidate hcl)			DEXEDRINE (dextroamphetamine sulfate)	
dextroamphetamine sulfate er (Example brand: DEXEDRINE)			DYANAVEL XR (amphetamine)	
EVEKEO (amphetamine)			FOCALIN (dexmethylphenidate hcl)	
FOCALIN XR (dexmethylphenidate hcl)			JORNAY PM (methylphenidate er)	
METHYLIN (methylphenidate hcl)			methylphenidate er (Example brand: METADATE ER)	
methylpher	nidate e	er (Example brand: METHYLIN)	methylphenidate hcl (Example brand: METHYLIN CH	
methylpher	nidate h	ncl cd (Example brand: METADATE CD)	methylphenidate hcl er (cd) (Example brand: METADA	
methylpher	nidate I	a (Example brand: RITALIN LA)	MYDAYIS (dextroamphetamine/amphetamine)	
PROCENT	RA (de	extroamphetamine sulfate)	QUILLIVANT XR (methylphenidate hcl)	
RELEXXII (	(methy	lphenidate)	RITALIN (methylphenidate hcl)	
RITALIN LA	A (meth	nylphenidate hcl)	ZENZEDI (dextroamphetamine sulfate)	
Dia	gnosis	s Code Must Be Submitted on: Claim 🗸	Prior Authorization Request ✓	
ICD	D-10	Description	<del>-</del>	
F90	00	Attention-deficit hyperactivity disorder, predominan	tly inattentive type	
F90	01	Attention-deficit hyperactivity disorder, predominan	tly hyperactive type	
F90	02	Attention-deficit hyperactivity disorder, combined ty	/pe	
F90	08	Attention-deficit hyperactivity disorder, other type		
F90	09	Attention-deficit hyperactivity disorder, unspecified	type	
G4	7411	Narcolepsy with cataplexy		
G47	7419	Narcolepsy without cataplexy		
timular	nts, '	Vyvanse		
Products				
VYVANSE	(lisdex	amfetamine dimesylate)	VYVANSE CHEWABLE (lisdexamfetamine dimesylate)	
Dia	ignosis	s Code Must Be Submitted on: Claim 📝	Prior Authorization Request	
ICD	D-10	Description		
F50	081	Binge Eating Disorder		
F90	00	Attention-deficit hyperactivity disorder, predominan	tly inattentive type	
F90	01	Attention-deficit hyperactivity disorder, predominan	tly hyperactive type	
F90	02	Attention-deficit hyperactivity disorder, combined ty	rpe	
F90	08	Attention-deficit hyperactivity disorder, other type		
F90	09	Attention-deficit hyperactivity disorder, unspecified	type	

#### Diagnosis Restricted Drugs

#### Vitamins, Renal

N189

N250

N251

N2581

N2589

N259

Chronic kidney disease, unspecified

Secondary hyperparathyroidism of renal origin

Other disorders resulting from impaired renal tubular function

Disorder resulting from impaired renal tubular function, unspecified

Nephrogenic diabetes insipidus

Renal osteodystrophy

#### **Products** DIALYVITE (folic acid combination) DIALYVITE 3000 (folic acid combination) DIALYVITE 800 WITH IRON (fe fumarate combinations) FERROCITE PLUS (iron combinations) FOLBEE PLUS (folic acid combination) FOLBEE PLUS CZ (folic acid combination) TRIPHROCAPS (vitamin b complex) VIRT-CAPS (vitamin b complex) WESCAPS (vitamin b complex) VP-VITE RX (vitamin b complex) Diagnosis Code Must Be Submitted on: Claim 🗸 Prior Authorization Request **ICD-10** Description N181 Chronic kidney disease, Stage 1 N182 Chronic kidney disease, Stage 2 (mild) N1830 Chronic kidney disease, stage 3 unspecified N1831 Chronic kidney disease, stage 3A N1832 Chronic kidney disease, stage 3B N184 Chronic kidney disease, Stage 4 (severe) N185 Chronic kidney disease, Stage 5 N186 End stage renal disease